



TO: DDG: CHIEF OF OPERATIONS
ALL HEADS OF INSTITUTIONS
CHIEF DIRECTORS: MHS, RHS & STRATEGY
DISTRICT AND SUB-STRUCTURE DIRECTORS
HEAD: CITY OF HEALTH

CIRCULAR H38 / 2022

**COVID-19 PROJECT OFFICE: INTRODUCTION OF SECOND BOOSTER DOSE AFTER VACCINATION WITH
COVID-19 VACCINE JANSSEN® (J&J)**

Effective 14 March 2022, all individuals who have received one booster dose following **primary vaccination with COVID-19 vaccine Janssen®**, will be eligible to receive an additional booster dose 90 days after the first booster dose.

Both the first and second booster doses may be homologous or heterologous.

Detailed dosing schedule is contained in the National Vaccination Programme Circular 4 of 2022 (attached).

Sincerely,

 Digitally signed
by Juanita O.
Arendse
Date: 2022.03.11
E:24:07 +02'00'

Chief Director: ECSS

DATE:



**DIRECTOR GENERAL
HEALTH
REPUBLIC OF SOUTH AFRICA**

PRETORIA
Private Bag X828, PRETORIA, 0001, Dr AB Xuma Building, 1112 Voortrekker Rd, Pretoria 351-JR, Pretoria, 0187, Tel (012) 395 8402
CAPE TOWN
P.O. Box 3875, CAPE TOWN, 8000, 103 Parliament Towers, Room 615, 20 Plain Street, CAPE TOWN, 8000 Tel (021) 461 2040 Fax (021) 461 6864

**TO:
HEADS OF PROVINCIAL HEALTH DEPARTMENTS
DISTRICT, HOSPITAL AND PHC MANAGERS
COVID-19 VACCINE PROGRAMME MANAGERS
COVID-19 VACCINATION SITE MANAGERS
COVID-19 VACCINATORS**

NATIONAL VACCINATION PROGRAMME CIRCULAR 4 OF 2022

INTRODUCTION OF SECOND BOOSTER DOSE AFTER VACCINATION WITH COVID-19 VACCINE JANSSEN®

1. From Monday, 14th March 2022, individuals who have received one booster dose following primary vaccination with COVID-19 vaccine Janssen®, will be eligible to receive an additional booster dose 90 days after the first booster dose.
2. Both the first and second booster doses may be homologous or heterologous.
3. From Monday 14th March 2022, the vaccination schedules will therefore be as follows:

Primary Schedule One dose	Booster doses			
COVID-19 vaccine Janssen®	Minimum of 60 day interval	COVID-19 vaccine Janssen® OR Comirnaty® Vaccine	Minimum of 90 day interval	COVID-19 vaccine Janssen® OR Comirnaty® Vaccine

OR

Primary Schedule			Booster dose	
First dose		Second dose		
Comirnaty® Vaccine	Minimum of 21 day interval	Comirnaty® Vaccine	Minimum of 90 day interval	Comirnaty® Vaccine OR COVID-19 vaccine Janssen®

4. Health care workers are reminded that all booster doses must be correctly recorded on the EVDS.

**DR SSS BUTHELEZI
DIRECTOR-GENERAL: HEALTH
DATE: 11/03/2022**