

PROVINCIAL CODE LIST



CATALOGUE OF APPROVED PHARMACEUTICALS FOR USE IN THE DEPARTMENT OF HEALTH

ISSUE No. 06/13

UPDATED: 03-June-2013

INCLUDES: Supplementary List No: 129

GENERIC DESCRIPTION	ATC	MIMS	SUPP LIST	*EDL	STRENGTH	FORM	TRADE NAME	RESTRICTION	COMMENT
abacavir	J05AF	18.12	pgwc ARV depot		20mg/ml	solution	ZIAGEN	AIDS programme	Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. Also see Circular H34/2012
abacavir	J05AF	18.12	pgwc ARV depot		300mg	tablet	ZIAGEN	AIDS programme	As above.
acetazolamide	S01EC	16.1		A	500mg/10ml	injection	DIAMOX; AZOMID	Specialist: neurologist, neurosurgeon & ophthalmologist	
acetazolamide	S01EC	16.1	Supp List 119	1 A P	250mg	tablet	DIAMOX	General . neurologist, neurosurgeon & ophthalmologist Initiated	General - for Glaucoma emergencies
acetic acid	S02AA	∅	Supp List 118	1	2% in aqueous	ear drops			
acetone	X	∅				liquid	ACETONE		
acetylcholine + mannitol	S01EB	15.7			40mg + 200mg/4,5ml	intraocular injection	COVOCHOL	Specialist: ophthalmologist	
acitretin	D05BB	14.5		A	10mg	capsule	NEOTIGASON	Specialist: dermatologist	
acitretin	D05BB	14.5		A	25mg	capsule	NEOTIGASON	Specialist: dermatologist	
acriflavine	R02AA	∅			0,1%	emulsion	ACRIFLAVIN EMULSION		
acyclovir	J05AB	18.12		A P	250mg	injection	ZOVIRAX	Specialist	
acyclovir	J05AB	18.12		P	200mg/5ml	suspension	ZOVIRAX	Specialist	
acyclovir	J05AB	18.12	Suppl List 119/122	1 A P	200mg	tablet	ZOVIRAX	General & Clinical Nurse Practitioner	General: For Primary Genital Herpes, GUS, Chronic Herpetic Ulcer, Herpes Zoster, Eczema Herpeticum, Herpes Stomatitis and Ophthalmic Zoster: According to H135/2002 Addendum A - Supp List 92. <u>Clinical Nurse Practitioner</u> : according to EDL
acyclovir	J05AB	18.12	Suppl List 119/122	1 A P	400mg	tablet	ZOVIRAX	General & Clinical Nurse Practitioner	General: For Primary Genital Herpes, GUS, Chronic Herpetic Ulcer, Herpes Zoster, Eczema Herpeticum, Herpes Stomatitis and Ophthalmic Zoster: According to H135/2002 Addendum A - Supp List 92. <u>Clinical Nurse Practitioner</u> : according to EDL
acyclovir	S01AD	15.1.1	SL 128	A	30mg/g	eye ointment	ZOVIRAX		For ophthalmic zoster. Patients to be referred to ophthalmologist urgently.

adenosine	C01EB	7.2	Supp List 122	A P	6mg/2ml	injection	ADENOCOR		
adrenaline auto-injector	C01CA	5.1	Supp List 125		0,3mg/0,3ml	auto-injector	EPIPEN AUTO-INJECTOR	Specialist paediatrician	Central hospital use at paediatric allergy clinics: non-referable. History of severe allergic reaction or anaphylaxis.
adrenaline auto-injector (junior)	C01CA	5.1	Supp List 125		0,15mg/ 0,3ml	auto-injector (Junior)	EPIPEN JR AUTO-INJECTOR	Specialist paediatrician	Central hospital use at paediatric allergy clinics: non-referable. History of severe allergic reaction or anaphylaxis.
adrenaline B.P.	C01CA	7.1.2		1 A P	1:1000 1mg/ml	injection	ADRENALINE		
albendazole	P02CA	13	Suppl List 119/121	1 A P	200mg	tablet	ZENTEL		For: - Children under two years of age - Neurocysticercosis, hydatid cysts, tape worm, sandworm
albendazole	P02CA	13	Suppl List 119/121	1 A P	400mg	tablet	ZENTEL		For: - Children under two years of age - Neurocysticercosis, hydatid cysts, tape worm, sandworm
albumin, normal serum	B05AA	∅		P	0.2	infusion		Specialist paediatrician	
alendronate	M05BA	4.7.1	Supp List 125	A	10mg	tablets	OSTEOBON	Specialist initiated	Restricted to patients with DEXA T-score ≤ -2,5 plus proven history of osteoporotic fracture (i.e. secondary prevention only).. Prescriptions to be endorsed with these criteria.
alfacalcidol	A11CC	20.1		P	0,25µg	capsule	ONE-ALPHA	Specialist physicians and paediatricians initiated	
alfacalcidol	A11CC	20.1		P	1µg	capsule	ONE-ALPHA	Specialist physicians and paediatricians initiated	
alfentanil	N01AH	2.1.2		A	1mg/2ml	injection	RAPIFEN	Specialist	
alfentanil	N01AH	2.1.2		A	5mg/10ml	injection	RAPIFEN	Specialist	
alfuzosin	G04CA	7.3.2	SL 129		10mg	tablets	XATRAL	Specialist initiated	Cheapest uro-selective alpha-blocker on tender to be coded. For BPH and/or LUTS: with referral to a urologist within 6 months for those patients who have not previously been on an alpha-blocker (i.e. referral within 6 months for patients initiated on an alpha-blocker for BPH / LUTS). LUTS = Lower Urinary Tract Symptoms in males.
allergen-skin prick tests for allergy			Supp List 124				ALLERGEN SKIN PRICK TESTS		Allergy clinics
allopurinol	M04AA	4.2		A P	100mg	tablet	ZYLOPRIM; PURICOS		
allopurinol	M04AA	4.2			300mg	tablet	ZYLOPRIM		

alprostadil	C01EA	7.5			0,5mg/ml	injection	PROSTIN VR	Specialist: paediatrician	
alprostadil	G04BE	17.5.2			20µg/ml	injection	CAVERJECT	Central Hospitals Specialist: urologist	Urology. Erectile dysfunction. Maximum of 4 doses. Patient name basis.
alteplase	B01AD	8.3			50mg	injection	ACTILYSE	Specialist	For acute arterial occlusion and deep vein thrombosis.
aluminium hydrox. + magnesium trisil.	A02AD	12.4		1 A	250mg + 500mg	tablet	GELUSIL		
aluminium hydrox.+ magnesium hydrox. + oxethazaine	A02AD	12.4.1	Supp List 124		291mg + 98mg + 10mg/5ml	suspension	MUCAINE	Specialist oncologist	For radio-oncology patients only, non-referable. Maximum dose 10ml 4 times daily.
aluminium hydroxide	A02AB	12.4		A	300mg/5ml	suspension	AMPHOGEL	Specialist initiated	
amantadine HCl	N04BB	1.7.1			100mg	capsule	SYMMETREL; ANTADINE	Specialist: neurologist	
amethocaine HCl	D04AB	2.2.1			0.01	cream	ANETHAINE		
amethopterin: See methotrexate									
Amiloride HCl + hydrochlorothiazide	C03DB	16.1	Suppl List 128		5mg + 50mg	tablets	MODURETIC	Specialist	Specialist – central hospitals, hypertension clinic only, non-referable
amikacin	J01GB	18.3		A P	100mg	injection	AMIKIN; KACINTH-A	Specialist	
amikacin	J01GB	18.3		P	250mg	injection	AMIKIN	Specialist	
amikacin	J01GB	18.3		A	500mg	injection	AMIKIN	Specialist	
aminocaproic acid	B02AA	8.1		A	250mg/ml	injection	AMICAR		
aminophylline I.V.	R03DA	10.2.2		1 A P	250mg/10ml	injection	PETERPHYLLIN		
amiodarone HCl	C01BD	7.2		A	150mg/3ml	injection	CORDARONE X	General Specialist physician	Genreal code: cardiovascular resuscitation Specialist physician: other indications
amiodarone HCl	C01BD	7.2		A	200mg	tablet	CORDARONE X	Specialist physician	
amisulpiride	N05AL	1.5.3	Suppl List 116		50mg	tablet	SOLIAN	Specialist psychiatrist initiated with annual review with psychiatrist	For patients who have not responded to or experienced intolerable side effects with other coded anti-psychotics. To be used in line with the Mental Health protocol
amisulpiride	N05AL	1.5.3	Suppl List 116		200mg	tablet	SOLIAN	Specialist psychiatrist initiated with annual review with psychiatrist	For patients who have not responded to or experienced intolerable side effects with other coded anti-psychotics. To be used in line with the Mental Health protocol
amitriptyline	N06AA	1.4.1		1 A P	10mg	tablet	TRYPTANOL; TREPILINE		
amitriptyline	N06AA	1.4.1		1 A P	25mg	tablet	TRYPTANOL		
amlodipine	C08CA	7.3.7	Supp List 114 and 119	1 A	5mg	tablet	NORVASC		
amlodipine	C08CA	7.3.7	Supp List 120	1 A	10mg	tablet	NORVASC; AMIODAC 10		

amoxicillin	J01CA	18.1.1		1 A P	250mg	capsule	AMOXIL; MOXYPEN		
amoxicillin	J01CA	18.1.1		1 A	500mg	capsule	AMOXIL		
amoxicillin	J01CA	18.1.1		1 P	125mg/5ml	suspension	AMOXIL		To use cheapest pack size on tender.
amoxicillin	J01CA	18.1.1		1 P	250mg/5ml	suspension	AMOXIL		
amoxicillin + clavulanic acid: see co-amoxycrav									
amphotericin-B	J02AA	18.8		A P	50mg	injection	FUNGIZONE		
ampicillin	J01CA	18.1.1		P	250mg	injection	PETERCILLIN; AMPIPEN		
ampicillin	J01CA	18.1.1		A P	500mg	injection	PETERCILLIN		
anastrozole	L02BG	19.8	SL127		1mg	tablets	ARIMIDEX, STRADEXA	Specialist oncologist initiated	For second line treatment for Tamoxifen intolerant patients.
antazoline + tetrahydrozoline	S01GA	15.4			0,05% + 0,04%	eye drops	SPERSALLERG		Maximum one bottle per patient per month. ALTERNATIVE: Item Above. Cheapest on tender will be used.
aprotinin	B02AB	27			500 000 iu/50ml 1 000 000 iu/100ml	injection	TRASYLOL		Central hospitals only, not referable.
aqueous cream	D02AC	Ø		1	B.P.	cream	AQUEOUS CREAM		
aqueous cream	D02AC	Ø			B.P.	cream	AQUEOUS CREAM		
artemether + lumefantrine	P01BE	18.11	Supp List 120	1	20mg / 120mg	tablets	COARTEM		
ascorbic acid: See Vitamin C									
aspirin soluble	N02BA	3.2	Supp List 115	1 A	300mg	tablet	DISPRIN		Not repeatable for acute conditions (short course)
atazanavir	J05AE	18.12	Supp list 126		150mg	capsule	REYATAZ		As per Health Programmes protocol - refer to circular H148/2011
atazanavir	J05AE	18.12	Supp list 126		150mg	capsule	REYATAZ		As per Health Programmes protocol - refer to circular H148/2011
atenolol	C07AB	7.4		A	5mg/10ml	injection	TENORMIN	Specialist	
atenolol	C07AB	7.4		1 A P	50mg	tablet	TENORMIN; ATEROL		
atorvastatin	C10AA	7.7.2	Supp List 116/124		10mg	tablet	LIPITOR	General - ARV clinics only Specialist physician initiated	<u>General:</u> ARV clinics only, according to Health Programmes' algorithm for the management of dyslipidaemia <u>Specialist physician initiated:</u> Familial heterozygous hypercholesterols and familial homozygous hypercholesterolemia patients who do not tolerate simvastatin. 3) Familial homozygous hypercholesterolemia (doses of 40mg and higher)

atorvastatin	C10AA	7.7.2	Supp List 116/124		20mg	tablet	LIPITOR	Specialist physician initiated	1) For HIV/AIDS patients. 2) Familial heterozygous hypercholesterols and familial homozygous hypercholesterolemia patients who do not tolerate simvastatin. 3) Familial homozygous hypercholesterolemia (doses of 40mg and higher)
atorvastatin	C10AA	7.7.2	Supp List 116/124		40mg	tablet	LIPITOR	Specialist physician initiated	As above
atorvastatin	C10AA	7.7.2	Supp List 116/124		80mg	tablet	LIPITOR	Specialist physician initiated	As above
atropine sulphate	A03BA	5.4		1 A P	0,5mg/ml	injection	SABAX ATROPINE		
atropine sulphate	A03BA	5.4		1	1mg/ml	injection	SABAX ATROPINE		
atropine sulphate B.P.	S01FA	15.5		1	1%	eye drops	COVAN ATROPINE		
azathioprine	L04AX	24.1			50mg/vial	injection	IMURAN; ASOTRIM	Specialist	Central hospitals only, not referable.
azathioprine	L04AX	24.1		A P	50mg	tablet	IMURAN	Specialist	
baclofen	M03BX	4.5			10mg	tablet	LIORESAL	Specialist initiated: neurologists, neurosurgeons, paediatricians, pain clinics and WCRC	
baclofen	M03BX	4.5			25mg	tablet	LIORESAL; NEUROSPAS	Specialist initiated: neurologists, neurosurgeons, paediatricians, pain clinics and WCRC	
balanced salt solution (BSS): see salt solution									
barium sulphate	V08BA	33				powder	EZPAQUE		
barium sulphate	V08BA	33				powder	EZPAQUE		
barium sulphate	V08BA	33				enema			
beclomethasone dipropionate	R01AD	10.4.1			50µg/spray	aqueous nasal spray	BECONASE BECLATE AQUAN.		Maximum: One per month. Two may be dispensed only if prescription is endorsed by an Allergy Clinic.
benzhexol (trihexyphenidyl)	N04AA	1.7.2		A	2mg	tablet	ARTANE		
benzoic acid + salicylic acid	D01AE	∅		1	BPC (6% + 3%)	ointment	WHITFIELD'S OINT.		
benzoin compound tincture	R01AX	∅			BP	liquid	FRIAR'S BALSEM		
benzoyl peroxide	D10AE	14.6		1 A	5g/100g	gel	PANOXYL		
benzoyl peroxide	D10AE	14.6		A	10g/100g	gel	PANOXYL	Specialist	
benzylamine HCl	A01AD	11.3			22,5mg/15ml	solution	ANDOLEX	Specialist	Central hospitals only, not referable.
benzyl-benzoate	F03AX	14.2		1	BP 25%	emulsion	ASCABIOL		
beractant: See total phospholipids	X								

beta-hydroxybuterate test strip						finger prick test strip	OPTIUM KETON STRIPS		TBH & RXH: 5 Boxes per month per hospital Paediatric diabetic clinics only Report on usage to be submitted by mid January 2012 Coding status to be reviewed in February 2012
betamethasone	H02AB	19.5			4mg/ml	I.V./I.M injection	CELESTONE		
betamethasone	H02AB	19.5			0,5mg	tablets	CELESTONE; BETANOID		
betamethasone + salicylic acid	D05AX	14.4			0,5mg + 30mg/g	ointment	DIPROSALIC	Specialist dermatologist initiated	
betamethasone dipropionate	D07AC	14.4			0,5mg/g	cream	DIPROSONE	Specialist dermatologist initiated	Cheapest category IV topical steroid on tender to be used. See Clobetasol. Refer Supp List 125, Addendum C - fingertip units
betamethasone dipropionate	D07AC	14.4			0,5mg/g	ointment	DIPROSONE	Specialist dermatologist initiated	As above.
betamethasone sodium phosphate + betamethasone acetate	M01C	19.5	Suppl List 120		3mg + 3mg/ml	1ml injection	CELESTONE SOLUSPAN	Specialist Ophthalmology	
betamethasone valerate	D07AC	14.4		A	0,1%	cream	BETNOVATE		Cheapest grade III Steroid cream on tender to be used. Refer Supp List 125, Addendum C - fingertip units
betamethasone valerate	D07AC	14.4		A	0,1%	cream	LENOVATE		Cheapest grade III Steroid cream on tender to be used. Refer Supp List 125, Addendum C - fingertip units
betamethasone valerate	D07AC	14.4		A	0,1%	ointment	BETNOVATE		Cheapest grade III Steroid cream on tender to be used. Refer Supp List 125, Addendum C - fingertip units
betamethasone valerate	D07AC	14.4		A	0,1%	ointment	PERSIVATE		Cheapest grade III Steroid cream on tender to be used. Refer Supp List 125, Addendum C - fingertip units
betamethasone valerate	D07AC	14.4			0,1%	lotion	CELESTODERM-V	Specialist dermatologist	Use for a maximum of 3 months at a time.
betaxolol	S01ED	15.6			2,5mg/ml	eye drops	BETOPTIC S	Specialist ophthalmology initiated	Only use cheapest beta-blocker ophthalmic solution of appropriate concentration available on tender.
bevacizumab	L01DC	23	Supp List 121/124		100mg/4ml	injection	AVASTIN	Specialist ophthalmologist	
bezafibrate	C10AB	7.7	Supp List 116		400mg	retard tablet	BEZALIP	Specialist physician initiated General	Specialist physician initiated <u>General:</u> ARV clinics only, according to Health Programmes' algorithm for the management of dyslipidaemia

bimatoprost	S01EE	15.6		1	0,03%	eye drops	LUMIGAN	Specialist ophthalmologist initiated	Cheapest prostaglandin ophthalmic solution to be used.
bimatoprost + timolol	S01EE	15.6	Suppl List 129		0,3mg/ml + 5mg/ml	eye drops	GANFORT	Specialist ophthalmologist initiated	For patients not responding to a product with a single active ingredient.
biperiden	N04AA	1.7.2		A	5mg/ml	injection	AKINETON		
bisacodyl	A06AB	12.7			10mg	suppository	DULCOLAX		
bisacodyl	A06AB	12.7			5mg	tablet	DULCOLAX; PERILAX		
bismuth subgal. + bismuth oxide + zinc oxide	C05AX	12.10		1	22,5mg + 8,75mg + 107,5mg	ointment	ANUSOL		
bismuth subgal. + bismuth oxide + zinc oxide	C05AX	12.10		1	59mg + 24mg + 296mg	suppository	ANUSOL		
bismuth subnitrate & iodoform paste	C05AX	∅			BPC	paste	BISMUTH & IODOFORM PASTE		
bleomycin	L01DC	23		A P	15units/amp	injection	BLENOXANE	Specialist oncology	
botulinum toxin type A	M03AX	15.7		A	100iu	injection	BOTOX	Specialist	Central hospitals only, not referable
brimonidine tartrate	S01EA	15.6			0,2%	eye drops	ALPHAGAN	Specialist ophthalmologist initiated	
brimonidine + timolol	S01EA	15.6	Suppl List 129		2mg/ml + 5mg/ml	eye drops	COMBIGAN	Specialist ophthalmologist initiated	For patients not responding to a product with a single active ingredient.
bromocriptine	G02CB	19.8		A	2,5mg	tablet	PARLODEL	Specialist	
budesonide	A07EA	12.10			0,02mg/ml	enema	ENTOCORD	Specialist gastroenterologist	
budesonide	R03BA	10.4		1 A P	100µg / inhal.	MDI complete	INFLAMMIDE 100	General Code, including Clinical Nurse Practitioners	
budesonide	R03BA	10.4		1 A P	200µg / inhal.	MDI complete	INFLAMMIDE 200	As above.	
bupivacaine	N01BB	2.2		A P	5mg/ml 4ml	injection	MACAINE SPINAL		
bupivacaine	N01BB	2.2		A P	5mg/ml 10ml	injection	MACAINE; REGIBLOC		
bupivacaine + adrenaline	N01BB	2.2			5mg + 5µg/ml 20ml	injection	MACAINE 0,5% + EPINEPHRINE		Central hospitals only, not referable.
bupivacaine + dextrose	N01BB	2.2		A P	5mg + 72,7mg/ml 4ml	injection	MACAINE SPINAL + DEXTROSE		
buprenorphine + naloxone	N02AE	3.4	SL 127		2mg + 0,5mg	sublingual tablets	SUBOXONE	Specialist psychiatry	For inpatient use only at detoxification units at GSH, Stikland, George hospital and Worcester hospital
buprenorphine + naloxone	N02AE	3.4	SL 127		8mg + 0,5mg	sublingual tablets	SUBOXONE	Specialist psychiatry	For inpatient use only at detoxification units at GSH, Stikland, George hospital and Worcester hospital
buserelin	L02AE	19.7	Supp List 119		9,9mg	depot injection	SUPREFACT	Specialist Urologist and Oncologist	Cheapest similar tropic hormone on tender to be used As single dose for patients with prostatic carcinoma pending orchidectomy / radiotherapy

busulphan	L01AB	23		A P	2mg	tablet	MYLERAN	Specialist	
button spider antivenom	J06A	∅				injection			
cabergoline	G02CB	19.8			0,5mg	tablet	DOSTINEX	Specialist endocrinologist	Not referable. Second line treatment.
cabergoline	G02CB	19.8			0,5mg	tablet	DOSTINEX	Specialist endocrinologist	Not referable. Second line treatment.
caffeine						powder		Specialist	Neonatal units - for inpatient use only
calamine lotion	D04AX	31		1 P	BP	lotion	CALAMINE LOTION		
calciferol: see ergocalciferol									
calcipotriol & betamethasone diprop.	D05AX	14.5	Supp List 124		50µg/g	cream	DOVOBET	Specialist physician, dermatologist and rheumatologist initiated	
calcipotriol & betamethasone diprop.	D05AX	14.5	Supp List 124		50µg/g	ointment	DOVOBET	Specialist physician, dermatologist and rheumatologist initiated	
calcitonin	H05BA	19.4			100iu/ml	injection	MIACALCIC	Specialist	Central hospitals only, not referable.
calcitriol	A11CC	20.1		A	0,25µg	capsule	ROCALTROL	Specialist	
calcium carbonate + glycine	A02AC	12.4		A P	420mg + 180mg	tablet	TITRALAC		To be used for calcium supplementation.
calcium chloride	A12A	20.2		A P	10% 10ml	injection	CALCIUM CHLORIDE		
calcium folinate: See folinic acid									
calcium gluconate	A12A	20.2		1 A P	10% 10ml	injection	CALCIUM GLUCONATE		
capecitabine	L01BC	23	Supp List 121		150mg	tablet	XELODA	Specialist oncologists	Not referable. For colorectal and gastric cancer.
capecitabine	L01BC	23	Supp List 121		500mg	tablet	XELODA	Specialist oncologists	Not referable. For colorectal and gastric cancer.
capreomycin	J04A	18.8.1			1G	injection	CAPASTAT	Specialist	As per XDR TB protocol
captopril	C09AA	7.3.8		P	25mg	tablet	CAPOTEN	Specialist paediatrician	Only to be used for children under 13 years of age.
carbamazepine	N03AF	1.6		1 A P	100mg/5ml	suspension	TEGRETOL-S		
carbamazepine	N03AF	1.6		1 A P	200mg	tablet	TEGRETOL		
carbidopa + levodopa	N04BA	1.7.1		A	25mg + 100mg	tablet	SINEMET 25/100		
carbidopa + levodopa	N04BA	1.7.1			25mg + 250mg	tablet	SINEMET		
carbimazole	H03BB	19.3		A	5mg	tablet	NEO-MERCAZOLE		
carboplatin	L01DC	23			150mg	injection	ABIC-CARBOPLATIN	Specialist oncologist; haematologist	
carboplatin	L01DC	23			450mg	injection	ABIC-CARBOPLATIN	Specialist oncologist; haematologist	
carmustine	L01AD	23			100mg	injection	BiCNU	Specialist oncologist	

carvedilol	C07AG	7.3.4	Suppl List 105/106/125		12,5mg	tablet	DILATREND; CARLOC		For cardiac failure. NB! For Dosing Schedules refer to Annexure C of Suppl. List 105 (Circular H46/2006) & Addendum D of Suppl. List 106 (Circular H.../2006) & Addendum B of Suppl. List 125
carvedilol	C07AG	7.3.4	Suppl List 105/106/125		25mg	tablet	DILATREND; CARLOC		For cardiac failure. NB! For Dosing Schedules refer to Annexure C of Suppl. List 105 (Circular H46/2006) & Addendum D of Suppl. List 106 (Circular H.../2006) & Addendum B of Suppl. List 125
cefazolin	J01DA	18.1.2		A P	500mg	injection	KEFZOL; CEFACIDAL	Specialist	Theatre use only
cefazolin	J01DA	18.1.2			1g	injection	CEFACIDAL	Specialist	Theatre use only
cefepime	J01DA	18.1.2			500mg	injection	MAXIPIME	Specialist	Only for severe nosocomial infection
cefixime	J01DA	18.1.2			400mg	tablet	FIXIME		General code: per national and provincial STI protocol
cefotaxime	J01DA	18.1.2			500mg	injection	CLAFORAN		Preferred 3rd generation cephalosporin in neonates
cefotaxime	J01DA	18.1.2		A P	1g	injection	CLAFORAN		Preferred 3rd generation cephalosporin in neonates
cefoxitin	J01DA	18.1.2		A P	1g	injection	MEFOXIN		
ceftazidime	J01DA	18.1.2		P	500mg	injection	FORTUM	Specialist	Motivation form to be completed or on Microbiologist report. For pseudomonas infections only.
ceftazidime	J01DA	18.1.2		A P	1g	injection	FORTUM	Specialist	As for 500mg injection.
ceftriaxone	J01DA	18.1.2		1 P	250mg	injection	ROCEPHIN		
ceftriaxone	J01DA	18.1.2	Suppl List 119/124	1 P	500mg	injection	ROCEPHIN		
ceftriaxone	J01DA	18.1.2	Suppl List 119/124	1 A P	1g	injection	ROCEPHIN		
cefuroxime	J01DA	18.1.2		P	250mg	injection	ZINACEF	Specialist	Motivation form to be completed or on Microbiologist report.
cefuroxime	J01DA	18.1.2			750mg	injection	ZINACEF	Specialist	As above
cefuroxime	J01DA	18.1.2		P	125mg/ml	suspension	ZINACEF	Specialist paediatrician	For urinary tract infections
cefuroxime	J01DA	18.1.2		P	125mg/ml	suspension	ZINACEF	Specialist paediatrician	For urinary tract infections
cefuroxime	J01DA	18.1.2			250mg	tablet	ZINNAT	Specialist	As above.
cefuroxime	J01DA	18.1.2			500mg	tablet	ZINNAT	Specialist	As above.
cephalexin	J01DA	18.1.2	Suppl List 119		125mg/5ml	suspension	RANCEPH CPL-ALLIANCE CEPHALEXIN		Coded in interim i.p.o. Flucloxacillin syrup To be used where Flucloxacillin is indicated and Flucloxacillin capsules cannot be used

cephalexin	J01DA	18.1.2	Suppl List 119		250mg/5ml	suspension	RANCEPH CPL-ALLIANCE CEPHALEXIN		Coded in interim i.p.o. Flucloxacillin syrup To be used where Flucloxacillin is indicated and Flucloxacillin capsules cannot be used
cetirizine di-HCl	R06AE	6.1	SL 127	1	10mg	tablet	ZYRTEC	General Clinical Nurse Practitioner	Clinical Nurse Pratictioner: Approved in line with EDL STG's
cetirizine di-HCl	R06AE	6.1	SL 127	1	10mg	tablet	ZYRTEC	Specialist	High dose(>10mg daily) - restricted to allergy clinics only
cetomacrogol	D02AC	14.8				cream	CETOMACROGOL CREAM B.P.		
cetomacrogol	D02AC	14.8				ointment	CETOMACROGOL EMULSIFYING OINTMENT B.P.		
cetrimide + chlorhexidine conc.	D08AJ	14.1			15% +1,5%	solution	SAVLON		
cetrimide conc.	D08AJ	∅			40%	solution	CETAVLON		
cetylpyridinium Cl + benzocaine + dibucaine + benzyl alcohol	A01AB	11.3			3,713mg + 30mg + 5mg + 60mg	solution	CEPACAINE	Specialist	Oncology patients only
charcoal, activated	X	31		1 A P		powder			
chlorambucil	L01AA	23		A	2mg	tablet	LEUKERAN	Specialist	
chloramphenicol	J01BA	18.4.2		A P	250mg	capsule	CHLOROMYCETIN; FENICOL		
chloramphenicol	S01AA	15.1		1 A P	1%	eye ointment	CHLOROMYCETIN; CHLORAMEX		
chloramphenicol + dexamethasone	S01CA	15.3		P	0,5% + 0,1%	eye drops	SPERSADEX CO.	Specialist ophthalmologist	Not referable
chlorhexidine	D08AC	∅			0,5% 100 x 100mm	tulle	BACTIGRAS		
chlorhexidine	D08AC	∅			0,5% 100 x 400mm	tulle	BACTIGRAS		
chlorhexidine	D08AC	14.1			20%	liquid	HIBITANE CONC.		Colourless liquid.
chlorhexidine antiseptic cream	D08AC	14.1		A	1%	cream	HIBITANE ANTISEPTIC CREAM		
chlorhexidine conc.	D08AC	14.1		1	5%	solution	HIBITANE		
chlorhexidine gluc.	D08AC	14.1		1 A P	0,05%	solution	HIBIDIL		
chlorhexidine gluc. in 70 % alcohol	D08AC	14.1			0,5%	solution	D-GERM		
chlorhexidine gluc. surgical scrub	D08AC	14.1			4%	solution	HIBISCRUB; BIOSCRUB		
chlorhexidine gluc.0,5% in 70 % alcohol	D08AC	14.1			0,5%	solution	D-GERM		
chlorhexidine gluc.0,5% in 70 % alcohol - skin disinfectant	D08AC	14.1	Suppl List 124		0,5%	solution	BIOTANE		

chlorhexidine mouthwash	A01AB	11.3	Suppl List 126	1 A	0,2%		CORSODYL; RESMED CHLORHEXIDINE GLUC. 2% MOUTHWASH	For inpatient use and dentistry (including oral hygiene)	
chlorhexidine obstetric	D08AC	14.1			1%	cream	HIBITANE		
chloroquine sulphate	P01BA	18.11		1 P	68mg/5ml	syrup	NIVAQUINE		
chloroquine sulphate	P01BA	18.11		1 A P	150mg base	tablet	NIVAQUINE		
chlorpheniramine	R06AB	6.1		1	2mg/5ml	syrup	ALLERGEX		CNP may prescribe. For atopic eczema & rhinitis
chlorpheniramine	R06AB	6.1		1 A	4 mg	tablet	CHLOR-TRIMETON; ALLERGEX		
chlorpromazine	N05AA	1.5.1		P	50mg/2ml	injection	LARGACTIL		
chlorpromazine	N05AA	1.5.1		P	25mg/5ml	syrup	LARGACTIL		
chlorpromazine	N05AA	1.5.1		1	25mg	tablet	LARGACTIL		
chlorpromazine	N05AA	1.5.1		1	50mg	tablet	LARGACTIL		
chlorpromazine	N05AA	1.5.1		1	100mg	tablet	LARGACTIL		
chorionic gonadotropin	G03GA	19.7			1 500u	injection	PROFASI	Specialist	Central hospitals only, not referable.
chorionic gonadotropin	G03GA	19.7			5 000u	injection	PROFASI; PREGNYL	Specialist	As above.
ciclosporin	L04AA	24.1			25mg	capsule	SANDIMMUN NEORAL	Specialist. Not referable.	i) Prescribe only post transplant at academic institutions. ii) Dispense only at academic institutions for patients resident in the metropole. iii) Dispense at non-academic institutions for patients in the rural regions - arrange access to stock with referral institutions
ciclosporin	L04AA	24.1			100mg	capsule	SANDIMMUN NEORAL	Specialist As above	As above
ciclosporin	L04AA	24.1			250mg/5ml	injection	SANDIMMUN	Specialist As above	As above
ciclosporin	L04AA	24.1			100mg/ml	oral solution	SANDIMMUN NEORAL	Specialist As above	As above
cimetidine	A02BA	12.4.2	Suppl List 119		200mg/2ml	injection	TAGAMET		For inpatient use only
cinnarizine	N07CA	1.8			25mg	tablet	STUGERON; ANTIMET; PURAZINE		
ciprofloxacin	J01MA	18.7		A P	2mg/ml	injection	CIPROBAY	Specialist	
ciprofloxacin	J01MA	18.7	Suppl List 119	1	250mg	tablet	CIPROBAY		NOT FOR MDR-TB.
ciprofloxacin	J01MA	18.7	Suppl List 119	1 A	500mg	tablet	CIPROBAY		NOT FOR MDR-TB.
ciprofloxacin	J01MA	18.7		A	750mg	tablet	CIPROBAY	Specialist	Specialist: NOT FOR MDR-TB.
ciprofloxacin/ofloxacin ophthalmic anti-infectives	S01AX	15.1			3mg/ml	eye drops	CILOXAN; EXOCIN	Specialist ophthalmologist, ENT	Cheapest floroquinolone on tender to be used.
cisatracurium	M03AC	2.3.	Suppl List 125		2mg/ml	injection	NIMBEX		For use in liver and kidney impairment

cisatracurium	M03AC	2.3.	Supp List 125		2mg/ml	injection	NIMBEX		For use in liver and kidney impairment
cisplatin	L01XA	23		A P	10mg/vial	injection	PLATAMINE; ABIPLATIN	Specialist oncologist	
cisplatin	L01XA	23		A P	25mg/vial	injection	PLATAMINE	Specialist oncologist	
cisplatin	L01XA	23		A P	50mg/vial	injection	PLATAMINE	Specialist oncologist	
citalopram	N06AB	1.4.4			20mg	tablet	CILIFT	Specialist psychiatrist initiated	
citric acid monohydrate	A09AB	31			BP	powder			
clarithromycin	J01FA	18.2	SL 128	1	500mg	injection	KLACID	General	Severe pneumonia (switch to oral macrolide as soon as patients improves. Cheapest macrolide on tender to be used - currently erythromycin) & Endoscopy units for H.Pylori
clarithromycin	J01FA	18.2	SL 128	1	500mg	injection	KLACID	Specialist	On a patient name basis in tertiary hospitals for MOTT (Mycobacterium other than tuberculosis).
clarithromycin	J01FA	18.2	SL 128	1	500mg	tablet	KLACID	General	Endoscopy units for H.Pylori
clarithromycin	J01FA	18.2	SL 128	1	500mg	tablet	KLACID	Specialist	On a patient name basis in tertiary hospitals for MOTT (Mycobacterium other than tuberculosis).
clindamycin	J01FF	18.7		A P	150mg	capsule	DALACIN-C	Specialist	
clindamycin	J01FF	18.7		A P	600mg	injection	DALACIN-C; CLINIDAC	Specialist	
clobazam	N05BA	1.3.1	Supp List 118		5mg	capsule	URBANOL	Specialist neurologist Not referable	Central hospitals - not referable. As add on therapy for epilepsy Logistical issues to be managed in the interest of patient care
clobazam	N05BA	1.3.1	Supp List 118		10mg	tablet	URBANOL	Specialist neurologist Not referable	Central hospitals - not referable. As add on therapy for epilepsy Logistical issues to be managed in the interest of patient care
clobetasol propionate	D07AD	14.4			0,05%	cream	DERMOVATE; DOVATE	Specialist dermatologist initiated	Cheapest category IV topical steroid on tender to be used. See betamethasone dipropionate. Refer Supp List 125, Addendum C - fingertip units
clobetasol propionate	D07AD	14.4			0,05%	ointment	DERMOVATE; DOVATE	Specialist dermatologist initiated	As above.
clofazimine	J04BA	18.6.2		A	100mg	capsule	LAMPRENE	Specialist General - only for MDR / XDR TB	
clomiphene	G03GB	19.7		A	50mg	tablet	CLOMID	Specialist gynaecologist	
clomipramine	N06AA	1.4.1			10mg	tablet	ANAFRANIL	Specialist psychiatrist & neurologist initiated	
clomipramine	N06AA	1.4.1		A	25mg	tablet	ANAFRANIL	Specialist psychiatrist & neurologist initiated	

clonazepam	N03AE	1.6		P	1mg/ml	injection	RIVOTRIL		See guidelines for the treatment of convulsive status epilepticus in paed: Suppl. List 106 Addendum A
clonazepam	N03AE	1.6		P	2,5mg/ml	oral drops	RIVOTRIL	Specialist psychiatrist, nuerologist & paediatricians	See guidelines for the use of benzodiazepines: Circular H24/2006. (Addendum I: Suppl List 107). Specialist psychiatrist, neurologist & paediatrician initiated in epilepsy.
clonazepam	N03AE	1.6		A	0,5mg	tablet	RIVOTRIL	Specialist psychiatrist, nuerologist & paediatricians	As above.
clonazepam	N03AE	1.6		A	2mg	tablet	RIVOTRIL	Specialist psychiatrist, nuerologist & paediatricians	As above.
clonidine	C02AC	1.9		P	0,025mg	tablet	DIXARIT; MENOGRAINE		
clopidogrel	B01AC	8.4	SL 128		75mg	tablet	PLAVIX	General	STEMI: max treatment period of one month. & Non-STEMI: max treatment period of 3 months
clopidogrel	B01AC	8.4	SL 128		75mg	tablet	PLAVIX	Specialist physician initiated Specialist cardiologist	<u>Specialist physician, cardiologist initiated:</u> Life long use in patients with aspirin intolerance <u>Specialist cardiologist:</u> - other indications: 1) Drug eluting stents- treatment duration maximum 6 months post stent treatment. 2) Metal stents- treatment duration: 4 weeks post stent treatment.
clothiapine	N05AX	1.5.3			40mg/4ml	injection	ETOMINE		
clotrimazole	G01AF	14.3		1 P	1%	cream	XERASPOR T		Use cheapest imidazole on tender.
clotrimazole	G01AF	17.2		P	1%	vag. cream	CLOSCRIPT		Use cheapest imidazole on tender.
clotrimazole	G01AF	17.2		1	500mg	vaginal tablet	CANESTEN 1		
cloxacillin	J01CF	18.1.1		A P	250mg	injection	ORBENIN		
cloxacillin	J01CF	18.1.1		A P	500mg	injection	ORBENIN; CLOXIN		
clozapine	N05AH	1.5.3			25mg	tablet	LEPONEX	Specialist psychiatrist & neurologist initiated	Psychiatrists and neurologists - <u>for dose titration only</u> . Policy for the use of Clozapine: Circular H117/1997 (Annexure F - Suppl. List 78.)
clozapine	N05AH	1.5.3			100mg	tablet	LEPONEX	Specialist psychiatrist & neurologist initiated	As for other pack sizes. Policy for the use of Clozapine: Circular H117/1997 (Annexure F - Suppl. List 78)
co-amoxiclav	J01CR	18.1.1	Supp List 124		0,6 g	injection	AUGMENTIN, SANDOZ CO-AMOXYCLAV	Specialist	Specialist microbiologist report or motivation form to be completed
co-amoxiclav	J01CR	18.1.1	Supp List 124		1,2g	injection	AUGMENTIN, SANDOZ CO-AMOXYCLAV	Specialist	Specialist microbiologist report or motivation form to be completed

co-amoxiclav	J01CR	18.1.1	Suppl List 119	1 P	125mg + 31,25mg/5ml	suspension	AUGMENTIN	General Specialist	GENERAL CODE: - Pneumonia in adults with underlying medical conditions (1 ° EDL pg 287)
co-amoxiclav	J01CR	18.1.1	Suppl List 119	1 P	250mg + 62,5mg/5ml	suspension	AUGMENTIN	General Specialist	GENERAL CODE: As per EDL indications
co-amoxiclav	J01CR	18.1.1	Suppl List 119	1 P A	250mg + 125mg	tablet	AUGMENTIN	General Specialist	GENERAL CODE: As per EDL indications
co-amoxiclav	J01CR	18.1.1	Suppl List 119	1 P A	250mg + 125mg	tablet	AUGMENTIN	General Specialist	GENERAL CODE: As per EDL indications
co-amoxiclav	J01CR	18.1.1	Suppl List 120	1 P A	875mg + 125mg	tablet	AUGMENTIN; AURO-AMOXICLAV	General Specialist	GENERAL CODE: As per EDL indications
cocaine HCl	N01BC	Ø			BP	powder			ENT only.
codeine phosphate	R05DA	3.1	Suppl List 118	1 P	25mg/5ml	syrup	CODEINE PHOSPHATE		For hospital use only (in or out-patients) For use in pain as per EDL and IMCI guidelines
codeine phosphate	R05DA	3.1	Suppl List 116	1 P	30mg	tablet	CODEINE PHOSPHATE	Specialist initiated	Oncology and GIT clinic initiated
colaspase	L01XX	23		A P	10 000u	injection	LASPAR	Specialist oncologist	
colchicine	M04AC	4.2	3711048 Suppl List 113	1 A	0,5mg	tablet	COLCHICINE		For chronic gout; 0,5mg twice a day for 3 months (up to max of 6 months) For acute attacks: Maximum of 10 tablets of 0.5mg to be prescribed per acute attack with no repeats
collagenase clostridiopeptidase A + peptidases	D03	14.9			1,2units/g + 0,24units/g	ointment	IRUXOL MONO	Central Hospitals	Patient name basis. Not referable.
co-trimoxazole	J01EE	18.6		1 P	240mg/5ml	syrup	BACTRIM		
co-trimoxazole	J01EE	18.6		1 A P	480mg	tablet	BACTRIM; TRIMOKS		
co-trimoxazole I.V.	J01EE	18.6			480mg/5ml	injection	BACTRIM		Intra-venous form only to be used if oral form can not be taken.
cromoglycate: See sodium cromoglyc...									
cyclizine	R06AE	1.8			50mg/ml	injection	VALOID; TRIAZINE		Radiotherapy only.
cyclizine	R06AE	1.8			50mg	tablet	VALOID; NAUZINE		Radiotherapy only.
cyclopentolate	S01FA	15.5			1%	eye drops	CYCLOGYL	Specialist ophthalmology initiated	
cyclopentolate	S01FA	15.5			1%	minims	MINIMS CYCLOPENTOLATE	Specialist ophthalmology initiated	
cyclopentolate + phenylephrine	S01FA	15.5		A	2mg +10mg/ml	eye drops	CYCLOMYDRIL	Specialist ophthalmology initiated	

cyclophosphamide	L01AA	23		A P	200mg	injection	ENDOXAN	Specialist physicians, oncologists and paediatricians	
cyclophosphamide	L01AA	23		A P	500mg	injection	ENDOXAN	Specialist physicians, oncologists and paediatricians	
cyclophosphamide	L01AA	23		A P	1g	injection	ENDOXAN	Specialist physicians, oncologists and paediatricians	
cyclophosphamide	L01AA	23		A P	50mg	tablet	ENDOXAN	Specialist physicians, oncologists and paediatricians	
cycloserine	J04AB							MDR patients only, treatment to be initiated in consultation with Brookland Chest hospital	
cyproterone + ethinyl estradiol	G03HB	14.6			2mg + 0,035mg	tablet	DIANE-35	Specialist endocrinologist, dermatologist & gynaecologist	
cyproterone acetate	G03HA	19.8	Supp List 114		300mg/3mL	injection, depot	ANDROCUR	Specialist: Psychiatrist APH only	Patient Named Basis Non-Referable
cytarabine	L01BC	23		A P	100mg	injection	CYTOSAR	Specialist oncologist	
cytarabine	L01BC	23		A P	500mg	injection	CYTOSAR	Specialist oncologist	
cytological fixative	X	∅				spray			
dacarbazine	L01AX	23		P	100mg	injection	D.T.I.C.	Specialist oncologist	
dacarbazine	L01AX	23		P	200mg	injection	D.T.I.C.	Specialist oncologist	
dactinomycin	L01DA	23		P	0,5mg/3ml	injection	COSMEGEN	Specialist oncologist	
danazol	G03XA	19.8			100mg	tablet	LADAZOL; LADOGAR	Specialist	Central hospitals only, not referable.
dantrolene	M03CA	2.3		A P	20mg	injection	DANTRIUM		For use in malignant hyperthermia only. Contact Regional Chief Pharmacist to ascertain where stocks are kept.
dapsone	J04BA	18.8.2		A	100mg	tablet	LENNON-DAPSONE; MALOPRIM		
daunorubicin	L01DB	23		A	20mg	injection	CERUBIDIN	Specialist oncologist	
deferasirox	V03AC	25	Supp List 120		125mg	dispersible tablet	EXJADE	Specialist paediatrician Non-referable	Patient named basis For treatment of Thalassaemia in paediatrics Paediatric patients initiated on deferasirox may continue treatment when handed to an adult Central hospital
deferasirox	V03AC	25	Supp List 120		250mg	dispersible tablet	EXJADE	Specialist paediatrician Non-referable	Patient named basis For treatment of Thalassaemia in paediatrics Paediatric patients initiated on deferasirox may continue treatment when handed to an adult Central hospital

deferasirox	V03AC	25	Supp List 120		500mg	dispersible tablet	EXJADE	Specialist paediatrician Non-referable	Patient named basis For treatment of Thalassaemia in paediatrics Paediatric patients initiated on deferasirox may continue treatment when handed to an adult Central hospital
desferrioxamine	V03AC	25		A P	500mg	injection	DESFERAL		Store below 15 degree Celsius.
desmopressin	H01BA	8.1 16.2		A P	100µg/ml	intranasal solution	DDAVP	Specialist haematologist, endocrinologist & neurosurgeons initiated	
desmopressin	H01BA	8.1 16.2		A P	100µg/ml 10µg/spray	intranasal spray	DDAVP	Specialist haematologist, endocrinologist & neurosurgeons initiated	
desmopressin	H01BA	8.1 16.2	Supp List 119	A P	100µg	tablet	DDAVP	Specialist haematologist, endocrinologist & neurosurgeons initiated	NOT INTERCHANGEABLE with Desmopressin 200mcg
desmopressin	H01BA	8.1 16.2	Supp List 119	A P	200µg	tablet	DDAVP	Specialist haematologist, endocrinologist & neurosurgeons initiated	NOT INTERCHANGEABLE with Desmopressin 100mcg
desmopressin	H01BA	8.1 16.2		A P	4mcg/ml	injection	DDAVP	Specialist haematologist, endocrinologist & neurosurgeons	
desogestrel + ethinyl oestradiol	G03AA	17.1.1	ex family planning stores		0,15mg + 0,03mg	tablet	MARVELON 150/30	Family Planning	Available at Groote Schuur & Tygerberg Hospital Family Planning clinics only. Refer patients to these clinics if unacceptable side effects persist on oral contraceptives.
dexamethasone	H02AB	19.5		A P	4mg/ml	injection	DECASONE		
dexamethasone	S01BA	15.2	Supp list 125	A	0.1% solution	eye drops	SPERSADEX MAXIDEX	Specialist ophthalmologist & dermatologist initiated	
dexmedetomine	N05CM	2.1.2	SL 127		100mcg/2ml	injection	PRECEDEX	Specialist	Paediatric anaesthesia, for MRI & CT scans at central hospitals only.
dextran 70 + hydroxypropyl methylcellulose	S01XA	15.7	Supp List 118		0,3%	eye drops	TEARS NATURALE II	Specialist initiated	
dextrose	V03AH	22		1	50% 20ml	injection			
dextrose	V03AH	22			50% 50ml	injection			
dextrose monohydrate	V04CA	∅			BP	powder			
dextrose monohydrate	V04CA	31			BP	powder			For glucose tolerance test.
dextrose monohydrate	V04CA	31			BP	powder			

dialysis solution for haemodialysis with low magnesium	B05ZA	∅			concentrate	solution	SABAX DIASOL FORMULA 16 - AFM 1045		
dialysis solution for peritoneal dialysis + dextrose 2,5%	B05DB	∅			2,5%	solution	SABAX DIANEAL 2,5 AFB 9876		
dialysis solution for peritoneal dialysis + dextrosr 1,5%	B05DB	∅			1,5%	solution	SABAX DIANEAL 1,5 AFB 9856		
dialysis solution for peritoneal dialysis + dextrosr 1,5%	B05DB	∅	Supp List 125		1,5%	solution	SABAX DIANEAL 1,5		
dialysis solution for peritoneal dialysis + dextrosr 4,25%	B05DB	∅			4,25%	solution	SABAX DIANEAL 4,25 AFB 9792		
diazepam	N05BA	1.3.1		1 A P	10mg/2ml	injection	VALIUM, PAX		
diazepam	N05BA	1.3.1	SL 127	A	2mg	tablet	VALIUM, PAX	General: not more than 14 days. Specialist: children with cerebral palsy and severe muscle spasms. Psychiatrist, neurologist or paediatrician: long term use	No more than 14 days supply, unless when prescribed by a psychiatrist, neurologist or paediatrician, when 28 days supply may be dispensed. See circular H24/2006; Suppl List 107 - addendum A. Specialist - for children with cerebral palsy & severe muscle spasms
diazepam	N05BA	1.3.1	SL 127	A	5mg	tablet	VALIUM, PAX	General: not more than 14 days. Specialist: children with cerebral palsy and severe muscle spasms. Psychiatrist, neurologist or paediatrician: long term use	No more than 14 days supply, unless when prescribed by a psychiatrist, neurologist or paediatrician, when 28 days supply may be dispensed. See circular H24/2006; Suppl List 107 - addendum A. Specialist - for children with cerebral palsy & severe muscle spasms
diazoxide	C02DA	7.3.1		P	300mg/20ml	injection	HYPERSTAT	Specialist	
diclophenac	M01AB	4.1			75mg/3ml	injection	VOLTAREN; PANAMOR	Specialist	To be given as a single dose only.
diclophenac	M01AB	4.1			12,5mg	suppository	VOLTAREN		Single dose peri / post operative in paediatrics
diclophenac	M01AB	4.1		P	25mg	suppository	VOLTAREN		Single dose peri / post operative in paediatrics
diclophenac	M01AB	4.1	Supp List 119		25mg	tablet	VOLTAREN, PANAMOR		FOR ACUTE CONDITIONS: Not more than 5 days supply. Not repeatable For longer periods, the appropriate diagnosis and quantities to be written on the prescription.

diclophenac	M01AB	4.1	Supp List 119		25mg	tablet	VOLTAREN, PANAMOR		FOR ACUTE CONDITIONS: Not more than 5 days supply. Not repeatable For longer periods, the appropriate diagnosis and quantities to be written on the prescription
diclophenac	M01AB	4.1	Supp List 119		25mg	tablet	VOLTAREN; PANAMOR; DIFENAC		FOR ACUTE CONDITIONS: Not more than 5 days supply. Not repeatable For longer periods, the appropriate diagnosis and quantities to be written on the prescription.
didanosine	J05AB	18.12	pgwc ARV depot	1	50mg	tablet	VIDEX	AIDS programme	As above.
didanosine	J05AB	18.12	pgwc ARV depot	1	100mg	tablet	VIDEX	AIDS programme	As above.
didanosine	J05AB	18.12	pgwc ARV depot	1	150mg	tablet	VIDEX	AIDS programme	As above.
didanosine	J05AB	18.12	pgwc ARV depot	1	25mg	tablet	VIDEX	AIDS programme	Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols.
digoxin	C01AA	7.1.1		P	0,05mg/ml	elixir- paed/geriatr	LANOXIN		
digoxin	C01AA	7.1.1		A P	0,5mg/2ml	injection	LANOXIN	Specialist	For use in ICU's
digoxin	C01AA	7.1.1			0,0625mg	tablet- paed/geriatr	LANOXIN		
digoxin	C01AA	7.1.1		1 A	0,25mg	tablet	LANOXIN		
dihydralazine	C02DB	7.3.1		1 A P	25mg	injection	NEPRESOL		
dihydrocodeine	N02AA	3.1			50mg/ml	injection	DF-118	Specialist	Neurology & Radiotherapy only.
dinoprostone	G02AD	17.3			0,5mg/3g	gel	PREPIDIL		Use to be controlled in restricted substances register.
dinoprostone	G02AD	17.3			1mg/3g	gel	PRANDIN E2		Use to be controlled in restricted substances register.
dinoprostone	G02AD	17.3			5mg/ml	injection	PROSTIN F2, ALPHA	Specialist gynaecologist	
dinoprostone	G02AD	17.3		A P	0,5mg	tablet	PROSTIN E2	Specialist	In-hospital emergency use only. For off-label Neonatal use in Suspected Congenital Cyanotic heart disease. NOT FOR INDUCTION OF LABOUR
disodium pamidronate	M05BA	4.7.1	Supp List 118		15mg	injection	AREZIA	Specialist Specialist oncologist	For treatment of Hypercalcaemia - refer to Suppl List 118: Addendum A
disopyramide	C01BA	7.2			150mg	capsule	NORPACE	Specialist	Central hospitals only, not referable.
dithranol + salicylic acid in white soft paraffin	D05AC	‡			1% + 5%	ointment		Specialist dermatologist	Not referable

dithranol + salicylic acid in white soft paraffin	D05AC	‡			2% + 5%	ointment		Specialist dermatologist	Not referable
dithranol + salicylic acid in white soft paraffin	D05AC	‡			3% + 5%	ointment		Specialist dermatologist	Not referable
dithranol in lygal's base (salicylic acid 3% + sulphur 5%)	D05AC	‡			1%	ointment		Specialist dermatologist	Not referable
dithranol in lygal's base (salicylic acid 3% + sulphur 5%)	D05AC	‡			2%	ointment		Specialist dermatologist	Not referable
dobutamine	C01CA	7.1.2		A P	250mg/20ml	injection	DOBUTREX	Specialist	For use in cardiac, respiratory & cardio-thoracic ICU's & theatres.
domperidone	A03FA	1.8			1mg/ml	suspension	MOTILIUM	Specialist paediatrician	
domperidone	A03FA	1.8	3714233 Supp List 113		10mg	tablet	MOTILIUM	Specialist initiated Specialist neurologist initiated	Specialist initiated: For use in GIT clinics only and intolerance to metoclopramide. Specialist neurologist initiated: For prevention of dopaminergic side effects
dopamine HCl	C01CA	7.1.2		A P	200mg/5ml	injection	INTROPIN; DYNOS FOR INFUSION		
doxapram	X	1.1.2			20mg/ml 20ml	injection	DOPRAM	Specialist	For use in paediatric intensive care and neonatal units
doxazosin	C02CA	7.3.2	Supp List 120/123	A P	4mg	tablet	CARDURA XL	Specialist physician, paediatrician, & neurologist initiated	For hypertension as a 4th line treatment up to max of 8mg daily.
doxorubicin	L01DB	23		A P	10mg	injection	ADRIBLASTINA	Specialist oncologist	
doxorubicin	L01DB	23		A P	50mg	injection	ADRIBLASTINA	Specialist oncologist	
doxycycline	J01AA	18.4.1		1 A P	100mg	capsule	VIBRAMYCIN; DOXYCLIN		
droperidol	N01AX	2.1.2		A	5mg/2ml	injection	INAPSIN; PAXICAL		
dydrogesterone	G03DB	19.6.3			10mg	tablet	DUPHASTON	Specialist	Central hospitals only, not referable.
econazole	D01AC	14.3			1g/100g	foaming soln.	PEVARYL	Specialist	Central hospitals only, not referable.
efavirenz	J05AG	18.12	pgwc ARV depot Supp List 124	1	50mg	capsule	STOCRIN	General code: AIDS programme CNP / Professional nurse	General code: AIDS programme: Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. CNP / Professional nurse: Available through HIV / AIDS programme; For first line treatment of adult AIDS patients as per HIV / AIDS guidelines 2010 for treating AIDS patients and per Circular H30/2011

efavirenz	J05AG	19.12	pgwc ARV depot Supp List 124	1	200mg	capsule	STOCRIN	General code: AIDS programme CNP / Professional nurse	As above.
efavirenz	J05AG	20.12	pgwc ARV depot Supp List 124	1	600mg	capsule	STOCRIN	General code: AIDS programme CNP / Professional nurse	As above.
electrolyte & glucose powder for oral rehydration: See sodium chloride + KCl...									
emtricitabine / tenofovir: please refer to tenofovir disoproxil fumerate / emtricitabine...									
emulsifying ointment	D02AC	31		1	BP	ointment	EMULSIFYING OINT.		
emulsifying wax	X	31			BP	wax	EMULSIFYING WAX		
enalapril	C09AA	7.3.8	Supp List 122	1 A P	2,5mg	tablet	RENITEC		Cheapest ACE inhibitor on tender to be used. For hypertension & cardiac failure: 20mg maximum daily dose. For proteinuria: 40mg maximum daily dose.
enalapril	C09AA	7.3.8		1 A P	5mg	tablet	RENITEC		As above
enalapril	C09AA	7.3.8		1 A	10mg	tablet	PHARMAPRESS		As above
enalapril	C09AA	7.3.8		1 A	20mg	tablet	PHARMAPRESS		As above
enflurane	N01AB	2.1.1				inhalation liquid	ETHRANE		General code
enoxaparin	B01AB	8.2	SL 128		40mg/0,4mL	injection: pre-filled syringe	CLEXANE		General code for indications as stated in the LMWH policy: Supp List 128 Addendum A: Coding Status protocol for use of LMWH. Prescriptions must be endorsed with the diagnosis.
enoxaparin	B01AB	8.2	SL 128		60mg/0,6mL	injection: pre-filled syringe	CLEXANE		General code for indications as stated in the LMWH policy: Supp List 128 Addendum A: Coding Status protocol for use of LMWH. Prescriptions must be endorsed with the diagnosis.
enoxaparin	B01AB	8.2	SL 128		80mg/0,8mL	injection: pre-filled syringe	CLEXANE		General code for indications as stated in the LMWH policy: Supp List 128 Addendum A: Coding Status protocol for use of LMWH. Prescriptions must be endorsed with the diagnosis.
ephedrine SO ₄	C01C	7			50mg/ml	injection	EPHEDRINE SULPHATE		
epirubicin	L01DB	23			10mg	injection	FARMORUBICIN	Specialist oncologist	

epirubicin	L01DB	23			50mg	injection	FARMORUBICIN	Specialist oncologist	
eptacog alfa (activated) - See factor VIIa	B02BD	8.1			60 000iu (1,2mg)	injection	NOVOSEVEN FACTOR VIIa	Central Hospitals	Haematology. On a patient name basis only.
ergocalciferol	A11CC	20.1		P	5 000u/ml	oily solution	VITAMIN D		
ergocalciferol	A11CC	20.1		A	50 000units	tablet	STRONG CALCIFEROL TABLETS		
ergometrine	G02AB	17.3		P	0,5mg	injection	ERGOTRATE		
ergotamine + belladonna + butalbital + caffeine	N02CA	1.9			2mg + 0,25mg + 100mg + 100mg	suppository	CAFERGOT P-B		
ertapenem	J01DH	18.1.3			1g	injection	INVANZ	Specialist	Only for severe nosocomial infections in ICU's
erythromycin	J01FA	18.2		A P	1g	injection	ERYTHROCIN		Cheapest IVI macrolide on tender to be used ICU for improving GI motility.
erythromycin	J01FA	18.2		1 A P	250mg	tablet	ERYTHROMID		
erythromycin estolate	J01FA	18.2		1 P	125mg/5ml	granules/ suspension	E-MYCIN		
erythropoietin	BO3XA	8.6	Suppl List 119		500iu	IV/SC injection	RECORMON	Specialist nephrology, haematology & neonatology	
erythropoietin	BO3XA	8.6	Suppl List 119		1 000iu	IV/SC injection	RECORMON	Specialist nephrology, haematology & neonatology	
erythropoietin	BO3XA	8.6			2 000iu	IV/SC injection	EPREX; RECORMON	Specialist nephrology, haematology & neonatology	
erythropoietin	BO3XA	8.6			4 000iu	IV/SC injection	EPREX; RECORMON	Specialist nephrology, haematology & neonatology	
erythropoietin	BO3XA	8.6	SL 127		10 000iu	injection	RECORMON	Specialist nephrology, haematology & neonatology	
esmolol	C07AB	5.2			100mg/10ml	injection	BREVIBLOC		Use cheapest intravenous beta blocker on tender
ethambutol	J04AK	18.6.1			25mg/ml	suspension	MYAMBUTOL		
ethambutol	J04AK	18.6.1			100mg	tablet	MYAMBUTOL		
ethambutol	J04AK	18.6.1		1 A	400mg	tablet	MYAMBUTOL; MYCROL		
ethambutol + isoniazid	J04A	18.6.1			300mg + 100mg	tablet	MYNAH; TUBEROL		
ethanolamine oleate	C05BB	8.5?			5% 5ml	injection	ETHANOLAMINE OLEATE		
ethionamide	J04AD	18.6.1		P	250mg	tablet	TRESCATYL; ETHATYL		
ethyl chloride	N01BX	31		1	BP	spray	ETHYL CHLORIDE		
etilefrine	C01CA	7.6		A P	10mg/ml	injection	EFFORTIL	Specialist	
etomidate	N01AX	2.1.2	Supp List 125	A P	20mg/10ml	injection	HYPNOMIDATE		General
etoposide	L01CB	23		A P	100mg	capsule	VEPESID	Specialist oncologist	

etoposide	L01CB	23		A P	100mg/5ml	injection	VEPESID	Specialist oncologist	
everolimus	L04AA	24.1	SL 129		0,25mg	tablets	CERTICAN	Specialist	For use in transplant patients with intermediate risk profile
everolimus	L04AA	24.1	SL 129		0,75mg	tablets	CERTICAN	Specialist	For use in transplant patients with intermediate risk profile
ezetimibe	C10AB	7.7.3	Supp List 123		10mg	tablet	EZETROL	Specialist	Lipid Clinic only
factor IX complex human	B02BD	8.1			500IU	injection	HAEMOSOLVEX FACTOR IX		For use in haemophiliacs only. See provincial haemophilia policy
factor VIIa activated recombinant coagulation (See - eptacog alfa (activated))	B02BD	8.1			60 000iu (1,2mg)	injection	NOVOSEVEN FACTOR VIIa	Central Hospitals	Haematology. On a patient name basis only.
factor VIII Concentrate	B02BD	8.1			300IU	injection	HAEMOSOLVATE FACTOR VIII		For use in haemophiliacs only. See provincial haemophilia policy
factor VIII Concentrate	B02BD	8.1			500IU	injection	HAEMOSOLVATE FACTOR VIII		For use in haemophiliacs only. See provincial haemophilia policy
factor VIII Concentrate	B02BD	8.1			2X500IU	injection	HAEMOSOLVATE FACTOR VIII		For use in haemophiliacs only. See provincial haemophilia policy
factor VIII inhibitor bypassing activity complex	B02BD	8.1			500IU	injection	FEIBA TIM 4 IMMUNO		For use in haemophiliacs only. See provincial haemophilia policy
factor VIII inhibitor bypassing activity complex	B02BD	8.1			1000IU	injection	FEIBA TIM 4 IMMUNO		For use in haemophiliacs only. See provincial haemophilia policy
famciclovir	J05AB	18.1		A	250mg	tablet	FAMVIR	Specialist	Only to be used for registered indications. Motivation form to be completed.
fentanyl	N01AH	2.1.2		A P	0,1mg/2ml	injection	SUBLIMAZE		
fentanyl	N01AH	2.1.2		A P	0,5mg/10ml	injection	SUBLIMAZE; TANYL		
ferrous gluconate	B03AA	8.6		P	250mg/5ml	syrup	KIDDIE VITE		
ferrous lactate	B03AA	8.6		P	25mg/ml Fe ⁺⁺	oral drops	FERRO DROPS		
ferrous sulphate co BPC	B03AA	8.6		1 A P	FeSO ₄ : 170mg equiv: 56,67mg Fe ⁺⁺ 5H ₂ O.CuSO ₄ : 2.5mg 4H ₂ O.MnSO ₄ : 2.5mg	tablet	FEROUS SULPHATE		

filgrastim	L03AA	26	SL 127		300µg (30MU)	injection	NEUPOGEN	Specialist oncologist, haematologist	If used then review after 3 days, based on WBC. Max period of treatment not to exceed 5 days. For 1) stem cell mobilisation in bone marrow transplant donors. 2) Life-threatening neutropenia in high risk patients receiving chemotherapy. 3) Secondary prophylaxis in curable patients who experienced a prior episode of neutropenic sepsis. 4) To maintain dose-intensity in patients receiving curative treatment who have prolonged neutropenia between chemo cycles.
flucloxacillin	J01CF	18.1.1		1 A P	250mg	capsule	FLOXAPEN		
flucloxacillin	J01CF	18.1.1		1 P	125mg/5ml	suspension	FLOXAPEN		
flucloxacillin	J01CG	18.1.1		1 A P	250mg	capsule	FLOXAPEN		
fluconazole	J02AC	18.10	Suppl List 119	1 P	50mg	capsule	DIFLUCAN		For tinea capitis - as per EDL Donated Fluconazole - Manage as a Schedule 6 medicine for Donation Programme
fluconazole	J02AC	18.10	Suppl List 119	1 A P	200mg	tablet	DIFLUCAN		For tinea capitis - as per EDL Donated Fluconazole - Manage as a Schedule 6 medicine for Donation Programme
fluconazole	J02AC	18.10			40mg/ml	suspension	DIFLUCAN	Donation drug. Handle as a special buy out	1. Manage as a Schedule 6 drug for Diflucan donation Programme. 2. For management of Candida oesophagitis in HIV positive paediatric patients. Use according to treatment guidelines.
fludarabine	L01BB	23.00	Suppl List 118		10mg	tablet	FLUDARA	Specialist haematologist	Haematology.
fludarabine	L01BB	23.00			50mg	injection	FLUDARA	Specialist haematologist	Haematology. Second line treatment for chronic lymphocytic leukaemia and follicular lymphoma
fludrocortisone	H02AA	19.5		A P	0,1mg	tablet	FLORINEF		
flumazenil	V03AB	1.1.3		P	0,5mg/5ml	injection	ANEXATE	For use in ICU's only	
flumazenil	V03AB	1.1.3		P	1mg/10ml	injection	ANEXATE	For use in ICU's only	
fluocinolone gel	D07A	14.4	Suppl List 128	1AP	0,25mg/g	gel	SYNALAR GEL		Cheapest steroid scalp application on tender to be coded
fluorescein	S01JA	15.7			500mg/2ml	injection	FLUORESCITE	Specialist ophthalmologist	
fluorescein	S01JA	15.7		1	2%	minims	MINIMS FLUORESCIN		
fluorescein	S01JA	15.7			1mg	strips	FLUORETS		
fluorescein + lignocaine	S01H	15.7			1,25mg + 20mg/0,5ml	minims	MINIMS LIGNOCAINE & FLUORESCIN	Specialist ophthalmologist	
fluorometholone	S01BA	15.2			0,1%	eye drops	FML	Specialist ophthalmologist initiated	

fluoro-uracil	L01BC	23		A P	500mg/10ml	injection	FLUROBLASTIN	Specialist	
fluoro-uracil	L01BC	14.9		A P	50mg/g	ointment	EFUDIX	Specialist	
fluoro-uracil	L01BC	23		A P	250mg	tablet	FLUROBLASTIN	Specialist	
fluoxetine	N06AB	1.4.4	Supp List 123	1 A	20mg	capsule	PROZAC; LORIEN		For depression (Addendum F of SL 80, Circular H112/1998 is repealed)
flupenthixol	N05AF	1.5.3		A	20mg/ml	injection, oily	FLUANXOL DEPOT		
flupenthixol	N05AF	1.5.3		A	40mg/2ml	injection, oily	FLUANXOL DEPOT		
fluphenazine decanoate	N05AB	1.5.1		1 A	25mg/ml	injection	MODECATE		for use.
fluphenazine decanoate	N05AB	1.5.1		1 A	250mg/10ml	injection	MODECATE		
fluphenazine HCl	N05AB	1.5.1			25mg/10ml	injection	MODECATE ACUTUM		
folic acid	B03BB	20.1		1 A P	5mg	tablet	FOLIC ACID		
folinic acid	V03AF	20.1		P	3mg/ml	injection	REFOLINON	Specialist	
folinic acid	V03AF	20.1		P	30mg/10ml	injection	LEUCOVORIN	Specialist	
folinic acid	V03AF	20.1		P	50mg	injection	LEUCOVORIN	Specialist	
folinic acid	V03AF	20.1		P	15mg	tablet	ABIC LEUCOVORIN	Specialist	
formaldehyde liquid	X	Ø			34% - 38%	solution	FORMALIN		
formoterol	R03AC	10.2	Supp List 117	A	12µg/metered dose	inhaler - HFA	FORATEC INHALER	specialist physician & paediatrician initiated	For adults and children over the age of 6 - cheapest LABA on tender to be used See Circular H 64/2007 Suppl List 110: Annexure A
framycetin + gramicidin + dexamethasone	S01CA	15.3				ear drops	SOFRADEX	Specialist ENT	
furosemide	C03CA	16.1		1 A P	20mg/2ml	injection	LASIX		
furosemide	C03CA	16.1		A P	250mg/25ml	injection	LASIX; SABAX FUROSEMIDE		
furosemide	C03CA	16.1		P	10mg/ml	oral solution	LASIX		
furosemide	C03CA	16.1		1 A P	40mg	tablet	LASIX; PURESIS		
gadobutrol	V08AB	Ø				injection	GADOVIST	Specialist	Radiology
ganciclovir	J05AB	18.12	Supp list 124		500mg	injection	CYMEVENE	Specialist	Specialist infectious diseases, virologist - for use in life threatening CMV infections: Retinitis / Encephalitis / Pneumonitis / Colitis / Oesophagitis / Cholangitis
gemcitabine	L01BC	23	Supp list 124		200mg	injection	GEMZAR	Specialist	Specialist oncologist, for bladder cancer
gemcitabine	L01BC	23	Supp list 124		1000mg	injection	GEMZAR	Specialist	Specialist oncologist, for bladder cancer
gentamicin	J01GB	18.3		P	20mg/2ml	injection	GARAMYCIN		
gentamicin	J01GB	18.3		A P	80mg/2ml	injection	GARAMYCIN; FERMENTMYCIN		
gentamycin + betamethasone + clioquinol + tonaftate	D07C/X	14.4.1			1mg + 0,5mg + 10mg + 10mg per gram	cream	QUADRIDERM	Specialist ENT	ENT in-clinic/hospital use only.
gentamycin + methylmethacrylate cement	J01GB	18.3			0,5g + 33,8g	powder	PALACOS R with GARAMYCIN	Specialist orthopaedic surgeon	

gestrinone	G03XA	19.8			2,5mg	capsule	TRIDOMOSE	Specialist gynaecologist	Central hospitals only, not referable.
glibenclamide	A10BB	19.1.2	Supp List 126	1 A	5mg	tablet	DAONIL; EUGLUCON; GLYCOMIN		To be phased out over the next 6 months from date of SL 129 (May 2013). Maximum daily dose: 15mg. Refer to Anneuxre A; Supp List 126
glimepiride	A10BB	19.1.2	Supp List 129		1mg	tablet	AMARYL, EUGLIM		New patients to be initiated on glimepiride as appropriate. No new patients to be initiated on glibenclamide.
glimepiride	A10BB	19.1.2	Supp List 129		2mg	tablet	AMARYL, EUGLIM		New patients to be initiated on glimepiride as appropriate. No new patients to be initiated on glibenclamide.
glimepiride	A10BB	19.1.2	Supp List 129		4mg	tablet	AMARYL, EUGLIM		New patients to be initiated on glimepiride as appropriate. No new patients to be initiated on glibenclamide.
gliclazide	A10BB	19.1.2		1 A	80mg	tablet	DIAMICRON		
glucagon	H04AA	19.2		A P	1mg/ml	injection	GLUCAGON NOVO		
glutaraldehyde	V07AV	Ø			2%	liquid	G-CIDE; GLUTERAL		
glutaraldehyde	V07AV	Ø			2%	liquid	G-CIDE; GLUTERAL		
glycerine	A06A	Ø			BP	liquid			
glycerine & thymol co		Ø	Suppl List 119	1	BPC	liquid			For dental use only
glycerine + sodium stearate	A06AG	12.7			0,891ml + 0,113g	suppository	GLYCERINE (PAED.)		
glycerine + sodium stearate	A06AG	12.7		A	1,698ml + 0,213g	suppository	GLYCERINE (ADULT)		
glyceryl trinitrate	C01DA	7.5.2			50mg/50ml	infusion	TRIDIL	Specialist	
glyceryl trinitrate	C01DA	7.5.2			10mg/10ml	infusion	TRIDIL	Specialist	
griseofulvin	D01BA	18.8		1	125mg	tablet	FULCIN		
griseofulvin	D01BA	18.8		1	500mg	tablet	FULCIN; MICROCIDAL		
Growth Stimulating Factor see Filgrastim									
haloperidol	N05AD	1.5.2		1 A P	0,5mg	capsule	SERENACE		
haloperidol	N05AD	1.5.2			5mg/ml	injection	SERENACE		
haloperidol	N05AD	1.5.2			20mg/2ml	injection	SERENACE		
haloperidol	N05AD	1.5.2		A	1,5mg	tablet	SERENACE		
haloperidol	N05AD	1.5.2		A	1,5mg	tablet	HALOPERIDOL		
haloperidol	N05AD	1.5.2		1	5mg	tablet	SERENACE		
halothane	N01AB	2.1.1		A P	BP	inhalation liquid	FLUOTHANE		
heparin sodium	B01AB	8.2		A P	1 000u/ml 5ml	injection	PULARIN		
heparin sodium	B01AB	8.2		A	5 000u/ml 5ml	injection	PULARIN		
heparin sodium	B01AB	8.2		A	25 000u/ml 5ml	injection	PULARIN		
homatropine + hypromellose	S01FA	15.5		P	2% + 0,5%	eye drops	ISOPTO HOMATROPINE		
human menopausal gonadotrophin	X	19.7			FSH + LH 75iu	injection	HUMEGON	Specialist	Central hospitals only, not referable.

human serum albumin: see albumin, normal serum									
human serum stabilised: see serum, human stabilised									
hyaluronidase	X	27	Supp List 121		1 500iu	injection	HYALASE	Specialist Ophthalmologist	
hydrochlorothiazide	C03AA	16.1		1 A P	12,5mg	tablet	DICHLOTRIDE		
hydrochlorothiazide	C03AA	16.1		1 A P	25mg	tablet	DICHLOTRIDE		
hydrocortisone	D07AA	14.4		1 A	1%	cream	MYLOCORT		Refer Supp List 125, Addendum C - fingertip units
hydrocortisone	D07AA	14.4		A	1%	ointment	MYLOCORT		Refer Supp List 125, Addendum C - fingertip units
hydrocortisone	H02AB	19.5		A P	10mg	tablet	COVOCORT		
hydrocortisone sodium succinate	H02AB	19.5		1 A P	100mg I.V./I.M.	injection	SOLU-CORTEF		
hydrogen peroxide liquid	X	∅			20 vol	liquid	HYDROGEN PEROXIDE		
hydroxypropyl methylcellulose	S01KA	15.7			0.3% - 0.5%	eye drops	VISCOTRAAN SPERSATEAR		
hydroxyurea	L01XX	23		A P	500mg	capsule	HYDREA	Specialist	
hydroxyzine	N05BB	1.3.2			10mg/5ml	syrup	ATERAX	Specialist paediatrician & dermatologist	
hydroxyzine	N05BB	1.3.2			25mg	tablet	ATERAX	Specialist paediatrician & dermatologist	
hydroxyzine	N05BB	1.3.2			100mg	tablet	ATERAX	Specialist paediatrician & dermatologist	
hyoscine-N-butyl bromide	A03BB	12.3		A P	20mg/ml	injection	BUSCOPAN; HYOSPASMOL		
hyoscine-N-butyl bromide	A03BB	12.3			10mg	tablet	BUSCOPAN		
ibuprofen	M01AE	4.1	SL 127		10mg/2ml	injection	PEDEA	Specialist paediatrician	For PDA's in neonatal ICU's with the ability to diagnose patent ductus with echo cardiography
ibuprofen	M01AE	4.1.1		P	100mg/5ml	syrup	BRUFEN	General Code Specialist	<u>General Code:</u> For peri/post operative use in paediatrics <u>Specialist:</u> Other indications
ibuprofen	M01AE	4.1	Suppl List 119	1 A P	200mg	tablet	BRUFEN		For acute conditions: Not more than 5 days supply. Not repeatable for acute conditions (short course). For longer periods, the appropriate diagnosis and quantity to be written on the prescription
ichthammol glycerin	V03A	∅		1	BPC	liquid			
ichthammol ointment	D05A	31			BP	ointment	ICHTHAMMOL OINT.		

imipenem + cilastatin sodium	J01DH	18.1.3		A	500mg + 500mg	injection	TIENAM 500	Specialist ICU & highcare	Only for severe nosocomial infections in ICU's
imipramine	N06AA	1.4.1		A P	10mg	tablet	TOFRANIL	Specialist initiated	Open code for use in children up to a maximum dose of 25mg daily.
imipramine	N06AA	1.4.1		A P	25mg	tablet	TOFRANIL; ETHIPRAMINE	Specialist initiated	
imiquimod	D06BB	14.9			5%	cream	ALDARA	Specialist dermatologist & oncologist	Not referable
immunoglobulin anti-D rhesus	J06BB	26		1 A	100µg	injection			
immunoglobulin anti-hep. B	J06BB	26		A P	170 iu	injection			
immunoglobulin anti-measles	J06BB	26				injection			
immunoglobulin anti-rubella	J06BB	26				injection			
immunoglobulin anti-tetanus	J06BB	26		1 A P	250 iu	injection			
immunoglobulin anti-varicella zoster	J06BB	26		A P	16,5%	injection			
immunoglobulin human	J06BA	26		P	16%	injection			
immunoglobulin human	J06BA	26	Supp List 125		5% 0,5g	I.V. infusion	POLYGAM	Specialist physician & paediatrician	Short term: Inpatient use only Chronic use: central hospitals; non-referable
immunoglobulin human	J06BA	26	Supp List 125	P	3% 1g	I.V. infusion	POLYGAM	Specialist physician & paediatrician	Short term: Inpatient use only Chronic use: central hospitals; non-referable
immunoglobulin human	J06BA	26	Supp List 125	P	3% 3g	I.V. infusion	POLYGAM	Specialist physician & paediatrician	Short term: Inpatient use only Chronic use: central hospitals; non-referable
immunoglobulin human	J06BA	26	Supp List 125	P	3% 6g	I.V. infusion	POLYGAM	Specialist physician & paediatrician	Short term: Inpatient use only Chronic use: central hospitals; non-referable
immunoglobulin, human, anti-rabies	J06BB	26		1 A P	150iu/ml	injection	RABIGAM IM		
indomethacin	M01AB	4.1		A	25mg	capsule	INDOCID; ARTHREXIN	For use in obstetrics as a stat dose only	
indomethacin	M01AB	4.1		A	100mg	suppository	ARTHREXIN	For in-patient use only.	
inhaler device with mask	X	∅					AEROCHAMBER (NEONATE)		
inhaler device with mask	X	∅					GLAXOHALER (CHILDREN)		
inhaler placebo	X		SL 127			inhaler			
insulin human isophane biosynthetic	A10AA	19.1.1	Supp List 116		100units/ml	cartridge	HUMULIN N	Specialist physician, paediatrician and endocrinologist	Paediatrics and adolescents only. To be initiated at Central Hospitals only. Referable

insulin human isophane biosynthetic	A10AA	19.1.1			100units/ml	penset	PROTAPHANE HM(ge)		Pensets to be used only in young patients (juvenile diabetes) and patients not capable of using vials & syringes e.g. impaired vision or the elderly.
insulin human isophane biosynthetic	A10AA	19.1.1		1	100units/ml	injection	PROTAPHANE HM(ge); HUMULIN N		
insulin human soluble + isophane	A10AA	19.1.1		1	30% + 70% 100units/ml	injection	ACTRAPHANE HM(ge) HUMULIN 30/70		
insulin human soluble + isophane (yeast)	A10AA	19.1.1			30% / 70% 100units/ml	penset	ACTRAPHANE HM(ge); HUMULIN 30/70		Pensets to be used only in young patients (juvenile diabetes) and patients not capable of using vials & syringes e.g. impaired vision or the elderly.
insulin human soluble biosynthetic	A10AA	19.1.1	Supp List 116		100units/ml	cartridge	HUMULIN R CARTRIDGE	Specialist physician, paediatrician and endocrinologist	Paediatrics and adolescents only. To be initiated at Central Hospitals only. Referable
insulin human soluble biosynthetic	A10AA	19.1.1			100units/ml	injection	HUMULIN R; ACTRAPID HM(ge)		
insulin human soluble biosynthetic	A10AA	19.1.1		A P	100units/ml	penset	ACTRAPID HM(ge)		Pensets to be used only in young patients (juvenile diabetes) and patients not capable of using vials & syringes e.g. impaired vision or the elderly.
insulin human soluble/isophane	A10AA	19.1.1	Supp List 116		30% / 70% 100units/ml	cartridge	HUMULIN 30/70 CARTRIDGE	Specialist physician, paediatrician and endocrinologist	Paediatrics and adolescents only. To be initiated at Central Hospitals only. Referable
insulin injection device for use with 3mL insulin cartridge containing 100 units per 1mL (device is colour coded to correspond with insulin type)	X	∅	Supp List 116			re-useable pen	BATSWADI AUTOPEN	Specialist physician, paediatrician and endocrinologist	Paediatrics and adolescents only. To be initiated at Central Hospitals only. Autopen: Non-Referable
insulin injection devise (penfill) for use with 3mL insulin aspart, human cartridge containing 100 units / mL			Supp List 124			re-useable pen	NOVO RAPID penfill	Specialist paediatrician initiated	For patients under 5 years old. Device to be initiated at central hospitals and is not referable. Cartridges may be accessed at periphery as required i.e. referable
insulin needles	X	∅				needles	NOVOFINE NEEDLES		
insulin ultra fast acting analogue human aspart	A10AA	19.1.1	Supp List 124		100units/ml	cartridge	NOVO RAPID penfill	Specialist physician, paediatrician and endocrinologist	For patients under 5 years old. To be initiated at central hospitals. Cartridges may be accessed at periphery as required i.e. referable. (Insulin device not referable).

insulin ultra fast acting analogue human lispro	A10AA	19.1.1			100units/ml	injection	HUMALOG	Specialist physician, paediatrician and endocrinologist	
insulin ultra fast acting analogue human lispro	A10AA	19.1.1			100units/ml	penset	HUMALOG	Specialist physician, paediatrician and endocrinologist	
interferon-alpha 2a	L03AA	23		A P	3mu/vial	injection	ROFERON A	Specialist	Cheapest on tender of alpha 2a or 2b to be bought. For use in hairy-cell leukemia and condyloma acumiata.
interferon-alpha 2b	L03AA	29		A P	3mu/vial	injection	INTRON - A	Specialist	As above
iobitridol	V08AB	∅			300mg/ml 50ml	injection	XENETIX	Specialist	Only for Radiography
iodine solution	D08AG	∅			BP	liquid	WEAK IODINE SOLN.		EDL
iohexol	V08AB	∅			180mg/ml	injection	OMNIPAQUE	Specialist	Only for use in patients with a history of reaction to contrast media; history of allergy, coronary angiography in high risk patients & children;myelography; certain neuroradiological procedures; peripheral angiography when necessary.
iohexol	V08AB	∅			250mg/ml 10ml	injection	OMNIPAQUE	Specialist	As above
iohexol	V08AB	∅		A	300mg/ml 20ml	injection	OMNIPAQUE	Specialist	As above
iohexol	V08AB	∅		A	300mg/ml 50ml	injection	OMNIPAQUE	Specialist	As above
iohexol	V08AB	∅			350mg/ml 50ml	injection	OMNIPAQUE	Specialist	As above
iohexol	V08AB	∅			350mg/ml 100ml	injection	OMNIPAQUE	Specialist	As above
ipratropium bromide	R03BB	10.4		1 A P	0,04mg/inhal.	MDI complete	ATROVENT		
ipratropium bromide	R03BB	10.4		A P	0,25mg/ml 2ml	inhalation solution in a Unit Dose Vial	ATROVENT		
iron III hydroxide dextran complex	B03AC	8.6	SL129	1	50mg/2ml	injection	COSMOFER	Specialist physician, paediatrician and gynaecologist	
iron III hydroxide dextran complex	B03AC	8.6	SL 129	1	500mg/10ml	injection	COSMOFER	Specialist physician, paediatrician and gynaecologist	
isoflurane	N01AB	2.1.1	Supp List 125	A P		inhal	FORANE; ISOFOR		General
isoniazid	J04AC	18.6.1		1 A P	100mg	tablet	ISONIAZID		
isoniazid	J04AC	18.6.1		1 A P	300mg	tablet	ISONIAZID		
isosorbide dinitrate	C01DA	7.5.2			1mg/ml; 10ml	infusion	ISOKET	Specialist	
isosorbide dinitrate	C01DA	7.5.2			1mg/ml; 50ml	infusion	ISOKET	Specialist	
isosorbide dinitrate	C01DA	7.4		1 A P	5mg	tablet	ISORDIL; DILANID		
isosorbide-5-mononitrate	C01DA	7.4		A P	20mg	tablet	ELANTAN 20		

isosorbide-5-mononitrate	C01DA	7.4			A P	20mg	tablet	ISMO-20		
isotretinoin	D10BA	14.6				10mg	capsule	ROACCUTANE	Central Hospitals	Patient name basis. Not referable.
isotretinoin	D10BA	14.6				20mg	capsule	ROACCUTANE	Central Hospitals	Patient name basis. Not referable.
ispaghula husk	A06AC	12.7			P	3,5g	sachets	FYBOGEL ORANGE	Specialist initiated	Maximum: 30 sachets per month. Cheapest bulk forming agent currently on tender to be used.
itraconazole	J02AC	18.10				100mg	capsule	SPORANOX/ADCO- SPORAZOLE	Specialist dermatologist	Central hospitals, Patient name basis, Not referable.
itraconazole	J02AC	18.10	Supp List 113			100mg	capsule	SPORANOX/ADCO- SPORAZOLE	Specialist dermatologist Specialist Infectious Diseases	Specialist dermatologist - Central hospitals, patient name basis - Non- referable Specialist - for AIDS & disseminated histoplasmosis following Amphotericin B initial therapy
kanamycin	J01GB	18.3				1g/3ml	injection	KANAMYCIN NOVO		
kaolin poultice	X	Ø				BP	poultice	KAOLIN POULTICE		
ketamine	N01AX	2.1.2			A P	10mg/ml I.V.	injection	KETALAR		
ketamine	N01AX	2.1.2			A P	100mg/ml I.V.	injection	BREVINAZE		
ketoconazole	J02AB	18.8			A	200mg	tablet	NIZORAL	Specialist	For use in transplant patients
ketorolac	M01AB	3.2	Supp List 125			10mg/ml	injection	TORA-DOL	ICU - Patient named basis	Patient named basis: in ICU's as an opiate sparing agent for patients who need to be weaned off a ventilator.
ketorolac	M01AB	3.2	Supp List 125			30mg/ml	injection	TORA-DOL	ICU - Patient named basis	Patient named basis: in ICU's as an opiate sparing agent for patients who need to be weaned off a ventilator.
ketorolac	S01BC	15.7				4mg/ml	eye drops	ACULAR	Specialist ophthalmologist	
labetalol	C07AG	7.3.1	Supp List 125			100mg/20ml	injection	TRANDATE		General
lactic acid	G01AD	Ø					liquid			
lactulose	A06AD	12.7			A P	3.3g/5ml	syrup	DUPHALAC; LACSON		Hepatic encephalopathy only.
lamivudine	J05AF	18.12	pgwc ARV depot		1	10mg/ml	solution	3-TC	AIDS programme	Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols.

lamivudine	J05AF	18.9	pgwc ARV depot Supp List 124	1 A P	150mg	tablet	3-TC, Adco-Lamivudine, Aspen Lamivudine	General code: AIDS programme CNP / Professional nurse	General code: AIDS programme: Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. CNP / Professional nurse: Available through HIV / AIDS programme; For first line treatment of adult AIDS patients as per HIV / AIDS guidelines 2010 for treating AIDS patients and per Circular H30/2011
lamivudine	J05AF	18.9	pgwc ARV depot Supp List 124	1 A P	300mg	tablet		General code: AIDS programme CNP / Professional nurse	General code: AIDS programme: Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. CNP / Professional nurse: Available through HIV / AIDS programme; For first line treatment of adult AIDS patients as per HIV / AIDS guidelines 2010 for treating AIDS patients and per Circular H30/2011
lamotrigine	N03AX	1.6	Suppl List 118	1	25mg	tablet	LAMICTIN	Specialist initiated	For Mood Disorders: Psychiatrist initiated Patients may only be referred once stabilised on the maintenance dose
lamotrigine	N03AX	1.6	Supply List 118	1	50mg	tablet	LAMICTIN	Specialist initiated	For Mood Disorders: Psychiatrist initiated Patients may only be referred once stabilised on the maintenance dose
lamotrigine	N03AX	1.6	Suppl List 118	1	100mg	tablet	LAMICTIN	Specialist initiated	For Mood Disorders: Psychiatrist initiated Patients may only be referred once stabilised on the maintenance dose
lamotrigine	N03AX	1.6	Suppl List 118	1	200mg	tablet	LAMICTIN	Specialist initiated	For Mood Disorders: Psychiatrist initiated Patients may only be referred once stabilised on the maintenance dose
lanolin anhydrous liquid	S01XA	15.7		A P	30mg/g	eye ointment	DURATEARS	Specialist initiated	Cheapest eye ointment on tender to be used.

leflunamide	M01CX	4.6	SL 127		10mg	tablets	ARAVA	Specialist rheumatologist	For patients who have failed the current available regimens. Patients to receive at least 3 months' treatment and if unsatisfactory response then to stop treatment. If successful response then patient may be referred
levetiracetam	N03AX	1.6			250mg	tablets	KEPPRA	Specialist neurologist	As third or fourth line therapy. Non-referable. Maximum dose: 2000mg
levobunolol HCl	S01ED	15.6			0,5%	eye drops	BETAGAN	Specialist ophthalmologist initiated	Only use cheapest beta-blocker drops of appropriate concentration available on tender.
levodopa + benserazide	N04BA	1.7.1		A	200mg + 50mg	tablet	MADOPAR		
levofloxacin	J04A	18.7	SL 127		250mg	tablet	TAVALOX, SANDOZ-LEVOFLOXACIN		For paediatric patients with MDR-TB
levonorgestrel	G03AC	17.1.1	ex family planning stores	1	0,03mg	tablet	MICROVAL	Family Planning	
levonorgestrel releasing intra uterine system	G02BA	17.1.3	Supp List 122		52mg/system 20µg/24 hours	intra uterine system	MIRENA	Specialist gynaecologist	For women in whom hysterectomy is contra-indicated and/ or who have failed other modalities
levonorgestrel + ethinyl oestradiol	G03AB	17.1.1	ex family planning stores	1 A	0,15mg + 0,03mg	tablet	NORDETTE	Family Planning	
levonorgestrel + ethinyl oestradiol	G03AB	17.1.1	ex family planning stores	1 A	0,05mg;0,125mg + 0,05mg	tablet	BIPHASIL	Family Planning	Not to be prescribed as a contraceptive. Prescribe only for treatment of prolonged bleeding on injectables.
levonorgestrel + ethinyl oestradiol	G03AB	17.1.1	ex family planning stores	1 A	0,05mg;0,075mg; 0,125mg + 0,03mg;0,04mg; 0,03mg	tablet	TRIPHASIL	Family Planning	
lidocaine + prilocaine	N01BB	2.2.1			2,5% + 2,5%	cream	EMLA		Restricted to hospital paediatrics for conditions and procedures such as lumbar puncture, oncology, chronic illnesses etc.
lignocaine	C01BB	7.2		1 A	2% 5ml	injection	REMICAINE		
lignocaine HCl	D04AB	2.2.1		1 A	2%	gel	REMICAINE; PETERKAINE		
lignocaine HCl	N01BB	2.1.1.		A P	10mg per metered spray	spray	XYLOCAINE		
lignocaine HCl - without adrenaline	N01BB	2.2		A	2% 1,8ml	dental cartridge	XYLOTOX SE PLAIN		
lignocaine HCl + adrenaline	N01BB	2.2		A P	2% + 1 : 80 000 1,8ml	dental cartridge	XYLOTOX E80-A		
lignocaine I.M.	N01BB	2.2		1 A P	1% 20ml	injection	REMICAINE		
lignocaine I.M.	N01BB	2.2		A P	2% 20ml	injection	REMICAINE		

lignocaine I.V.	C01BB	7.2			10% 5ml	injection	REMICARD	Specialist	
linezolid	J01XX	18.9	Supp List 124		600mg	tablets	ZYVOXID	Specialist	Infectious disease specialist or microbiologist approval: - vancomycin resistant <i>Staphylococcal</i> or <i>Enterococcal</i> infection
linezolid	J01XX	18.9	Supp List 124		200mg	injection	ZYVOXID	Specialist	Infectious disease specialist or microbiologist approval: - vancomycin resistant <i>Staphylococcal</i> or <i>Enterococcal</i> infection
linezolid	J01XX	18.9	Supp List 124		600mg	injection	ZYVOXID	Specialist	Infectious disease specialist or microbiologist approval: - vancomycin resistant <i>Staphylococcal</i> or <i>Enterococcal</i> infection
linezolid	J01XX	18.9	Supp List 124		200mg/ml	suspension	ZYVOXID	Specialist	Infectious disease specialist or microbiologist approval: - vancomycin resistant <i>Staphylococcal</i> or <i>Enterococcal</i> infection
liothyronine	H03AA	19.3			20µg	tablet	TERTROXIN; TRI- IODOTHYRONINE	Specialist endocrinologist	
lipid emulsion: see tpn fat emulsion									
liquid paraffin	A06AA	∅		1 A	BP	liquid	LIQUID PARAFFIN		Maximum 200ml / patient / month. Not for oral use
lithium carbonate	N05AN	1.4.5		A	250mg	tablet	CAMCOLIT	Specialist psychiatrist initiated	
lithium carbonate	N05AN	1.4.5			400mg	tablet	CAMCOLIT	Specialist psychiatrist initiated	
lomustine	L01AD	23		A P	10mg	tablet	CeeNU	Specialist oncologist	
lomustine	L01AD	23		A P	40mg	capsule	CeeNU	Specialist oncologist	
loperamide	A07DA	12.8		A	2mg	tablet	IMODIUM; GASTRON		
lopinavir + ritonavir	J05AF	18.12	pgwc ARV depot	1	200mg + 50mg	capsule	ALUVIA	AIDS programme General Code	Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. Third line agent for needle stick injury post exposure prophylaxis according to the Provincial HIV/AIDS/STI/TB Directorate's protocol.
lopinavir + ritonavir	J05AF	18.12	pgwc ARV depot	1	80mg + 20mg/ml	solution	KALETRA	AIDS programme	As above.
lorazepam	N05BA	1.3.1		A	4mg/ml	injection	ATIVAN; TRANQUIL		

lorazepam	N05BA	1.3.1		A	1mg	tablet	TRANQIPAM	Specialist General: for 14 days only & no repeats	No more than 14 days supply, except when prescribed by a psychiatrist or neurologist when 28 days may be dispensed. See circular H24/2006: Suppl List 107 Addendum I On General Code ONLY for emergency treatment of aggressive/restless patients in accordance with the applicable protocol
lorazepam	N05BA	1.3.1		A	1mg	tablet	TRANQIPAM	Specialist General: for 14 days only & no repeats	
losartan	C09CA	7.3.9	SL 127		50mg	tablet	LOS-ARB / CIPLA LOSARTAN	Specialist initiated	Cheapest angiotensin receptor antagonist (ARB) available on tender to be used. For: ACEI intolerant patients. Max dose - 100mg daily. Cross contra-indication between ARB and ACEI with relation to angioedema
losartan	C09CA	7.3.9	SL 127		100mg	tablet	LOS-ARB / CIPLA LOSARTAN	Specialist physician, nephrologists, cardiologist and paediatrician initiated	Cheapest angiotensin receptor antagonist (ARB) available on tender to be used. For: ACEI intolerant patients. Max dose - 100mg daily. Cross contra-indication between ARB and ACEI with relation to angioedema
LPC (liquor picis carbonis - coal tar solution) in emulsifying base	D05AA	‡			5%	ointment			
lubricating jelly	X	14.8		1		jelly - sterile	K Y JELLY		
lubricating jelly	X	14.8				sachets - sterile	K Y JELLY SACHETS		
luteinising hormone-releasing hormone; gonadorelin	H01CA	19.7			0,1mg	injection	H.R.F.	Specialist	Central hospitals only, not referable.
luteinising hormone-releasing hormone; gonadorelin	H01CA	19.7			0,5mg	injection	H.R.F.	Specialist	As above
lvp [large volume parenteral] dextran 40 in sodium chloride	B05AA	35		P	10% + 0,9%	plastic bag	RHEOMACRODEX		
lvp dextrose	V03AH	∅		1 A P	10%	plastic bag			
lvp dextrose	V03AH	∅		A P	20%	plastic bag			
lvp dextrose	V03AH	∅		A	35%	plastic bag			
lvp dextrose	V03AH	∅		1 A P	5% 50ml	plastic bag			
lvp dextrose	V03AH	∅		1 A P	5% 100ml	plastic bag			
lvp dextrose	V03AH	∅		1 A P	5% 200ml	plastic bag			

lvp dextrose	V03AH	Ø		P	5% 1000ml	plastic bag		
lvp dextrose	V03AH	Ø		1 A P	50%	plastic bag		
lvp hydroxyethyl starch (hetastarch) 130 / 0,4 + sodium chloride	B05AA	7.8	Supp List 118		6% + 0,9%	infusion	VOLUVEN	Cheapest colloid to be used For use in ICU, High Care. Theatre & in patients with ongoing massive haemorrhage
lvp mannitol for irrigation	B05BC	Ø			5%	plastic bag	SABAX OSMITROL	
lvp mannitol infusion	B05BC	Ø			20%	plastic bag		
lvp multi-electrolyte inf. with no potassium	B05BB	Ø		P		plastic bag	POT. FREE NEONATAL MAINTENANCE	
lvp multi-electrolyte infusion	B05BB	Ø		A			REPLACEMENT SOLUTION	
lvp multi-electrolyte infusion	B05BB	Ø		A		glass / pvc container	PLASMALYTE B	
lvp multi-electrolyte infusion	B05BB	Ø		A		glass / pvc container	PLASMALYTE B	
lvp multi-electrolyte infusion	B05BB	Ø		1 P		plastic bag	HALF DARROW'S & DEXTROSE 5%	
lvp multi-electrolyte infusion	B05BB	Ø		1 P		plastic bag	HALF DARROW'S & DEXTROSE 5%	
lvp multi-electrolyte infusion	B05BB	Ø		A		plastic bag	SUSTENANCE SOLN MAINTELYTE & DEXTROSE 5%	
lvp multi-electrolyte infusion	B05BB	Ø		A		plastic bag	ELECTROLYTE No 2	
lvp multi-electrolyte infusion	B05BB	Ø				plastic bag	MAINTELYTE + GLUCOSE 10%	
lvp multi-electrolyte infusion	B05BB	Ø		P		plastic bag	NEONATALYTE + GLUCOSE 10%	
lvp multi-electrolyte infusion	B05BB	Ø		1 A P		plastic bag	RINGER LACTATE	
lvp multi-electrolyte infusion	B05BB	Ø	Supp List 119	A P		plastic bag	RINGER LACTATE	
lvp multi-electrolyte infusion	B05BB	Ø	Supp List 119	1 A		plastic bag	MODIFIED RINGER LACTATE	
lvp multi-electrolyte intravenous infusion	B05BB	Ø		P		plastic bag	PAED.MAINTENANCE + GLUCOSE 5%	
lvp sodium bicarbonate infusion	B05BB	Ø			4,2%	glass container		
lvp sodium chloride	B05BB	Ø			0,9%	glass container		
lvp sodium chloride	B05BB	Ø		A P	5%	glass container		
lvp sodium chloride	B05BB	Ø		A P	0,45%	plastic bag		
lvp sodium chloride	B05BB	Ø		1 A P	0,9%	plastic bag		
lvp sodium chloride	B05BB	Ø		1 A P	0,9%	plastic bag		
lvp sodium chloride	B05BB	Ø		1 A P	0,9%	plastic bag		
lvp sodium chloride + dextrose		Ø			0,45% + 2,5%	plastic bag		

lvp sodium chloride + dextrose		∅			0,45% + 5%	plastic bag	REHYDRATION SOLN		
lvp sodium chloride + dextrose		∅			0,2% + 5%	plastic bag			
lvp sodium chloride + dextrose		∅		A	0,9% + 5%	plastic bag			
lvp sodium chloride + dextrose		∅		1 A	0,9% + 5%	plastic bag			
lvp sodium chloride + dextrose		∅			5% + 0,2%	plastic bag			
lvp solution for irrigation sodium chloride		∅		1	0,9%	plastic bag	SOD.CHLORIDE 0,9% FOR IRRIGATION		
lvp solution for irrigation multi-electrolyte		∅				plastic bag	RINGER LACTATE INJECTION BP		
lvp solution for irrigation sodium chloride		∅		1	0.9%	pour bottle	SOD.CHLORIDE FOR IRRIGATION		
lvp solution for irrigation sodium chloride		∅		1	0.9%	pour bottle	SOD.CHLORIDE FOR IRRIGATION		
lvp solution for irrigation sterile water		∅		1		plastic bag	STERILE WATER FOR IRRIGATION		
lvp solution for irrigation sterile water		∅		1		plastic bag	STERILE WATER FOR IRRIGATION		
lvp solution for irrigation purified water		∅		1		pour bottle	WATER FOR IRRIGATION		
lvp solution for irrigation sodium chloride		∅		1	0.9%	plastic bag	SOD.CHLORIDE 0,9% FOR IRRIGATION		
lvp solution for irrigation mannitol		∅			5%	plastic bag	MANNITOL 5% FOR IRRIGATION		
lvp water for injection		∅				glass container			
lvp water for injection		∅				glass container			
magnesium chloride	A12CC	20.4			500mg - 700mg	tablet	ULTIMAG; SLOW-MAG		
magnesium sulphate	A12CC	20.4		1 A P	50% 2ml	injection	ADCO-MAGNESIUM SULPHATE		
magnesium sulphate	X	∅		A P	BP	powder			
magnesium trisilicate	A02AA	∅	SL 129		BP	mixture	MIST MAG TRISILICATE BP		Not repeatable
malic acid + benzoic acid + salicylic acid + propylene glycol	D03	14.9			0,375% + 0,025% + 0,006% + 1,75%	cream	ASERBINE		
mannitol	B05BC	16.1		1 A P	25% 50ml	injection	ADCO-MANNITOL		

mebendazole	P02CA	13		1 A	500mg	tablet	VERMOX		For children over two years of age and for adults.
medroxyprogesterone	L02AB	19.6.3			100mg	tablet	FARLUTAL	Specialist gynaecologist, obstetrics and oncologist	
medroxyprogesterone	L02AB	19.6.3			500mg	tablet	FARLUTAL	Specialist gynaecologist, obstetrics and oncologist	
medroxyprogesterone acetate	G03DA	19.6.3		1 A	150mg/ml	injection	DEPO PROVERA		Available from family planning.
medroxyprogesterone acetate	G03DA	19.6.3			5mg	tablet	PROVERA		
meglumine + sodium amidotrizoates	V08AA	∅		A	66% + 10% 100ml	injection	GASTROGRAFIN		
meglumine + sodium diatrizoates	V08AA	∅			26,1% + 3,9% 250ml	injection	UROGRAFIN 30%		
meglumine + sodium diatrizoates	V08AA	∅		A	66% +10% 20ml	injection	UROGRAFIN 76%		
meglumine + sodium ioxaglate	V08AB	∅			39,3% + 19,65% 50ml	injection	HEXABRIX	Specialist	Only for use in patients with a history of reaction to contrast media; history of allergy, coronary angiography in high risk patients & children; myelography; certain neuroradiological procedures; peripheral angiography when necessary
meglumine iothalamate	V08AA	∅		A	60% 50ml	injection	CONRAY 280		
meglumine iothalamate	V08AA	∅		A	70% 50ml	injection	CONRAY 420		
melphalan	L01AA	23		A P	100mg	injection	ALKERAN	Specialist oncologist	
melphalan	L01AA	23		A P	2mg	tablet	ALKERAN	Specialist oncologist	
melphalan	L01AA	23		A P	5mg	tablet	ALKERAN	Specialist oncologist	
mercaptopurine	L01BB	23		P	50mg	tablet	PURI-NETHOL	Specialist oncologist	
meropenem	J01DH	18.1.3			500mg	injection	MERONEM	Specialist	Only for severe nosocomial infections in ICU's
mesalazine	A07EC	12.10			500mg	suppository	ASACOL	Specialist gastroenterologist	
mesalazine	A07EC	12.10			400mg	tablet	ASACOL	Specialist gastroenterologist	
mesna inhalation solution: see sodium-2-mercapto sulfonate									
mesterolone	G03BB	19.6.1			25mg	tablet	PROVIRON	Specialist endocrinologist	
metformin	A10BA	19.1.2		1 A	500mg	tablet	GLUCOPHAGE		
metformin	A10BA	19.1.2		1 A	850mg	tablet	GLUCOPHAGE FORTE		
methadone	N02AC	3.1			10mg/ml	injection	PHYSEPTONE		

methadone	N07BC	10.1.1			2mg/5ml	linctus	PHYSEPTONE		For management of opioid withdrawal. To be used according to the Guidelines for the Management of Substance Detoxification.
methadone	N07BC	3.4	SL 127		2mg/ml	oral solution	EQUITY-METHADONE	Specialist psychiatrist, detoxification units	Detoxification units only, according to protocol for inpatient opioid detoxification. Currently, only GSH, Stikland, George hospital and Worcester hospital.
methotrexate (amethopterin)	L01BA	23	Supp List 116	A P	5mg	injection	METHOBLASTIN	Specialist dermatologist, oncologist, paediatrician and rheumatologist	
methotrexate (amethopterin)	L01BA	23	Supp List 116	A P	50mg/2ml	injection	ABITREXATE 50	Specialist dermatologist, oncologist, paediatrician and rheumatologist	
methotrexate (amethopterin)	L01BA	23	Supp List 116	A P	500mg	injection	EMTHEXATE 500mg	Specialist dermatologist, oncologist, paediatrician and rheumatologist	
methotrexate (amethopterin)	L01BA	23	Supp List 116	A P	1g	injection	METHOBLASTIN	Specialist dermatologist, oncologist, paediatrician and rheumatologist	
methotrexate (amethopterin)	L01BA	23	Supp List 116	A P	5g	injection	METHOBLASTIN	Specialist dermatologist, oncologist, paediatrician and rheumatologist	
methotrexate (amethopterin)	L01BA	23		A P	2,5mg	tablet	METHOTREXATE	Specialist physician, dermatologist, oncologist, paediatrician & rheumatologist	
methoxsalen	D05BA	14.7			10mg	capsule	OXSORALEN	Specialist dermatologist	Not referable.
methyl salicylate	MA2AB	∅	Supp List 119	1	10% - 25%	ointment			Restricted for use in patients with soft tissue rheumatism
methylodopa	C02AB	7.3.1	Supp List 123	1 A	250mg	tablet	ALDOMET	General code Clinical Nurse Practitioner	<u>General code:</u> For hypertension in pregnancy <u>Clinical Nurse Practitioner:</u> For hypertension in pregnancy. Nursing to implement a an AE reporting systems with 6 monthly report to District PTC.
methylene blue	V03AB	∅		A P	1%	injection	METHYLENE BLUE		

methylparaben	X	∅				powder			
methylphenidate	N06BA	1.1.3	Supp List 116	P	10mg	tablet	RITALIN	Specialist psychiatrists, neurologists, paediatricians and school doctor initiated	
methylphenidate	N06BA	1.1.3	Supp List 116	P	20mg	Long -acting tablet	RITALIN LA	Specialist psychiatrists, neurologists, paediatricians and school doctor initiated	For use after trial of the short-acting formulation proved unsuccessful.
methylphenidate	N06BA	1.1.3	Supp List 116	P	30mg	Long -acting tablet	RITALIN LA	Specialist psychiatrists, neurologists, paediatricians initiated	For use after trial of the short-acting formulation proved unsuccessful.
methylprednisolone	H02AB	19.5			125mg	injection	SOLU-MEDROL		
methylprednisolone	H02AB	19.5		P	500mg	injection	SOLU-MEDROL		
methylprednisolone	H02AB	19.5			1g	injection	SOLU-MEDROL		
methylprednisolone aceponate	D07AC	14.4			1mg/g	cream	ADVANTAN CREAM	Specialist dermatologist	Dermatologists only. To be strictly controlled, not to be referred.Refer Supp List 125, Addendum C - fingertip units
methylprednisolone aceponate	D07AC	14.4			1mg/g	cream	ADVANTAN CREAM	Specialist dermatologist	Dermatologists only. To be strictly controlled, not to be referred.Refer Supp List 125, Addendum C - fingertip units
methylprednisolone aceponate	D07AC	14.4			1mg/g	ointment	ADVANTAN OINTMENT	Specialist dermatologist	Dermatologists only. To be strictly controlled, not to be referred.Refer Supp List 125, Addendum C - fingertip units
methylprednisolone aceponate	D07AC	14.4			1mg/g	ointment	ADVANTAN OINTMENT	Specialist dermatologist	Dermatologists only. To be strictly controlled, not to be referred.Refer Supp List 125, Addendum C - fingertip units
methylprednisolone aceponate	D07AC	14.4			1mg/g	fatty ointment	ADVANTAN FATTY OINTMENT	Specialist dermatologist	Dermatologists only. To be strictly controlled, not to be referred.Refer Supp List 125, Addendum C - fingertip units
methylprednisolone aceponate	D07AC	14.4			1mg/g	fatty ointment	ADVANTAN FATTY OINTMENT	Specialist dermatologist	Dermatologists only. To be strictly controlled, not to be referred.Refer Supp List 125, Addendum C - fingertip units
methylprednisolone acetate	H02AB	19.5	Supp List 114		80mg/2ml I.M.	injection	DEPO-MEDROL		For Intra-lesional, Intra-bursal, Intra-articular and Peri-articular administration only.
methysergide	N02CA	1.9			1mg	tablet	DESERIL	Specialist neurologist	
metoclopramide	A03FA	1.8		A P	10mg/2ml	injection	MAXOLON; CLOPAMON		
metoclopramide	A03FA	1.8		1 P	5mg/5ml	syrup	MAXOLON		
metoclopramide	A03FA	1.8		1 A P	10mg	tablet	MAXOLON		
metronidazole	P01AB	18.9		A	500mg	suppository	FLAGYL		
metronidazole	P01AB	18.9			1g	suppository	FLAGYL		

metronidazole	P01AB	18.9		1 P	200mg/5ml	suspension	FLAGYL		
metronidazole	P01AB	18.9		A P	200mg	tablet	FLAGYL; ZOLEROL		
metronidazole	P01AB	18.9			400mg	tablet	FLAGYL; METRAZOLE-400		
metronidazole	P01AB J01XD	18.9		A P	500mg/100ml I.V	infusion	FLAGYL; TRICHAZOLE	Specialist	First dose only if necessary, then change to oral or supp. as soon as possible.
mexiletine	C01BB	7.2			200mg	capsule	MEXITIL	Specialist cardiologist	
mianserin	N06AX	1.4.2			10mg	tablet	LANTANON	Specialist psychiatrist & geriatrician initiated	
mianserin	N06AX	1.4.2			30mg	tablet	LANTANON	Specialist psychiatrist & geriatrician initiated	
mianserin	N06AX	1.4.2			30mg	tablet	LANTANON	Specialist psychiatrist & geriatrician initiated	
miconazole	A01AB	11.3			20mg/g	oral gel	DAKTARIN	Specialist	Not to be used as first line treatment. Try nystatin oral drops first.
midazolam	N05CD	1.2.1			15mg/3ml	injection	DORMICUM		Approved for use by paramedics as well.
midazolam	N05CD	1.2.1		A P	5mg/5ml	injection	DORMICUM		Approved for use by paramedics as well.
midazolam	N05CD	1.2.1			7,5mg	tablet	DORMICUM		Pre-med for general paediatric anaesthesia
mifepristone	G03XB	19.8	Supp List 122/125		200mg	tablet	MIFEGYNE	General (including professional nurses & CNP's who have undergone specified MTOP training) Specialist Gynaecologist	General: To be used according to Health Programmes' protocol for MTOP in the first trimester (up to 63 days). This includes professional nurses & CNP's who have undergone specified MTOP training. <u>Specialist Gynaecologist:</u> For TOP in fetal anomalies.
minoxidil	C02DC	7.3.1			10mg	tablet	LONITEN	Specialist physician initiated	
minoxidil	C02DC	7.3.1			5mg	tablet	LONITEN	Specialist physician initiated	
misoprostol	A02BB	12.4.2			200µg	tablet	CYTOTEC	General code: TOP clinics as per provincial circular. Specialist gastroenterologist & gynaecologist.	May be used in casualty for miscarriage without specialist prescription. See EDL warning re uterine rupture
mitomycin-C: See streptomyces caespitosis									
mitoxantrone	L01DB	23		A P	10mg/5ml	injection	NOVANTRONE	Specialist	
mitoxantrone	L01DB	23		A P	20mg/10ml	injection	NOVANTRONE	Specialist	
moclobemide	N06AG	1.4.6			150mg	tablet	AURORIX	Specialist psychiatrist	Medicines to be obtained from institution initiating prescription.

monobasic sodium phosphate anhydrous + dibasic sodium phosphate anhydrous	A06AD	12.6	Supp List 122		5g / 10g	satchets	COLO-PREP		For pre-procedure bowel preparation
montelukast	R03DC	10.4.2	Supp List 117		4mg/packet	sprinkles (granules)	SINGULAIR	Specialist paediatrician	Add-on therapy for patients under 5 years old who remain uncontrolled on appropriate doses of inhaled steroids Allergy and Pulmonary clinics only
montelukast	R03DC	10.4.2	Supp List 117		5mg	chew tablet	SINGULAIR	Specialist paediatrician	Add-on therapy for patients under 5 years old who remain uncontrolled on appropriate doses of inhaled steroids Allergy and Pulmonary clinics only
morphine HCl	N02AA	31				powder			
morphine sulphate	N02AA	3.1		1 A P	10mg/ml	injection	MORPHINE		
morphine sulphate	N02AA	3.1			15mg/ml	injection	MORPHINE		
moxifloxacin	J01MA	18.7	Supp List 126	1 A	400mg	tablet	AVELON; DRL MOXIFLOXACIN		For MDR-TB & XDR-TB as per Health Programmes protocols - refer to Circular H136/2011
mupirocin	D06AX	14.1		A	2%	ointment	BACTROBAN TOPICAL	Specialist	For Staph. resistant infections in burns units only.
mupirocin	R01AX	11.1		A	2%	nasal ointment	BACTROBAN NASAL	Specialist	On confirmation of nasal staphylococcus infection from a microbiologist report ONLY.
mycophenolate mofetil	L04AA	24.1			250mg	capsule	CELLCEPT	Specialist. Not referable to non-academic institutions in the Metropole. Can be referred to other regions.	i) Prescribe only post transplant at academic institutions. ii) Dispense only at academic institutions for patients resident in the metropole. iii) Dispense at non-academic institutions for patients in the rural regions - arrange access to stock with referring institution.
mycophenolate sodium	L04AA	24.1	Supp List 122		180mg	enteric coated tablet	MYFORTIC	Specialist	Specialist: For post transplant patients with GIT side effects. Non-referable, central hospitals. Central (tertiary) hospitals to arrange stock with referring institutions for patients in rural areas.
mycophenolate sodium	L04AA	24.1	Supp List 122		360mg	enteric coated tablet	MYFORTIC	Specialist	Specialist: For post transplant patients with GIT side effects. Non-referable, central hospitals. Central (tertiary) hospitals to arrange stock with referring institutions for patients in rural areas.
N-acetylcysteine	R05CB	28	Supp List 118	1 A P	200mg/ml	injection	PARVOLEX		

nalidixic acid	J01MB	16.4	Supp List 117 and Supp List 119	1 A	250mg/5ml	suspension	WINLOMYLON		Also to be used for Dysentery, bacillary, instead of Ciprofloxacin suspension as indicated in the EDL
naloxone	V03AB	1.1.2		1 A P	0,4mg/ml	injection	NARCAN		
nandrolone decanoate	A14AB	19.6.1			25mg/ml	injection	DECA-DURABOLIN	Specialist endocrinologist	
nandrolone decanoate	A14AB	19.6.1			50mg/ml	injection	DECA-DURABOLIN	Specialist endocrinologist	
neostigmine	N07AA	5.3		A P	0.5mg/ml	injection	PROSTIGMIN		
neostigmine	N07AA	5.3			2,5mg/ml	injection	PROSTIGMIN		
nevirapine	J05AG	18.12	pgwc ARV depot		10mg/ml	solution	ADCO-NEVIRAPINE, ASPEN NEVIRAPINE, VIRAMUNE	AIDS programme	Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols.
nevirapine	J05AG	18.12	pgwc ARV depot Supp List 124		200mg	tablet	VIRAMUNE	General code: AIDS programme CNP / Professional nurse	General code: AIDS programme: Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. CNP / Professional nurse: Available through HIV / AIDS programme; For first line treatment of adult AIDS patients as per HIV / AIDS guidelines 2010 for treating AIDS patients and per Circular H30/2011
nicotinamide	A11HA	20.1		1 A	100mg	tablet	NICOTINAMDE		
nicotinic acid	B04AE	20.1			100mg	tablet	NICOTINIC ACID		
nifedipine	C08CA	7.3.7	Supp List 119/122	1 A P	5mg	capsule	ADALAT; CARDIFEN-5	General Family Physician Specialist physician, paediatrician & gynaecologist	General: hypertensive emergencies in pregnancy and paediatrics Family Physician: For Raynaud's phenomenon
nifedipine	C08CA	7.3.7	Supp List 122		5mg	capsule	ADALAT; CARDILAT	General Family Physician Specialist physician, paediatrician & gynaecologist	General: As a tocolytic agent Family Physician: For Raynaud's Syndrome Specialist physician, paediatrician & gynaecologist: For Raynaud's Syndrome, pulmonary hypertension, and pregnancy induced hypertension
nifedipine	C08CA	7.3.7			30mg	tablet	ADALAT XL	Specialist gynaecologist	For hypertension in pregnancy only.
nimodipine	C08CA	7.5	Supp List 122		30mg	tablet	NIMOTOP	Specialist neurosurgeon	Neurosurgery, central hospitals only Non-referable
nimodipine	C08CA	7.5	Supp List 122		10mg/50ml	infusion	NIMOTOP	Specialist neurosurgeon	Neurosurgery, central hospitals only Non-referable
nipastat preservative solution			Supp List 123		2,5L	liquid			

norethisterone	G03DC	19.6.3		A	5mg	tablet	PRIMOLUT-N		
norethisterone + ethinyl oestradiol	G03AB	17.1.1	ex family planning stores		0,5mg;0,75mg;1 mg + 0,035mg	tablet	TRINOVUM	Family Planning	EDL
norethisterone enanthate	G03AC	17.1.1	ex family planning stores	1	200mg/ml	injection	NUR-ISTERATE	Family Planning	
norgestrel + ethinyl oestradiol	G03AA	17.1.1		1 A	0,5mg + 0,05mg	tablet	OVRAL	Family Planning	
norgestrel + oestradiol	G03FB	19.6.4		A	0,5mg + 2mg	tablet	POSTOVAL		
nystatin	A01AB	18.8		1 P	100 000u/ml	suspension	NYSTACID		
nystatin	D01AA	18.8		1	100 000u/g	topical cream	NYSTACID		ointment/cream: buy cheapest on tender
nystatin	D01AA	18.8		1	100 000u/g	topical ointment	NYSTACID		ointment/cream: buy cheapest on tender
octreotide	H01CB	19.8			1mg/5ml	injection	SANDOSTATIN	Specialist	ICU & High care: for variceal haemorrhage, max 7 days
oestradiol	G03CA	19.6.2			2mg	tablet	ESTROFEM	Specialist gynaecologists, obstetricians & endocrinologists initiated.	
oestradiol + norethisterone	G03FB	19.6.4		A	2mg;2mg;1mg + 1mg	tablet	TRISEQUENS		
oestradiol valerate	G03CA	19.6.2		A	1mg	tablet	PROGYNOVA ESTRO-PAUSE		
oestradiol valerate	G03CA	19.6.2			2mg	tablet	PROGYNOVA		
oestrogen conjugated	G03CA	19.6.2			0,3mg	tablet	PREMARIN		
oestrogen conjugated	G03CA	19.6.2		A	0,625mg	tablet	PREMARIN		
oestrogen conjugated	G03CA	19.6.2		A	0,625mg	tablet	PREMARIN		
oestrogen conjugated	G03CA	19.6.2		A	1,25mg	tablet	PREMARIN		
oestrogen conjugated	G03CA	19.6.2		A	1,25mg	tablet	PREMARIN		
oestrogen conjugated I.V./I.M.	G03CA	19.6.2		A	0,625mg/g	vaginal cream	PREMARIN		
oestrogen conjugated I.V./I.M.	G03CA	19.6.2		A	25mg / 5ml	injection	PREMARIN		
ofloxacin	J01MA	18.7		A	200mg	infusion soln.	TARIVID	Specialist	Motivation form to be completed or on a microbiologist report.
ofloxacin	J01MA	18.7		A	200mg	tablet	TARIVID	Specialist	Refer to MDT-TB and XDR-TB as per Helath Programmes protocol - refer to Circular H136/2011
ofloxacin	S01AX	15.1			3mg/ml	eye drops	EXOCIN; OCTIN	Specialist ophthalmologist, paediatrician & ENT	Cheapest fluoroquinolone on tender to be bought.
olanzepine	N05	1.5.3	Suppl List 128	A	2,5mg	tablets	ZYPREXA, REDILANZ	Specialist psychiatrist initiated	Psychiatrist initiated for schizophrenia - as second line second generation antipsychotic
olanzepine	N05	1.5.3	Suppl List 128	A	5mg	tablets	ZYPREXA, REDILANZ	Specialist psychiatrist initiated	Psychiatrist initiated for schizophrenia - as second line second generation antipsychotic

olanzepine	N05	1.5.3	Suppl List 128	A	10mg	tablets	ZYPREXA, REDILANZ	Specialist psychiatrist initiated	Psychiatrist initiated for schizophrenia - as second line second generation antipsychotic
olive oil	X	∅			BP	liquid	OLIVE OIL		
omeprazole	A02BC	12.4.4			10mg	tablet	LOSEC MUPS	Specialist	Paediatricians only
omeprazole	A02BC	12.4.4	SL 128	A P	20mg	capsule	LOSEC		SL 127: Add. B is repealed. Cheapest PPI on tender to be used. For adults according to EML / EDL recommendations. For long-term use and / or high risk patients endoscopy confirmation is required.
omeprazole	A02BC	12.4.4	SL 128	A P	20mg	capsule	LOSEC	Specialist Paediatrician	Paediatrics
ondansetron	A04AA	6.2	Suppl List 112		2mg/ml; 2ml	injection	ZOFRAN	Specialist: Oncologist & Haematologist	Cheapest 5 HT3 receptor antagonist on tender to be used
ondansetron	A04AA	6.2	Suppl List 112		2mg/ml; 4ml	injection	ZOFRAN	Specialist: Oncologist & Haematologist	Cheapest 5 HT3 receptor antagonist on tender to be used
ondansetron	A04AA	6.2	Suppl List 112		4mg	tablet	ZOFRAN	Specialist: Oncologist & Haematologist	Cheapest 5 HT3 receptor antagonist on tender to be used
ondansetron	A04AA	6.2	Suppl List 112		8mg	tablet	ZOFRAN	Specialist: Oncologist & Haematologist	Cheapest 5 HT3 receptor antagonist on tender to be used
Oral Rehydration Salt solution see sodium chloride co. below									
ornipressin	H01BA	7.6			5iu/ml	injection	POR 8	Specialist	
orphenadrine	N04AB	1.7.2		1 A	50mg	tablet	DISIPAL		
orphenadrine	N04AB	1.7.2		1 A	50mg	tablet	DISIPAL		
orphenadrine	N04AB	1.7.2		1 A	50mg	tablet	PHENERINE; DISIPAL		
oseltamivir	J05AH	18.12	Suppl List 119		75mg	tablet	TAMIFLU		For use in prophylaxis and treatment of pandemic H1N1 virus as per national and provincial protocols. Will be made available and accessible when required at strategic sites
oseltamivir	J05AH	18.12	Suppl List 119		12mg/ml	suspension	TAMIFLU		For use in prophylaxis and treatment of pandemic H1N1 virus as per national and provincial protocols. Will be made available and accessible when required at strategic sites
oxazepam	N05BA	1.3.1		A	10mg	tablet	SEREPAX; PURATA		No more than 14 days supply, unless when prescribed by a psychiatrist or neurologist, when 28 days supply may be dispensed. See circular H24/2006; Suppl List 107 - addendum I

oxazepam	N05BA	1.3.1		A	15mg	tablet	SEREPAX; PURATA; OXALINE	Specialist psychiatrist & neurologist	NO NEW PATIENTS TO BE PRESCRIBED THIS STRENGTH, unless if done by a psychiatrist or neurologist. (Refer to circular H24/2006, SL 107, Addendum 1)
oxybuprocaine	S01HA	15.7		1 A P	0,4%	eye drops	NOVESIN		
oxybuprocaine	S01HA	15.7		1 A P	0,4%	minims	MINIMS BENOXINATE		
oxybutynin	G04BD	5.4		A	5mg	tablet	DITROPAN; SANDOZ OXYBUTYNIN	Specialist neurologist, urologist, gynaecologist, nephrologist, paediatrician & Western Cape Rehab Centre initiated	Maximum dose: 5mg three times a day.
oxymetazoline	R01AA	11.1		1 P	0.03%	paed. nose drops	DRIXINE		ALTERNATIVE: Xylometazoline when cheaper.
oxymetazoline	R01AA	11.1		1 A	0,05%	adult nose drop	DRIXINE/LIADEN		As above.
oxymetazoline	S01GA	15.4		1	0,025%	eye drops	AFRIN		
oxytocin	H01BB	17.3		A P	5iu/ml	injection	SYNTOCINON		
oxytocin	H01BB	17.3		1 A	10iu/ml	injection	SYNTOCINON		
oxytocin + ergometrine	G02AB	17.3			5iu + 0,5mg/ml	injection	SYNTOMETRINE		
pamidronate: see disodium-pamidronate									
pancreatin 150mg	A09	12.1			amylase 8 000; lipase 10 000; protease 600 FIP units enzyme activity	capsule	CREON	Specialist physician & paediatrician	
pancreatin 300mg	A09	12.1			amylase 18 000; lipase 25 000; protease 1 000 FIP units enzyme activity	capsule	CREON	Specialist physician & paediatrician	
pancuronium bromide	M03AC	2.3		A P	4mg/2ml	injection	PAVULON		
pantoprazole	A02BC	12.4.4			40mg/10ml	injection	PANTOLOC	Specialist	
para-aminosalicylic acid	J04A	18.8.1			4G	powder	PASER GRANULES	Specialist	As per XDR TB protocol
paracetamol	N02BE	3.2	Supp List 123		500mg	injection	PERFALGAN	Specialist	For patients who cannot swallow and safely receive postoperative opioids in : - Obstructive sleep apnoea, - Neuromuscular weakness, - Respiratory failure. Expenditure and usage to closely monitored.

paracetamol	N02BE	3.2	Supp List 123		1000mg	injection	PERFALGAN	Specialist	For patients who cannot swallow and safely receive postoperative opioids in : - Obstructive sleep apnoea, - Neuromuscular weakness, - Respiratory failure. Expenditure and usage to closely monitored.
paracetamol	N02BE	3.2			125mg	suppository	EMPAPED		Single, post-operative dose.
paracetamol	N02BE	3.2			250mg	suppository	EMPAPED		Single, post-operative dose.
paracetamol	N02BE	3.2	Supp List 119	1 P	120mg	syrup	DOLOROL; PAMOL		For acute conditions: Not more than 5 days supply. NOT REPEATABLE FOR ACUTE CONDITIONS. For longer periods, the appropriate diagnosis and quantity to be written on the prescription
paracetamol	N02BE	3.2	Supp List 119	1 A P	500mg	tablet	PANADO		For acute conditions: Not more than 5 days supply. NOT REPEATABLE FOR ACUTE CONDITIONS. For longer periods, the appropriate diagnosis and quantity to be written on the prescription
paraffin soft: see soft paraffin									
pegylated interferon alfa-2a	L03AB	24.2	Supp List 117		135µg/0,5ml	pre-filled syringe	PEGASYS	Specialist	Central hospitals only. Patient Named Basis. Number of patients to be treated to be decided by local PTC
pegylated interferon alfa-2a	L03AB	24.2	Supp List 117		180µg/0,5ml	pre-filled syringe	PEGASYS	Specialist	Central hospitals only. Patient Named Basis. Number of patients to be treated to be decided by local PTC
penicillamine	M01CC	25	Supp List 125	A	300mg	capsule	METALCAPTASE	Specialist	Central hospitals; non-referable
penicillin; benzathine	J01CE	18.1.1		1 A P	1.2Mu	injection	BICILLIN LA; PENILENTE LA		
penicillin; benzathine	J01CE	18.1.1		1	2.4Mu	injection	BICILLIN LA; PENILENTE LA		
penicillin; benzathine penicillin; procaine penicillin; benzyl sodium	J01CE	18.1.1			600 000 units 300 000 units 300 000 units	injection	BICILLIN; PENILENTE FORTE 1,2 MU		
penicillin; benzyl sodium	J01CE	18.1.1		1 A P	1Mu (600mg)	injection	NOVOPEN; BENZYL PENICILLIN		
penicillin; benzyl sodium	J01CE	18.1.1		1	5Mu (3g)	injection	NOVOPEN; BENZYL PENICILLIN		
penicillin; phenoxymethyl	J01CE	18.1.1		1 P	125mg/5ml	suspension	DAROCILLIN; COPEN; BETAPEN		
penicillin; phenoxymethyl	J01CE	18.1.1		1 P	250mg/5ml	suspension	DAROCILLIN; COPEN; BETAPEN		

penicillin; phenoxymethyl	J01CE	18.1.1		1 A P	250mg	tablet	DELTACILLIN		
penicillin; phenoxymethyl	J01CE	18.1.1		A P	250mg	tablet	COPEN; BETAPEN		
penicillin; phenoxymethyl	J01CE	18.1.1		A P	250mg	tablet	COPEN; BETAPEN		
penicillin; procaine	J01CE	18.1.1		A P	0.3Mu/ml 10ml	injection	PROCILLIN; NOVOCILLIN		
pentagastrin	V04CG	∅			250µg/ml	injection	PEPTAVLON	Specialist	
pethidine	N02AB	3.1		1 P	25mg/ml	injection	PETHIDINE INJ. LABETHICA		Restricted to labour wards, midwife obstetric units, midwives and patients allergic to morphine. Morphine remains first agent of choice.
pethidine	N02AB	3.1		1 A	50mg/ml	injection	PETHIDINE INJ. LABETHICA		As above.
pethidine	N02AB	3.1		A	100mg/2ml	injection	PETHIDINE INJ. LABETHICA		As above.
petroleum jelly: see soft paraffin									
phenobarbitone	N03AA	1.2.2		P	200mg/ml	injection	GARDENAL		
phenobarbitone	N03AA	1.2.2		1 A P	30mg	tablet	LETHYL		
phenobarbitone + vitamins	N03AA	1.2.2		1 P	16mg/5ml	elixir	ADCO- PHENOBARBITONE VITALET		
phenylephrine	C01CA	7.6?		A P	10mg/ml	injection	PHENYLEPHRINE		
phenytoin	N03AB	1.6		1 A P	250mg/5ml	injection	EPANUTIN		For use in convulsive status epilepticus and trauma ONLY.
phenytoin	N03AB	1.6		1 A	100mg	tablet	EPANUTIN		
pholcodine	R05D	10.1.1			15mg/ml	linctus	PHOLTEX		For haemoptysis: hospital use only - in and out patients.
phosphate supplement	X	20.4		P		tablet, effervescent	PHOSPHATE SANDOZ	Specialist	
phosphodiesterase-5-inhibitors: sildenafil; tadalafil; vardenafil	G04BE	17.5.2			various	tablets	VIAGRA; CIALIS; LEVITRA	Central Hospital Specialist	Urology. Not for treatment. To be used only as a diagnostic tool in erectile dysfunction - 2 doses maximum. Patient name basis.
phospholipid solution: See total phospholipids									
phytomenadione (vit K1)	B02BA	8.1		1 P	2mg/0,2ml	injection for IV & oral	KONAKION MM		
phytomenadione (vit K ₁)	B02BA	8.1		A P	10mg/ml	injection	KONAKION		
pilocarpine	S01EB	15.6			2%	eye drops	ISOPTO-CARPINE		
pilocarpine + hypromellose	S01EB	15.6		1 A P	1% + 0,5%	eye drops	ISOPTO-CARPINE		

pimozide	N05AG	1.5.1			1mg	tablet	ORAP	Specialist paediatrician, neurologist, psychiatrist	Patient name basis only
pimozide	N05AG	1.5.1			4mg	tablet	ORAP	Specialist paediatrician, neurologist, psychiatrist	As above
piperacillin + tazobactam	J01CR	18.1.1			4g + 500mg	injection	TAZOCIN	Specialist	Only for severe nosocomial infections in ICU's & on a Microbiologist report.
podophyllin resin	D06BB	14.9	Supp List 125	A					
podophyllotoxin topical solution	D06BB	14.9	Supp List 117		5mg/ml	liquid	WARTEC		For genital warts. To be applied by health professional
poractant alfa	X	10.5	SL 127		80mg/ml	intratracheal suspension	CUROSURF	Neonatal ICU and highcare units in hospitals with C-PAP units, after consultation with paediatrician	For use in selected pre-term infants between 700g and 1 000g body weight
potassium chloride	A12BA	20.4		A P	15% 10ml	injection	SABAX POTASSIUM CHLORIDE INJ.		
potassium chloride	A12BA	20.4			600mg	tablet	SLOW-K 600	General Specialist physician	General: For proven hypokalaemia. • For in-patients • For out-patients - maximum of 12 weeks <u>Specialist physician:</u> For long term use
potassium citrate mixture	G04B	∅		A	BP: Citric Acid 5% Pot. Citrate 30%	liquid	POTASSIUM CITRATE MIXTURE		
potassium permanganate	D08AX	∅				crystals	POTASSIUM PERMANGANATE BP		
potassium phosphate	B05XA	20.4		A P	10ml	injection	SABAX POTASSIUM PHOSPHATE		
povidone iodine	A01	11.3		1	100mg/10ml	solution	BETADINE ORAL ANTISEPTIC		
povidone iodine	D08AG	14.1		1 P	5%	cream	BETADINE; BIOCREAM		
povidone iodine	D08AG	14.1		1	10mg/10ml	liquid	BETADINE		
povidone iodine	D08AG	14.1		1	10%	ointment	BETADINE		
povidone iodine	D08AG	14.1			4g/100ml	shampoo	BETADINE		
povidone iodine	D08AG	14.1			75mg/ml	solution	ZEDCHEM PVP-I SCRUB		
povidone iodine	G01AX	17.2			100mg/ml	vaginal douche	BETADINE CLEANSER KIT	Specialist gynaecologists	
povidone iodine	G01AX	17.2			10%	vaginal gel	BETADINE		
praziquantel	P02BA	13		1 A P	600mg	tablet	BILTRICIDE; CYSTICIDE		

prazosin	C02CA	7.3.2		A P	1mg	tablet	PRATSIOL	Specialist paediatricians initiated	
prednisolone	H02AB	19.5		P	15mg/5ml	syrup	PRELONE	Specialist paediatrician	
prednisolone	S01BA	15.2			10mg/ml	eye drops	PRED FORTE	Specialist ophthalmologist.	Alternative: Dexamethasone on Specialist Initiated code
prednisone	H02AB	19.5		1 A P	5mg	tablet	METICORTEN		
pregabalin	N03AX	1.5.3	SI 127		25mg	capsule	LYRICA	Specialist neurologist, oncologist and pain clinic initiated	To be used in line with Supplementary List 125: Addendum A
pregabalin	N03AX	1.5.3	SI 127		50mg	capsule	LYRICA	Specialist neurologist, oncologist and pain clinic initiated	To be used in line with Supplementary List 125: Addendum A
pregabalin	N03AX	1.5.3	SI 127		75mg	capsule	LYRICA	Specialist neurologist, oncologist and pain clinic initiated	To be used in line with Supplementary List 125: Addendum A
pregabalin	N03AX	1.5.3	SI 127		100mg	capsule	LYRICA	Specialist neurologist, oncologist and pain clinic initiated	To be used in line with Supplementary List 125: Addendum A
pregabalin	N03AX	1.5.3	SI 127		150mg	capsule	LYRICA	Specialist neurologist, oncologist and pain clinic initiated	To be used in line with Supplementary List 125: Addendum A
pregnancy test	V04CX	∅			25iu/L sensitive	dipstick test strip			To detect ectopic pregnancy as well as for routine testing.
permethrin	D11	14.2	Suppl List 128	1	5%	lotion	SKABI-RID		For head lice
primaquine	P01BA	18	SL 127	1	15mg base	tablets			Non-falciparum malaria & PCP (PJP) patients that are intolerant to co-trimoxazole
primidone	N03AA	1.6	Suppl List 113		250mg	tablet	MYSOLINE	Specialist neurologist initiated	For the management of Essential Tremor only
probenecid	M04AB	4.2	SL 129		500mg	tablet	BENEMID; PROBEN	Specialist rheumatologist initiated	
procainamide	C01BA	7.2		P	100mg/ml	injection	PRONESTYL	Specialist cardiologist	
procarbazine	L01XB	23		A P	50mg	tablet	NATULAN	Specialist oncologist	
prochlorperazine	N05AB	1.5.1			12,5mg/ml	injection	STEMETIL		
prochlorperazine	N05AB	1.8			5mg	suppository	STEMETIL		
prochlorperazine	N05AB	1.8			25mg	suppository	STEMETIL		
prochlorperazine	N05AB	1.5.1			5mg	tablet	STEMETIL		
promethazine	R06AD	6.1		1 A P	25mg/ml	injection	PHENERGAN		
promethazine	R06AD	6.1			50mg/2ml	injection	PHENERGAN		
promethazine	R06AD	6.1		A P	10mg	tablet	PHENERGAN		
promethazine	R06AD	6.1		A P	25mg	tablet	PHENERGAN		
propantheline bromide	A03AB	12.3	Suppl List 116		15mg	tablet	PRO-BANTHINE		For Western Cape Rehab Centre only. Not referable
propofol	N01AX	2.1.2	Suppl List 125	A P	200mg/20ml	injection	DIPRIVAN		General
propranolol	C07AA	7.4		A P	1mg/ml	injection	INDERAL		
propranolol	C07AA	7.4		A P	10mg	tablet	INDERAL		
propranolol	C07AA	7.4		A	40mg	tablet	INDERAL;REXIGEN		
propylene glycol	X	∅				liquid			

propylparaben	X	∅				powder			
prostaglandins: see dinoprostone									
protamine sulphate	V03AB	18.1?		P	50mg/5ml	injection	PROTAMINE SULPHATE		
protirelin (thyrotropin releasing hormone, TRF, TRH)	V04CJ	19.3			0,2mg/2ml	injection	TRH-ROCHE	Specialist	Endocrinologists only.
pyrazinamide	J04AK	18.6.1		P	500mg	tablet	ISOPAS; CAMIZIDE; ROZIDE		
pyridostigmine	N07AA	5.3		P	10mg	tablet	MESTINON		
pyridostigmine	N07AA	5.3		A P	60mg	tablet	MESTINON		
quinine dihydrochloride	P01BC	18.9		1 A P	300mg/ml	injection	ADCO-QUININE		
quinine sulphate	P01BC	18.11		1 A P	300mg	tablet			
quinolone (ciprofloxacin/ofloxacin) ophthalmic anti-infectives	S01AX	15.1			3mg/ml	eye drops	CILOXAN; EXOCIN	Specialist: ophthalmologist & ENT	Cheapest on tender to be used.
ranitidine 150mg	A02BA	12.4.3	SL 127	P	150mg	tablet	ZANTAC; CPL ALLIANCE RANITIDINE		Acute use: For 14 days only, not repeatable. For GORD: For 4 weeks - also see EDL / EML
reagent strip - 10 diagnosis for urine	V04B	∅				reagent strip	COMBUR 10		For use in trauma units and neurosurgery when specific gravity is required.
reagent strip - 5 diagnosis for urine	V04B	∅				reagent strip	LENSTRIP 5		For use in general outpatient departments & wards of larger hospitals. Cheapest on tender will be issued.
reagent strip - 9 diagnosis for urine	V04B	∅				reagent strip	COMBUR 9		For use in smaller hospitals; admission wards of larger hospitals and by district surgeons.
reagent strip - blood, glucose, ketones, protein, nitrite & pH in urine	V04B	∅				reagent strip	URICHECK 5N		
reagent strip - glucose in blood	V04CA	∅	SL 98			reagent strip	ACCU-CHECK ACTIVE		Only for insulin users. Issue up to 100 strips, if necessary, to patients on multiple daily insulin administration, and up to 50 strips every four months, if necessary, to patients on a once daily insulin regimen (see SL 98)
reagent strip - glucose in urine	V04B	∅				test strip	GLUKOTEST TECO-URS 1G		For home monitoring of maturity onset, non-ketotic diabetes mellitus. Recommended 1 container per month.
reagent strip - glucose, ketones in urine	V04B	∅				reagent strip	KETO-DIABUR		For home monitoring of juvenile type diabetes mellitus. 1 Bottle per month.

reagent strip - glucose, protein in urine	V04B	∅				reagent strip	URICHECK 2(s)		
reagent strip - rapid determination of syphilis	X	∅				reagent strip	DETERMINE SYPHILIS		
reagent strip - rapid determination of HIV-1/2 antibodies in whole	X	∅				reagent strip	HIV CHECK 1 + 2		For Mother to Child Transmission Project ONLY.
reagent tablet - blood in faeces	X	∅				reagent tablet	HEMATEST		
reagent tablet - glucose in urine	X	∅				reagent tablet	CLINITEST		Restricted to paediatric wards or on a prescription chart.
remifentanyl	N01AH	2.1.2	Supp List 125		1mg	injection	ULTIVA	Specialist anaesthetist	Central and regional hospitals. For use in endoscopy ENT surgery only
remifentanyl	N01AH	2.1.2	Supp List 125		2mg	injection	ULTIVA	Specialist anaesthetist	Central and regional hospitals. For use in endoscopy ENT surgery only
remifentanyl	N01AH	2.1.2	Supp List 125		5mg	injection	ULTIVA	Specialist anaesthetist	Central and regional hospitals. For use in endoscopy ENT surgery only
ribavirin	J05AB	18.12	Supp List 117		200mg	tablets	COPEGUS	Specialist	Central hospitals only. Patient Named Basis. Number of patients to be treated to be decided by local PTC
rifampicin	J04AB	18.6.1		1 P	150mg	capsule	ROLAB RIFAMPICIN		For use in tuberculosis or for meningococcal meningitis prophylaxis.
rifampicin	J04AB	18.6.1		1 P	450mg	capsule	ROLAB RIFAMPICIN		
rifampicin	J04AB	18.6.1		1 A P	600mg	capsule	ROLAB RIFAMPICIN		As above
rifampicin	J04AB	18.6.1		A	300mg	injection	RIMACTANE		
rifampicin	J04AB	18.6.1		1 P	100mg/5ml	suspension	RIFADIN		For use in tuberculosis or for meningococcal meningitis prophylaxis.
rifampicin + ethambutol + isoniazid + pyrazinamide	J04AM	18.6.1		1 A	150mg + 275mg + 75mg + 400mg	tablet	RIFAFOUR e-275; RIMSTAR 4- FDC		
rifampicin + isoniazid	J04AM	18.6.1		1 P	60mg + 60mg	tablet	RIMACTAZID PAED 60/60		
rifampicin + isoniazid	J04AM	18.6.1		1 A	300mg + 150mg	tablet	RIFINAH 300 RIMACTAZID 300/150		
rifampicin + isoniazid + pyrazinamide	J04AM	18.6.1		1 P	60mg + 30mg + 150mg	tablet	RIMCURE PAED 3-FDC		

risperidone	N05AX	1.5.3	Supp List 125		0,5mg	tablet	RISPERDAL, PERZAL, RISPACOR	Specialist psychiatrist & paediatrician initiated	For treatment guidelines refer to Circular H99/2005 (Addendum A - Suppl List 103).
risperidone	N05AX	1.5.3			1mg	tablet	RISPERDAL, PERZAL, RISPACOR	Specialist psychiatrist & paediatrician initiated	As above.
risperidone	N05AX	1.5.3			2mg	tablet	RISPERDAL, PERZAL, RISPACOR	Specialist psychiatrist & paediatrician initiated	As above.
risperidone	N05AX	1.5.3			3mg	tablet	RISPERDAL, PERZAL, RISPACOR	Specialist psychiatrist & paediatrician initiated	As above.
risperidone	N05AX	1.5.3	Supp List 125		1mg/ml	oral solution	RISPERDAL	Specialist psychiatrist & paediatrician initiated	For treatment guidelines refer to Circular H99/2005 (Addendum A - Suppl List 103). For paediatric use for very low doses. Not to be used for geriatrics
risperidone	N05AX	1.5.3	Supp List 120		25mg	injection IM - prolonged release	RISPERDAL CONSTA	Psychiatrist initiated	For: - 1) Specific non-compliant patients ; 2) Patients that do not tolerate 1st generation depot antipsychotics. To be used in line with Mental health protocols.
risperidone	N05AX	1.5.3	Supp List 120		37,5mg	injection IM - prolonged release	RISPERDAL CONSTA	Psychiatrist initiated	For: - 1) Specific non-compliant patients ; 2) Patients that do not tolerate 1st generation depot antipsychotics. To be used in line with Mental health protocols.
risperidone	N05AX	1.5.3	Supp List 120		50mg	injection IM - prolonged release	RISPERDAL CONSTA	Psychiatrist initiated	For: - 1) Specific non-compliant patients ; 2) Patients that do not tolerate 1st generation depot antipsychotics. To be used in line with Mental health protocols.
ritonavir	J05AE	18.12	pgwc ARV depot		100mg	capsule	NORVIR	AIDS programme	Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols.
ritonavir	J05AE	19.12	pgwc ARV depot		80mg/ml	solution	NORVIR	AIDS programme	As above.
rituximab	L01XC	23	SL 129		100mg	injection	MABTHERA	Specialist oncologist	B-cell non-hogkins lymphoma
rituximab	L01XC	23	SL 129		500mg	injection	MABTHERA	Specialist oncologist	B-cell non-hogkins lymphoma
rocuronium	M03AC	2.3			50mg/5ml	injection	ESMERON		
ropinirole	N04BC	1.7.1			0,25mg	tablet	REQUIP	Specialist initiated	For Parkinson Disease patients only. As add-on therapy to Levodopa. May only be referred on maintenance therapy

ropinirole	N04BC	1.7.1			0,5mg	tablet	REQUIP	Specialist initiated	For Parkinson Disease patients only. As add-on therapy to Levodopa. May only be referred on maintenance therapy
ropinirole	N04BC	1.7.1		Supp List 114	1mg	tablet	REQUIP	Specialist initiated	For Parkinson Disease patients only. As add-on therapy to Levodopa. May only be referred on maintenance therapy
ropinirole	N04BC	1.7.1			2mg	tablet	REQUIP	Specialist initiated	For Parkinson Disease patients only. As add-on therapy to Levodopa. May only be referred on maintenance therapy
ropinirole	N04BC	1.7.1			5mg	tablet	REQUIP	Specialist initiated	For Parkinson Disease patients only. As add-on therapy to Levodopa. May only be referred on maintenance therapy
salbutamol	R03AC	10.2.1		1 P	5mg/ml	inhalation solution	VENTOLIN; VENTEZE		Use cheapest Beta-stimulant inhalant solution on tender.
salbutamol	R03AC	10.2.1		1 A P	100µg/inhalation	MDI complete	VENTEZE		Use cheapest Beta-stimulant MDI on tender.
salbutamol	R03AC	10.2.1		1 A P	100µg/inhalation	MDI refill	VENTEZE		As above
salbutamol	R03CC	10.2.1		P	500µg/ml	injection	VENTOLIN		
salbutamol	R03CC	10.2.1			5mg/5ml	infusion	VENTOLIN		
salbutamol	R03CC	10.2.1		P	2mg/5ml	syrup	VENTOLIN		For use in paediatrics
salbutamol	R03CC	10.2.1		P	2mg/5ml	syrup	VENTOLIN		As above
salbutamol	R03CC	10.2.1		P	2mg	tablet	VENTOLIN; VENTEZE		As above
salicylic acid in cetomacrogol ointment	D05AX	‡			2%	ointment			
salicylic acid in soft white paraffin	D01AE	‡			40%	ointment			
salicylic acid ointment	D05AX	‡			5%	ointment			
salmeterol xinafoate	R03AC	10.2.1			25µg/inhalation	MDI complete	SEREVENT	specialist physician & paediatrician initiated	For adults and children over the age of 6 - cheapest LABA on tender to be used See Circular H 64/2007 Suppl List 110: Annexure A
salmeterol xinafoate	R03AC	10.2.1			50µg/inhalation	MDI complete	SEREVENT	specialist physician & paediatrician initiated	For adults and children over the age of 6 - cheapest LABA on tender to be used See Circular H 64/2007 Suppl List 110: Annexure A
salmeterol / fluticasone	R03AC	10.2.4	SL 127		25mcg/50mcg	MDI	SERETIDE	specialist physician & paediatrician initiated	Allergy and pulmonology clinics for paediatrics only
salmeterol / fluticasone	R03AC	10.2.4	SL 127		25mcg/125mcg	MDI	SERETIDE	specialist physician & paediatrician initiated	Allergy and pulmonology clinics for paediatrics only

salmeterol / fluticasone	R03AC	10.2.4	SL 127		25mcg/250mcg	MDI	SERETIDE	specialist physician & paediatrician initiated	Allergy and pulmonology clinics for paediatrics only
salt solution, balanced	X	15.7				eye soln.	B.S.S.	Specialist ophthalmologist	
salt solution, balanced	X	15.7				eye soln.	B.S.S.	Specialist ophthalmologist	
salt solution, balanced	X	15.7				eye soln.	B.S.S.	Specialist ophthalmologist	
scorpion antivenom	J06A	∅		A P	5ml	injection			
selenium sulphide	D01AE	14.3		1	2,5%	shampoo	SELSUN		
senna	A06AB	12.7		1 A	equivalent to sennoside 13,5mg	tablet	SEKOKOT		
sennoside A & B	A06AB	12.7		A	142mg/71ml	liquid	X-PREP	Specialist radiologist	
serum, human stabilised	X			P	0.05	infusion		Specialist	
sevoflurane	N01AB	2.1.1	Supp List 125	A		liquid	ULTANE	Specialist anaesthetist	Central and regional hospitals.
sildenafil	G04CA	7.5.2	Supp List 128		20mg	tablets	VIAGRA, REVATIO	Specialist	ICU - in-hospital for short-term use only.
sildenafil for urology: see phosphodiesterase-5-inhibitors	G04BE								
silver nitrate stick	D08AL	∅		A P	0.95	pencil	SILVER NITRATE PEN.		
silver sulphadiazine	D06BA	14.1		A P	1%	cream	FLAMAZINE; ARGENT-EZE		
silver sulphadiazine	D06BA	14.1		1 A P	1%	cream	FLAMAZINE		
simvastatin	C10AA	7.7.2	Supp List 116/125		10mg	tablet	ZOCOR	General Specialist physician initiated	Cheapest Statin on tender to be used GENERAL: up to 20mg daily dose <u>Specialist physician initiated:</u> for doses higher than 20mg. For doses higher than 40mg, consider atorvastatin
simvastatin	C10AA	7.7.2	Supp List 116/125		20mg	tablet	ZOCOR	As above	As above
sirolimus	L04AA	24.1			1mg/ml	solution	RAPAMUNE	Specialist. Not referable to non-academic institutions in the Metropole. Can be referred to other regions.	i) Prescribe only post transplant at academic institutions. ii) Dispense only at academic institutions for patients resident in the metropole. iii) Dispense at non-academic institutions for patients in the rural regions - arrange access to stock with referring institutions.
sirolimus	L04AA	24.1			1mg	tablet	RAPAMUNE	As above	As above
snake bite antivenom, polyvalent	J06AA	∅		1 A P	10ml	injection			See Circular on availability of antivenom products

sod. fluoride + ascorbic acid	X	4.6			25mg + 200mg	tablet	OSSIPLEX RETARD	Specialist endocrinologist.	Not referable.
sodium bicarbonate	B05BB	20.4			4% 50ml	injection	ADCO-SODIUM BICARBONATE		
sodium bicarbonate	B05BB	20.4		1 A P	8,5% 50ml	injection	ADCO-SODIUM BICARBONATE		
sodium bicarbonate	V03AX	Ø		A	BP	powder	BICARBONATE OF SODA		
sodium chloride	A12CA	20.4		1	0,9% 10ml	injection	SABAX SODIUM CHLORIDE		
sodium chloride	X	Ø			BP	powder			
sodium chloride + potassium chloride + sodium citrate + dextrose monohydr.	A07CA	Ø		1 P	2g + 1,5g + 2,9g + 19,6g = 26g	sachets	GASTROLYTE SOROL		
sodium citrate co. effervescent	G04B	16.3		P		granules	CITRO-SODA; EFFERSOL		
sodium cromoglycate	R03BC	10.4			20mg	inhal. capsule	LOMUDAL	Specialist paediatrician	
sodium cromoglycate	S01GX	15.7			2%	eye drops	OPTICROM; VISTACROM	Specialist ophthalmologist, paediatrician & allergologist initiated	
sodium cromoglycate	X	10.4				spinhaler	LOMUDAL SPINHALER		
sodium hyaluronate	S01KA	15.7			10mg/ml	injection	HEALON; AMVISC	Specialist ophthalmologist	
sodium hyaluronate + sodium chondroitin sulphate	S01KA	15.7			30mg/ml + 40mg/ml	injection	VISCOAT	Specialist	As above
sodium hypochlorite	D08AX	Ø			1%	liquid	MILTON		
sodium iothalamate	V08AA	Ø		A	20%	injection	INFUSO CONRAY		
sodium iothalamate	V08AA	Ø			54%	injection	CONRAY 325	Radiology	
sodium iothalamate	V08AA	Ø			70%	injection	CONRAY 420	Radiology	
sodium iothalamate + meglumine iothalamate	V08AA	Ø			52% + 26%	injection	CARDIO CONRAY	Radiology	
sodium ipodate	V08AC	Ø		A	500mg	capsule	BILOPTIN		
sodium nitroprusside	C02DD	7.3.1		A P	2% 5ml	infusion	HYPOTEN	Specialist	
sodium perborate	A01AB	Ø				powder	PERASAFE		Use as per PGWC Antiseptic Policy H60/2005.
sodium phosphate & sodium acid phosphate	A06AG	12.7			60mg & 160mg/135ml	enema - adult	LENOLAX; FOSENEMA		
sodium phosphate + sodium acid phosphate	A06AG	12.7		A P	60mg + 160mg/ml	enema	LENOLAX		
sodium polystyrene sulphionate	V03AE	25		A		powder	KEXALATE		
sodium tetradecyl sulphate	C05BB	8.5			30mg/ml	injection	STD	Specialist	

sodium thiosulphate + sodium nitrite + amyl nitrite inhalation	X	28					TRIPAC-CYANO		
sodium valproate etc. see valproate sodium									
sodium-2-mercapto sulphinate (MESNA)	R05CB	10.3		P	600mg	inhal. ampoules	MISTABRON	Specialist	Treatment can not be initiated by physiotherapist.
soft paraffin, white	X	Ø			BP	ointment	WHITE PARAFFIN		
soft paraffin, yellow	X	Ø			BP	ointment	YELLOW SOFT PARAFFIN		
sorbitol	A06AD	Ø		1 A	70%	liquid			NOT to be used for hepatic encephalopathy. Only as a laxative.
sotalol	C07AA	7.3.1			80mg	tablet	SOTACOR	Specialist cardiologist initiated	
sotalol	C07AA	7.3.1			160mg	tablet	SOTACOR	Specialist cardiology initiated	
spider antivenom	J06A	Ø		A P	5ml	injection			See Circular on antivenom products
spironolactone	C03DA	16.1		A P	25mg	tablet	ALDACTONE; TENSIN; SPIRACTIN		
stabilised human serum: see serum, human stabilised									
stavudine	J05AF	18.12	pgwc ARV depot	1	15mg	capsule	ASPEN STAVUDINE; ZERIT	AIDS programme	Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols.
stavudine	J05AF	18.12	pgwc ARV depot	1	20mg	capsule	ASPEN STAVUDINE; ZERIT	AIDS programme	Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols.
stavudine	J05AF	18.12	pgwc ARV depot Supp List 124	1	20mg	capsule	ASPEN STAVUDINE; ZERIT	General code: AIDS programme CNP / Professional nurse	<u>General code: AIDS programme:</u> Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. <u>CNP / Professional nurse:</u> Available through HIV / AIDS programme; For first line treatment of adult AIDS patients as per HIV / AIDS guidelines 2010 for treating AIDS patients and per Circular H30/2011

stavudine	J05AF	18.12	pgwc ARV depot Supp List 124	1	30mg	capsule	ASPEN STAVUDINE; ZERIT	General code: AIDS programme CNP / Professional nurse	General code: AIDS programme: Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. CNP / Professional nurse: Available through HIV / AIDS programme; For first line treatment of adult AIDS patients as per HIV / AIDS guidelines 2010 for treating AIDS patients and per Circular H30/2011
stavudine	J05AF	18.12	pgwc ARV depot	1	1mg/ml	solution	ZERIT	AIDS programme	As above.
sterculia + frangula	A06AC	12.6		P	62% + 8%	granules	NORMACOL PLUS	Specialist initiated	Maximum 200g per month. Cheapest bulk forming agent currently on tender to be used.
streptokinase	B01AD	8.3		1 A P	750 000iu	injection	KABIKINASE		
streptokinase	B01AD	8.3		1 A P	1 500 000iu	injection	KABIKINASE; STREPTASE		
streptomyces caespitosis	L01DC	23			2mg	injection	MITOMYCIN - C	Specialist	
streptomyces caespitosis	L01DC	23			10mg	injection	MITOMYCIN - C	Specialist	
streptomycin	J01GA	18.3		1 A	1g	injection	NOVOSTREP; SOLUSTREP		
streptomycin	J01GA	18.3			5g	injection	NOVOSTREP		
sucralfate	A02BX	12.5		P	1g/5ml	suspension	ULSANIC	Specialist	endoscopy units - for proven active peptic ulcers - and ICUs only. Also paeds
sulphasalazine	A07EC	12.11		A P	500mg	tablet	SALAZOPYRIN	Specialist initiated	GIT and Rheumatology clinics only.
sulphur in soft white paraffin	D10AB	‡			5%	ointment			
sulphur ointment	D10AB	31			BP	ointment	SULPHUR OINT.		
sun barrier cream	D02BA	14.8			minimum SPF30	cream/lotion	DINO-BLOC SPF 15	General code for albino. Specialist dermatologist & rheumatologist initiated	General code for albino
surfactant: See total phospholipids									
suxamethonium Cl	M03AB	2.3		A P	100mg/2ml	injection	SCOLINE		
syrup simplex	X	∅			BP	syrup			

tacrolimus	L04AA	24.1			1mg	capsule	PROGRAF	Specialist. Not referable to non-academic institutions in the Metropole. Can be referred to other regions.	i) Prescribe only post transplant at academic institutions. ii) Dispense only at academic institutions for patients resident in the metropole. iii) Dispense at non-academic institutions for patients in the rural regions - arrange access to stock with referring institutions.
tacrolimus	L04AA	24.1			5mg	capsule	PROGRAF	Specialist. Not referable to non-academic institutions in the Metropole. Can be referred to other regions.	As above
tadalafil: see phosphodiesterase-5-inhibitors									
tamoxifen	L02BA	19.8			20mg	tablet	NEOPHEDAN-20	Specialist initiated	
tamoxifen	L02BA	19.8			20mg	tablet	KESSAR	Specialist initiated	
tar extracts	D05AA	14.5?				shampoo	TRITAR	Specialist dermatologist initiated	
temozolomide	L01AX	23	Supp List 121		5mg	capsule	TEMODAL	Specialist oncologist	Limited to patients with malignant glioma with positive status for a methylated promoter for the methylguanine methyl transferase (MGMT) gene.
temozolomide	L01AX	23	Supp List 121		20mg	capsule	TEMODAL	Specialist oncologist	Limited to patients with malignant glioma with positive status for a methylated promoter for the methylguanine methyl transferase (MGMT) gene.
temozolomide	L01AX	23	Supp List 121		100mg	capsule	TEMODAL	Specialist oncologist	Limited to patients with malignant glioma with positive status for a methylated promoter for the methylguanine methyl transferase (MGMT) gene.
temozolomide	L01AX	23	Supp List 121		250mg	capsule	TEMODAL	Specialist oncologist	Limited to patients with malignant glioma with positive status for a methylated promoter for the methylguanine methyl transferase (MGMT) gene.
teniposide	L01CB	23		P	50mg/5ml	injection	VUMON	Specialist oncologist	
tenofovir disoproxil funerate	J05AF	18.12	Supp List 119/124	1	300mg	tablet	VIREAD	General code: AIDS programme CNP / Professional nurse Specialist	GENERAL: Availabe through HIV / AIDS programme for treating AIDS patients according to the appropriate protocols. CNP
tenofovir disoproxil funerate / emtracitabine	J05AF	18.12	Supp List 122	1	300mg / 200mg	tablet	DIDIVIR / TYRICTEN / TRUVADA		To be used according to Health Programmes' protocol for PMTC

tenofovir + emtricitabine + efavirenz	J05AF	18.12	SL 129		300mg + 200mg + 600mg	tablets	ODIMUNE, TRIBUSS, ATROIZA		As per Health Programmes protocols
terbinafine	D01BA	18.10			250mg	tablets	LAMISIL	Specialist dermatologist	Patient name basis. Not referable.
terizidone	J04AK	18.8.1			250mg	capsules	TERIVALIDIN	Special Programmes	Only to be initiated in consultation with MDR TB Referral Centres Brooklyn Chest and Brewelskloof Hospitals. Patients can be referred out and continue treatment on an outpatient basis.
testosterone cypionate L.A.	G03BA	19.6.1		A	100mg/ml	injection	DEPO-TESTOSTERONE		
tetracosactide	H01AA	19.7			1mg/ml	injection	SYNACTHEN DEPOT	Specialist	
theophyllin	R03DA	10.2.2		P	25mg/5ml	syrup	NUELIN	Specialist paediatrician	For use in paediatrics only.
theophyllin anhydr. LA	R03DA	10.2.2	Suppl List 119	1 A P	200mg	tablet	THEO-DUR; BRONCHOPEN	Medical officer to prescribe. To be removed from nurses list (ABC list)	Not to be used as first line therapy in asthma. Refer to coding guidelines: Suppl List 119 - Addendum A: Amended in 2009: Theophyllin maximum dose increased to 300mg
theophyllin anhydr. LA	R03DA	10.2.2	Suppl List 119	1 A	300mg	tablet	THEO-DUR; BRONCHOPEN	Medical officer to prescribe. To be removed from nurses list (ABC list)	Not to be used as first line therapy in asthma. Refer to coding guidelines: Suppl List 119 - Addendum A: Amended in 2009: Theophyllin maximum dose increased to 300mg
thioguanine	L01BB	23		P	40mg	tablet	LANVIS	Specialist oncologist	
thiopentone	N01AF	2.1.2		A P	0,5g	injection	SANDOTHAL		
thiotepa (tespa)	L01AC	23		A P	15mg	injection	THIOTEPA	Specialist	
thymol in chloroform	X	‡			2%	liquid			
thyrotrop(h)in releasing hormone: See protirelin									
thyrotrophic hormone (thyroid stimulating hormone, TSH, thyrotrophin)	H01AB	∅				injection	THYTROPAR	Specialist endocrinologist	
thyroxine	H03AA	19.3		A P	0,05mg	tablet	ELTROXIN		
thyroxine	H03AA	19.3		A P	0,1mg	tablet	ELTROXIN		

tilidine	N02AX	3.1		P	50mg/0,5ml	oral drops	VALORON		For paediatrics ONLY. See protocol on selection of analgesics: Circular H112/1998 (Addendum E - Suppl. List 80)
timolol maleate	S01ED	15.6	Supp List 121	A	0.0025	eye drops	TIMOPTOL	Specialist ophthalmologist initiated	
tirofiban	B01AC	8.4			0,25mg/ml	injection	AGGRASTET	Specialist cardiologist	Central hospital, Post stent. Patient name basis.
tobramycin	J01GB	18.3			80mg	injection	TOBRAMYCIN-FRESENIUS	Specialist	Only for severe nosocomial infections in ICU's.
tobramycin	S01AA	15.1			3mg/ml	eye drops	TOBREX	Specialist ophthalmologist	Not referable
tobramycin	S01AA	15.1			3mg/g	eye ointment	TOBREX	Specialist ophthalmologist	Not referable
tocopherol acetate	A11HA	20.1			100mg	tablet	VITAMIN E		
topiramate	N03AX	1.6			50mg	tablet	TOPAMAX	Specialist neurologist	For Neurology only at Central Hospitals on a patient name basis and non-referable.
topiramate	N03AX	1.6			100mg	tablet	TOPAMAX	Specialist neurologist	As above.
total phospholipids	X	10.5	SL 127		200mg/8ml	vial	SURVANTA	Neonatal ICU and highcare units in hospitals with C-PAP units, after consultation with paediatrician	For use in selected pre-term infants between 700g and 1 000g body weight
total phospholipids	X	10.5	SL 127		100mg/4ml	vial	SURVANTA	Neonatal ICU and highcare units in hospitals with C-PAP units, after consultation with paediatrician	For use in selected pre-term infants between 700g and 1 000g body weight
tpn amino acid + electrolytes infusion	B01BA	∅				plastic bag	SYNTHAMIN 9 + ELECTROLYTES		
tpn amino-acid + electrolytes + glucose	B01BA	∅		A P		glass container	VAMIN + GLUCOSE		
tpn amino-acid + electrolytes + glucose	B01BA	∅		A P		glass container	VAMIN + GLUCOSE		
tpn amino-acid + electrolytes + glucose	B01BA	∅		A P		glass container	VAMIN + GLUCOSE		
tpn amino-acid + electrolytes + glucose + fat	B05BA	∅			7% + 10% + 20%	I.V. infusion solns	VITRIMIX		
tpn amino-acid + electrolytes infusion	B01BA	∅				plastic bag	SYNTHAMIN 14 + ELECTROLYTES		
tpn amino-acid infusion	B01BA	∅				glass container	VAMIN 18		
tpn amino-acid infusion	B01BA	∅				plastic bag	SYNTHAMIN 14 WITHOUT ELECT.		
tpn electrolytes + trace elements	B05BA	∅		A P		ampoule	ADDAMEL		
tpn electrolytes + trace elements	B05BA	∅		A P		ampoule	PED-EL		
tpn fat emulsion	B01BA	∅		A P	20%	I.V. infusion	LIPOVENOUS 20%		

tpn fat emulsion	B01BA	∅		A P	20%	I.V.infusion	LIPOVENOUS 20%		
tpn fat emulsion	B01BA	∅		A P	10%	glass container	LIPOVENOUS 10%		
tpn fat emulsion	B01BA	∅		A P	10%	glass container	LIPOVENOUS 10%		
tpn fat emulsion + amino acids + electrolytes	B05BA	22				IV triple chamber plastic bag	CLINOMEL	Specialist	For use in central and regional hospitals only.
tpn vitamins fat soluble	B05BA	∅		P	adult	ampoule	VITALIPID ADULT		
tpn vitamins fat soluble	B05BA	∅		P	paediatric	ampoule	VITALIPID INFANT		
tpn vitamins water soluble	B05BA	∅		P		vial	SOLUVIT		
tramadol	N02AX	3.4	Supp List 111/115/119/121/122	1 A	50mg	capsule	Tramal; Tramazac	General Specialist initiated	General: As add-on therapy to paracetamol. Recommended dose 50mg six hourly. Not repeatable for acute conditions (short course) <u>Specialist initiated:</u> For neuropathic pain as second or third line (may be used without paracetamol). Prescription must be endorsed "neuropathic pain". Refer Suppl List 111 Addendum A.
tranexamic acid	B02AA	8.1	SL 127	P	500mg/5ml	injection	CYKLOKAPRON	Specialist physician, oncologist, gynaecologist, orthopaedics & paediatrician	
tranexamic acid	B02AA	8.1	SL 127	A P	500mg	tablet	CYCLOKAPRON	Specialist physician, oncologist, gynaecologist, orthopaedics & paediatrician	<u>In Gynaecology:</u> Second line treatment where NSAID's have failed, max 7 days. May be repeated monthly. <u>For haematology:</u> For haemophiliacs. May be prescribed for one month. may be repeated. <u>Orthopaedics:</u> For patients undergoing lower limb arthroplasty
tretinoin	D10AD	14.6		A P	0,5mg/g	cream	RETIN A; AIROL	Specialist dermatologist	
TRH, TRF: See protirelin									
triamcinolone acetonide in orabase	A01AC	11.3			0,1%	ointment	KENALOG IN ORABASE	Specialist	
trifluoperazine	N05AB	15.1			1mg	tablet	STELAZINE	Specialist psychiatrist initiated	
trifluoperazine	N05AB	1.5.1			2mg	tablet	STELAZINE	Specialist psychiatrist initiated	
trifluoperazine	N05AB	1.5.1			5mg	tablet	STELAZINE	Specialist psychiatrist initiated	

trifluorothymidine	S01AD	15.1.1			1%	eye drops	T.F.T.	Specialist ophthalmologist	
trihexiphenidyl: see benzhexol									
trimeprazine	R06AD	6.1		P	30mg/5ml	syrup	VALLERGAN FORTE		
tropicamide	S01FA	15.5			10mg/ml	eye drops	MYDRIACIL		
tropicamide	S01FA	15.5			5mg/0,5ml	minims	MINIMS TROPICAMIDE	Specialist	
tropisetron	A04AA	6.2	Supp List 112		5mg	capsules	NAVOBAN	Specialist: Oncologist & Haematologist	Cheapest 5 HT3 receptor antagonist on tender to be used
tropisetron	A04AA	6.2	Supp List 112		5mg/5ml; 5ml	injection	NAVOBAN	Specialist: Oncologist & Haematologist	Cheapest 5 HT3 receptor antagonist on tender to be used
tuberculin PPD	V04CF	26			2TU/0,1ml	vial	MANTOUX		Freeze dried
urea in cetomacrogol cream	D02AE	‡			10%	cream			
ursodeoxycholic acid	A05AA	‡	SL 128		100mg	tablet	URSOTAN	Specialist	Hepatology clinic - only for primary biliary cirrhosis.
vaccine BCG	J07AN	26		1 A		injection percutaneous			
vaccine BCG	J07AN	26		1 A		injection intradermal			
vaccine diphtheria, tetanus	J07AF	26		1	10ml	injection			
vaccine diphtheria, tetanus, pertussis	J07AF	26		1	10ml	injection	D.T.P. MERIEUX		
vaccine diphtheria, tetanus, pertussis, HiB & polio	J07AG	26		1	0,5ml	injection	PENTAXIM		As per EPI immunisation schedule
vaccine hepatitis B	J07BC	26		1 A	adult	injection	ENGERIX-B		
vaccine hepatitis B	J07BC	26		1 P	paed.	injection	HEPPACINE-B		

vaccine influenza	J07BB	26			0,5ml	injection	MUTAGRIP		Current product on tender to be bought. Use only in the following HIGH RISK CASES: ☼ Chronic cardio pulmonary disease - Transplant patients - Patients in nursing homes ☼ Children with: cystic fibrosis, HIV and other immuno compromising conditions ☼ WCGH staff working in high risk areas in institutions
vaccine influenza	J07BB	26			5ml	injection	MUTAGRIP		Use only in the following HIGH RISK CASES: ☼ Chronic cardio pulmonary disease - Transplant patients - Patients in nursing homes ☼ Children with: cystic fibrosis, HIV and other immuno compromising conditions ☼ WCGH staff working in high risk areas in institutions
vaccine measles	J07BD	26				injection	MORBILVAX; ROUVAX		
vaccine measles	J07BD	26			1	5ml	injection	MORBILVAX; ROUVAX	
vaccine pneumococcal, conjugate	J07AL	26	Suppl List 119		1	0,5ml	injection	PREVENAR	As per EPI immunisation schedule
vaccine pneumococcal, polyvalent	J07AL	26			A P	0,5ml	injection	PNEUMOVAX 23 IMOVAX PNEUMO 23	Specialist
vaccine poliomyelitis, trivalent, oral	J07BF	26			1		oral preparation	POLIORAL	
vaccine rabies	J07BG	26			1 A P		injection	IMOVAX RABIES VERO	
vaccine rotavirus	J07BH	26	Suppl List 119		1	1ml	oral preparation	ROTARIX	As per EPI immunisation schedule
vaccine rubella	J07BJ	26			A	0,5ml	injection	RUBEATEN BERNA	
vaccine tetanus adsorbed toxoid	J07AM	26			1 A P	40iu/0,5ml 5ml	injection	TETAVAX	
valganciclovir	J05AB	18.12	Suppl List 122			450mg	tablet	VALCYTE	Specilaist For post transplant patients on maintenance therapy on discharge post ganciclovir IV. For adults and children. Non-referrable
valproate sodium	N03AG	1.6	3870928 Suppl List 101		P	200mg/5ml	syrup, sugar free	EPILIM	Use according to epilepsy treatment guidelines. See Circular H35/2005 (Addendum B - Suppl. List 101)
valproate sodium	N03AG	1.6	Suppl List 114		P	100mg	crushable tablets	EPILIM CRUSH TABS	Use according to epilepsy treatment guidelines. See Circular H35/2005 (Addendum B - Suppl. List 101)

valproate sodium	N03AG	1.6			400mg	injection	EPILIM		For status epilepticus only: as third line agent if phenobarbitone injection is not available, otherwise as fourth line agent
valproate sodium + valproic acid	N03AG	1.6	SL 129	A P	133,2mg + 58mg	tablet	EPILIM CR 200	General code Specialist neurologists, psychiatrists, paediatricians, neurosurgeons and physicians initiated.	(See valproic acid and sodium valproate dose equivalence in SAMF) All new patients to be commenced on Valproic acid, as appropriate. <u>General Code:</u> For ARV clinics only, in line with Suppl List 112 Addendum A.
valproate sodium + valproic acid	N03AG	1.6	SL 129	A P	199,8mg + 87mg	tablet	EPILIM CR 300	General code Specialist neurologists, psychiatrists, paediatricians, neurosurgeons and physicians initiated.	(See valproic acid and sodium valproate dose equivalence in SAMF) All new patients to be commenced on Valproic acid, as appropriate. <u>General Code:</u> For ARV clinics only, in line with Suppl List 112 Addendum A.
valproate sodium + valproic acid	N03AG	1.6	SL 129	A P	333mg + 145mg	tablet	EPILIM CR 500	General code Specialist neurologists, psychiatrists, paediatricians, neurosurgeons and physicians initiated.	(See valproic acid and sodium valproate dose equivalence in SAMF) All new patients to be commenced on Valproic acid, as appropriate. <u>General Code:</u> For ARV clinics only, in line with Suppl List 112 Addendum A.
valproic acid	N03AG	1.6	SL 129	A P	150mg	capsule	CONVULEX	General code Specialist neurologists, psychiatrists, paediatricians, neurosurgeons and physicians initiated.	(See valproic acid and sodium valproate dose equivalence in SAMF) All new patients to be commenced on Valproic acid, as appropriate. <u>General Code:</u> For ARV clinics only, in line with Suppl List 112 Addendum A.
valproic acid	N03AG	1.6	SL 129	A P	300mg	capsule	CONVULEX	General code Specialist neurologists, psychiatrists, paediatricians, neurosurgeons and physicians initiated.	(See valproic acid and sodium valproate dose equivalence in SAMF) All new patients to be commenced on Valproic acid, as appropriate. <u>General Code:</u> For ARV clinics only, in line with Suppl List 112 Addendum A.
valproic acid	N03AG	1.6	SL 129	A P	500mg	capsule	CONVULEX	General code Specialist neurologists, psychiatrists, paediatricians, neurosurgeons and physicians initiated.	(See valproic acid and sodium valproate dose equivalence in SAMF) All new patients to be commenced on Valproic acid, as appropriate. <u>General Code:</u> For ARV clinics only, in line with Suppl List 112 Addendum A.
vancomycin	J01XA	18.7		A P	500mg	injection	VANCOCIN	Specialist	Motivation form to be completed or microbiologist report. Cheapest of CP or plain to be bought.
vancomycin	J01XA	18.7		A P	1g	injection	VANCOCIN	Specialist	Motivation form to be completed or microbiologist report. Cheapest of CP or plain to be bought.

vardefafil: see phosphodiesterase-5-inhibitors									
vecuronium	M03AC	2.3		A P	4mg	injection	NORCURON		
venlafaxine 150mg	NO6AX	1.4.5	Supp List 116		150mg	extended release capsule	VENLOR; EFEXOR	Specialist psychiatrist initiated	
venlafaxine 37,5mg	NO6AX	1.4.5	Supp List 115		37,5mg	extended release capsule	VENLOR; EFEXOR	Specialist psychiatrist initiated	
venlafaxine 75mg	NO6AX	1.4.5	Supp List 115		75mg	extended release capsule	VENLOR; EFEXOR	Specialist psychiatrist initiated	
verapamil	C08DA	7.3.7	Supp List 124	A P	5mg/2ml	injection	ISOPTIN	Specialist	Central Hospitals; Non-referable; for vascular surgery
verapamil	C08DA	7.3.7		A	40mg	tablet	ISOPTIN		
verapamil	C08DA	7.3.7		A	80mg	tablet	ISOPTIN		
vigabatrin	N03AG	1.6			500mg	tablet	SABRIL	Specialist neurologist	Not referable.
vinblastine	L01CA	23		A P	10mg	injection	VELBE	Specialist oncologist	
vincristine	L01CA	23		A P	1mg	injection	ONCOVIN; PERICRISTINE	Specialist oncologist	
vincristine	L01CA	23		A P	1mg + diluent	injection	ONCOVIN	Specialist oncologist	
vincristine	L01CA	23		A P	2mg + diluent	injection	ONCOVIN	Specialist oncologist	
vincristine	L01CA	23		A P	5mg + diluent	injection	ONCOVIN	Specialist oncologist	
vinorelbine	L01CA	23	Supp List 124		20mg	capsules	NAVELBINE	Specialist oncologist	Patient Name Basis Adjuvant therapy of completed resected NSCLC (stage2 & 3 only)
vinorelbine	L01CA	23	Supp List 124		30mg	capsules	NAVELBINE	Specialist oncologist	Patient Name Basis Adjuvant therapy of completed resected NSCLC (stage2 & 3 only)
vinorelbine	L01CA	23	Supp List 124		40mg	capsules	NAVELBINE	Specialist oncologist	Patient Name Basis Adjuvant therapy of completed resected NSCLC (stage2 & 3 only)
vinorelbine	L01CA	23	Supp List 124		80mg	capsules	NAVELBINE	Specialist oncologist	Patient Name Basis Adjuvant therapy of completed resected NSCLC (stage2 & 3 only)
vinorelbine	L01CA	23	Supp List 124		10mg	injection	NAVELBINE	Specialist oncologist	Patient Name Basis Adjuvant therapy of completed resected NSCLC (stage2 & 3 only)
vinorelbine	L01CA	23	Supp List 124		50mg	injection	NAVELBINE	Specialist oncologist	Patient Name Basis Adjuvant therapy of completed resected NSCLC (stage2 & 3 only)
vitamin A	A11CA	20.1		1 P	50 000iu	capsule snip off	VITAFORCE		
vitamin A	A11CA	20.1		1 P	50 000iu	tablet	AROVIT; AVITA		
vitamin A	A11CA	20.1		1 P	100 000iu	capsule snip off	VITAFORCE		
vitamin A	A11CA	20.1		1 P	200 000iu	capsule snip off	VITAFORCE		
vitamin A	A11CA	20.1			200 000iu	capsule	VITAMIN A - Lennons		For Nutrition Program Only.
vitamin B ₆ (pyridoxine)	A11HA	20.1		1 A P	25mg	tablet			
vitamin B Co	A11EA	20.1.1		A	10ml	injection	BECOPLEX		

vitamin B Co	A11EA	20.1.1		1 A		tablet	BECOPLEX		
vitamin B ₁ (thiamine)	A11DA	20.1		A	100mg/ml	injection	VITAMIN B 1		
vitamin B ₁ (thiamine)	A11DA	20.1		1 A	100mg	tablet	VITAMIN B 1		
vitamin B ₁₂ (cyanocobalamin)	B03BA	20.1		A P	1 000µg/ml	injection	VITAMIN B12		
vitamin C	A11GA	20.1		A	500mg/5ml	injection	VITAMIN C		
vitamin C	A11GA	20.1		A P	100mg	tablet	VITAMIN C		
vitamin Co - multivitamin	A11BA	20.1.1			10ml	injection	PANCEBRIN	Specialist	
vitamin Co - multivitamin	A11BA	20.1.1		P		oral drops	VIDAYLIN		
vitamin Co - multivitamin	A11BA	20.1.1		1 P		syrup	MULTIVITAMIN		
vitamin D: see alfacalcidol, calciferol & ergocalciferol									
vitamin K: see phytomenadione									
warfarin	B01AA	8.2		A	5mg	tablet	COUMADIN		
water for injection B.P.	V07AB	∅				injection	WATER FOR INJECTION		
water for injection B.P.	V07AB	∅				injection	WATER FOR INJECTION		
water for injection B.P.	V07AB	∅				injection	WATER FOR INJECTION		
wool fat, anhydrous	X	∅				ointment			
zidovudine	J05AB	18.12		1 A P	100mg	capsule	RETROVIR		As per Health Programmes protocols
zidovudine	J05AB	18.12		1 P	250mg	capsule	RETROVIR		As per Health Programmes protocols
zidovudine	J05AB	18.12	Suppl List 126		200mg / 20ml	injection	RETROVIR	Specialist	To be used as per Supp List 126, Annexure B
zidovudine	J05AB	18.12		1	50mg/5ml	syrup	RETROVIR	Special programme	Only for the treatment of rape survivors (children) & PMCTC according to the provincial protocol.
zidovudine	J05AB	18.12	3797948 & pgwc ARV depot Supp List 124	1	300mg	tablet	RETROVIR	General code - AIDS programme Clinical Nurse Practitioner CNP / Professional nurse	<u>General:</u> Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols. <u>CNP:</u> According to PMTC policy and guidelines. <u>CNP/Professional Nurse:</u> For treatment of adult HIV/AIDS patients as per Health Programmes protocols - refer to circular H30/2011.
zidovudine + lamivudine	J05AF	18.12	pgwc ARV depot Supp List 124		300mg + 150mg	tablet	COMBIVIR; LAMZID	General code - AIDS programme Clinical Nurse Practitioner CNP / Professional nurse	<u>General:</u> Available through the HIV/AIDS programme - for treating AIDS patients according to the appropriate protocols.

zidovudine + lamivudine	J05AF	18.12	-----		PEP starting dose: Zidovudine 300mg twice daily for 3 days + Lamivudine 150mg twice daily for 3 days				Initiation of therapy extended to Clinical Nurse Practitioner in accordance with the PGWC PEP protocol.
zinc & castor oil	D02AB	∅		1	BP	ointment	ZINC & CASTOR OIL		
zinc & castor oil	D02AB	∅			BP	ointment	ZINC & CASTOR OIL		
zinc sulphate dispersible tablet	A12CB	20.2	Supp List 120	1	20mg elemental zinc	dispersible tablet	SMART ZINC 20		
zoledronic acid	M05BA	4.7.1	Supp List 125		5mg/100ml	injection	ACLASTA	Specialist endocrinologist (endocrine clinic)	Central hospitals, non-referable - for Paget's disease of the bone - for Osteoporosis in patients with a DEXA T-score of ≤ -2.5 AND a fracture AND intolerant to oral alendronate.
zuclopenthixol acetate	N05AF	1.5.3		A	50mg/ml	injection	CLOPIXOL ACUPHASE	Specialist psychiatrist	
zuclopenthixol acetate	N05AF	1.5.3		A	100mg/2ml	injection	CLOPIXOL ACUPHASE	Specialist psychiatrist	
zuclopenthixol decanoate	N05AF	1.5.3		1	200mg/ml	injection	CLOPIXOL DEPOT		On General Code for continuation of therapy.