



REFERENCE: 16/3/3/1/D6/29/0014/23
NEAS REFERENCE: WCP/EIA/0001303/2023
DATE OF ISSUE: 31 OCTOBER 2023

The Municipal Manager
MOSSEL BAY MUNICIPALITY
Private Bag X29
MOSSEL BAY
6500

Attention: Mr. D. Naidoo

Tel: 044 606 5270

E-mail: dnaidoo@mosselbay.gov.za

Dear Sir

APPLICATION FOR ENVIRONMENTAL AUTHORISATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT 107 OF 1998) AND THE ENVIRONMENTAL IMPACT ASSESSMENT REGULATIONS, 2014: PROPOSED UPGRADE OF THE EXISTING PINNACLE POINT WASTEWATER TREATMENT WORKS (WWTW) FROM 2.25 ML/DAY TO 7 ML/DAY TREATMENT CAPACITY ON THE REMAINDER OF ERF 15390, MOSSEL BAY REGISTRATION DIVISION, MOSSEL BAY

1. With reference to the aforementioned application, the Department hereby notifies you of its decision to **grant Environmental Authorisation in respect of the Preferred Alternative applied for**, as described in the Final Basic Assessment Report ("FBAR"). Attached herewith the Environmental Authorisation together with the reasons for the decision.
2. In terms of Regulation 4 of the Environmental Impact Assessment Regulations, 2014, you are instructed to ensure, within 14 days of the date of the Environmental Authorisation, that all registered interested and affected parties ("I&APs") are provided with access to and reasons for the decision, and that all registered I&APs are notified of their right to appeal.
3. Your attention is drawn to Chapter 2 of the Appeal Regulations, 2014, which prescribes the appeal procedure to be followed. This procedure is summarized in the attached Environmental Authorisation.

Yours faithfully

DIRECTOR: DEVELOPMENT MANAGEMENT

DEPARTMENT OF ENVIRONMENTAL AFFAIRS AND DEVELOPMENT PLANNING

Copied to: EAP: Cornerstone Environmental
Mossel Bay Municipality

E-mail: pieter@cornerstoneenviro.co.za
E-mail: hschoeman@mosselbay.gov.za