

Department of Environmental Affairs and Development Planning Directorate: Development Management, Region 3 Jessica Christie Jessica.Christie@westerncape.gov.za | 044 814 2013 Private Bag X6509, George, 6530 4th Floor, York Park Building, 93 York Street, George

DEADPEIAAdmin.George@westerncape.gov.za

EIA REFERENCE NUMBER: NEAS REFERENCE: DATE OF ISSUE:

16/3/3/1/D5/7/0012/22 WCP/EIA/0001091/2022 24 October 2022

The Director FULELA TRADE AND INVEST 68 CC P.O. Box 2810 CLAIRINCH 7740

Attention: Mr. A. Potgieter

Dear Sir

Cel: 082 855 0505 E-mail: anton@goodyz.net

APPLICATION FOR ENVIRONMENTAL AUTHORISATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT 107 OF 1998) AND THE ENVIRONMENTAL IMPACT ASSESSMENT REGULATIONS, 2014: THE PROPOSED EXPANSION/ UPGRADING OF THREE DAMS AND ASSOCIATED INFRASTRUCTURE FOR THE PURPOSES OF ESTABLISHING ORCHARDS AS WELL AS THE CONSTRUCTION OF AN AIRSTRIP, HANGAR AND JETTY ON PORTION 4 OF FARM NO. 493 (INHOEK FARM), SWELLENDAM.

- 1. With reference to the aforementioned application, the Department hereby notifies you of its decision to grant Environmental Authorisation in respect of the Preferred Alternative applied for, attached herewith together with the reasons for the decision.
- 2. In terms of Regulation 4 of the Environmental Impact Assessment Regulations, 2014, you are instructed to ensure, within 14 days of the date of the Environmental Authorisation, that all registered interested and affected parties ("I&APs") are provided with access to and reasons for the decision, and that all registered I&APs are notified of their right to appeal.
- 3. Your attention is drawn to Chapter 2 of the Appeal Regulations, 2014, which prescribes the appeal procedure to be followed. This procedure is summarized in the attached refusal of Environmental Authorisation.

Yours faithfully

DIRECTOR: DEVELOPMENT MANAGEMENT DEPARTMENT OF ENVIRONMENTAL AFFAIRS AND DEVELOPMENT PLANNING

Copied to: EAP: PHS Consulting.

E-mail: jt@phsconsulting.co.za / paul@phsconsulting.co.za