



**Western Cape  
Government**  
Environmental Affairs and  
Development Planning

**DIRECTORATE: WASTE MANAGEMENT**  
**ETIENNE ROUX**  
Etienne.Roux@westerncape.gov.za

**REFERENCE:** 19/2/5/4/B3/11/WL0186/19

The Municipal Manager  
Drakenstein Local Municipality  
Berg River Boulevard  
PO Box 1  
**PAARL**  
7620

Tel: (021) 807 4500  
Fax: (021) 872 8054  
Email: [Thys.Serfontein@drakenstein.gov.za](mailto:Thys.Serfontein@drakenstein.gov.za)

**For attention:** Mr Thys Serfontein

**WASTE MANAGEMENT LICENCE ISSUED IN TERMS OF THE NATIONAL ENVIRONMENTAL  
MANAGEMENT: WASTE ACT, 2008 (ACT NO. 59 OF 2008), AS AMENDED, FOR THE  
DECOMMISSIONING OF THE DAL JOSAFAT WASTE DISPOSAL FACILITY (WDF), PAARL**

## **WASTE MANAGEMENT LICENCE**

### **A. DECISION**

I, Eddie Hanekom, in my capacity as the Director: Waste Management of the Department of Environmental Affairs and Development Planning (hereinafter referred to as 'the Department'), in terms of the National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008) (NEM:WA), as amended, hereby repeal the Waste Management Licence with reference No.: 19/2/5/1/B3/7/WL0027/14, and issue this varied Waste Management Licence to the Drakenstein Local Municipality (hereinafter referred to as 'the Municipality') for the decommissioning of the Dal Josafat Waste Disposal Facility (WDF) on erven numbers 5023, 5024, 5025, 5026, 5030, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5042, 5050, 5055, 14755, Paarl (hereinafter referred to as "the Facility").

## B. DESCRIPTION OF THE ACTIVITY:

The activities for decommissioning of the Dal Josafat WDF as per the "*Minimum Requirements for Waste Disposal by Landfill*", 1998, Second Edition, Department of Water Affairs and Forestry (DWAF) (now Department of Water and Sanitation) (DWS) ("*Minimum Requirements*") and the NEM:WA "*National Norms and Standards for Disposal of Waste to Landfill*" published as Government Notice (GN) No. R 636 (GN R 636) of 23 August 2013, will entail but not be limited to the following:

- (a) Remedial design to address identified problem areas;
- (b) Final shaping, landscaping and re-vegetation;
- (c) Final landfill cover or capping design;
- (d) Construct the capping layer to a minimum quality and thickness;
- (e) Permanent storm water diversion measures, runoff control and anti-erosion measures; and
- (f) Any infrastructure relating to the End-use Plan.

The following activity listed in the NEM:WA, '*List of waste management activities that have, or are likely to have, a detrimental effect on the environment*', GN No. 921 of 29 November 2013 (GN No. 921), as amended, are hereby authorised:

### Category A

- 3 (14) The decommissioning of a facility for a waste management activity listed in Category A or B of this Schedule.

### Category C

In the event of constructing and operating a Drop-off facility on the above-mentioned facility, the following waste management activities in Category C may be triggered if the volumes are exceeded.

- 5(1) The storage of general waste at a facility that has the capacity to store in excess of 100m<sup>3</sup> of general waste at any one time, excluding the storage of waste in lagoons or temporary storage of such waste.
- 5(2) The storage of hazardous waste at a facility that has the capacity to store in excess of 80m<sup>3</sup> of hazardous waste at any one time, excluding the storage of hazardous waste in lagoons or temporary storage of such waste.
- 5(3) The storage of waste tyres in a storage area exceeding 500m<sup>2</sup>.
- 5(6) The sorting, shredding, grinding, crushing, screening or bailing of general waste at a facility that has an operational area that is 1000m<sup>2</sup> and more.

Should the above-mentioned threshold volumes be exceeded, then it would be required for the applicant to comply with the "*NEM:WA National Norms and Standards for Storage of Waste*", published as Government Notice No. 926 of 29 November 2013.

The Licence Holder must register in terms of "*NEM:WA National Norms and Standards for the Sorting, Shredding, Grinding, Crushing, Screening or Bailing of General Waste*", published as Government Notice No. 1093 of 11 October 2017 and adhere to the general Duty of Care as stipulated in section 28 of the National Environmental Management Act, 1998 (Act no. 107 of 1998) "NEMA". If the Facility has an operational area greater than 1000m<sup>2</sup>, the Facility will need to adhere to the mentioned Norms and Standards.

In this Licence, "Director" means the Director: Waste Management of the Western Cape Department of Environmental Affairs and Development Planning who may be contacted at the address below:

Director: Waste Management

Department of Environmental Affairs and Development Planning

Private Bag X 9086

**CAPE TOWN**

8000

In this Licence, "Director: RPW" means the Director: Resource Protection and Waste of the Department of Water and Sanitation: Western Cape Provincial Operations, who may be contacted at the address below:

Director: RPW: Western Cape Provincial Operations

Department of Water and Sanitation

Private Bag X16

**SANLAMHOF**

7532

**C. LICENCE CONDITIONS**

**LICENCE NUMBER:** 19/2/5/4/B3/11/WL0186/19  
**WASTE APPLICATION:** DECOMMISSIONING OF THE DAL JOSAFAT WASTE DISPOSAL FACILITY  
**CLASS:** (G:C:B<sup>-</sup>)  
**ERVEN NUMBERS:** 5023, 5024, 5025, 5026, 5030, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5042, 5050, 5055, 14755.  
**LOCATION:** PAARL  
**LICENCE HOLDER:** DRAKENSTEIN LOCAL MUNICIPALITY  
**CONTACT PERSON:** THE MUNICIPAL MANAGER OR THE DESIGNATED WASTE MANAGER/OFFICER  
**ADDRESS:** P.O. BOX 1, PAARL, 7620

**1. LOCATION**

- 1.1 This Licence authorises the Drakenstein Local Municipality to decommission the Facility on erven numbers 5023, 5024, 5025, 5026, 5030, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5042, 5050, 5055, 14755, in Paarl.
- 1.2 The location of the Facility must be according to co-ordinates indicated on the Waste Management Licence Application Form dated 15 January 2014 and Waste Management Licence Application Additional Information Annexure dated 15 May 2014 submitted by the Licence Holder, which is defined as follows:

**Table 1-1:** Location of the Facility

Latitude (S)	Longitude (E)
34°42'24.7"	18°58'38.9"

- 1.3 Location of property on which Facility is situated:

**Table 1-2:** Footprint of the Facility

Numbered corners	Latitude (S)	Longitude (E)
1	33°42'27.17"	18°58'42.42"
2	33°42'20.51"	18°58'33.64"
3	33°42'09.56"	18°58'41.73"
4	33°41'51.32"	18°58'49.53"
5	33°41'52.02"	18°58'53.03"
6	33°42'05.02"	18°58'51.55"
7	33°42'14.31"	18°58'46.61"

- 1.4 The footprint of the Facility and its associated infrastructure is approximately 177 167.98m<sup>2</sup>.

1.5 The Surveyor General 21 Digit Codes of the Facility are found in the table below:

**Table 1-3:** SG 21 digit codes of the Facility

<b>Erf No.</b>	<b>SG 21 digit code</b>
5023	C05500080000502300000
5024	C05500080000502400000
5025	C05500080000502500000
5026	C05500080000502600000
5030	C05500080000503000000
5031	C05500080000503100000
5032	C05500080000503200000
5033	C05500080000503300000
5034	C05500080000503400000
5035	C05500080000503500000
5036	C05500080000503600000
5037	C05500080000503700000
5038	C05500080000503800000
5039	C05500080000503900000
5040	C05500080000504000000
5041	C05500080000504100000
5042	C05500080000504200000
5050	C05500080000505000000
5055	C05500080000505500000
14755	C05500080001475500000

## **2. APPOINTMENT OF WASTE MANAGEMENT CONTROL OFFICER/ENVIRONMENTAL CONTROL OFFICER**

- 2.1 A Waste Management Control Officer (WMCO)/Environmental Control Officer (ECO) must be appointed, who will monitor and ensure compliance and correct implementation of all mitigation measures and provisions as stipulated in the Licence and Environmental Management Programme (EMPr) dated 15 May 2014, prior to any construction activities being undertaken on the Facility. The WMCO/ECO must:
- 2.1.1 Report any non-compliance with any Licence conditions or requirements or provisions of the NEM:WA to the Licensing Authority through the means reasonably available; and
- 2.1.2 Monitor the closure activities and ensure that the closure plans are in accordance with the engineering designs.

## **3. MANAGEMENT**

### **General Management**

- 3.1 The EMPr for the decommissioning of the Facility submitted as part of the final Basic Assessment Report, is hereby approved and must be implemented together with all the conditions of this Licence.
- 3.2 An application for the amendment to the EMPr must be submitted to the Licensing Authority if any further amendments are to be made to the EMPr and this may only be implemented once the amended EMPr has been authorised by the Licensing Authority.

- 3.3 The closure and rehabilitation of the Facility must be managed by a fit and proper person who is competent in respect of the responsibilities to be undertaken by them in connection with the commencement of the decommissioning activity.
- 3.4 Any persons having duties that are or may be affected by the matters set out in this Licence must have convenient access to a copy of it. This must be kept at or near the place where those duties will be carried out.
- 3.5 A copy of this Licence and the EMPr must be kept at the Facility where the waste listed activity will be undertaken. The Licence and EMPr must be produced to any authorised official of the Department who requests to see it for the purposes of assessing and/or monitoring compliance with the conditions contained herein, and must be made available for inspection by any employee or agent of the Licence Holder who works or undertakes work at the Facility.
- 3.6 The Licence Holder shall remain responsible for the Facility, and/or any of its impacts arising from the operations on the environment.

#### **4. DECOMMISSION PHASE**

- 4.1 The Licence Holder must submit a Closure Report, which includes the Closure Design, Closure Requirements and End Use Plan to the Licensing Authority for approval, 90 days prior to construction for decommissioning of the Facility
- 4.2 Construction during the decommissioning of the Facility must be in accordance with the proposed Closure Report for the Facility in the EMPr and final BAR as prepared by SRK (Pty) Ltd dated 15 May 2014.
- 4.3 The Facility must be capped with an appropriate infiltration control cap comprising out of 200mm topsoil, 450mm of compacted clay Layer (CCL) (in 3 type V layers of the Minimum Requirements of 1998) having a clay permeability not exceeding  $10^{-6}$ cm/sec or have static infiltration less than 0,5m/year, over a compacted waste body shaped to have a slope between 1v:4h (25%) and 1v:50h (2%). An alternative to the 450mm CCL of specified performance clay is acceptable in which the 450 mm CCL is replaced with 450mm random soil compacted fill over a Geosynthetic Clay Layer.
- 4.4 Construction within the Facility must be carried out under the supervision of a Professional Civil Engineer, registered under the Engineering Profession of South Africa Act, 1990 (Act No. 114 of 1990).
- 4.5 The waste body must be covered with the surrounding indigenous vegetation.
- 4.6 The closure and the side slopes of the Facility must be constructed and maintained in such a manner the occurrence of erosion is prevented, which must be in accordance with recognised civil engineering practices, with special consideration to stability.
- 4.7 The Facility, or any portion thereof must be covered and must be maintained in such a way that:
  - 4.7.1 The formation of pools due to rain is prevented;
  - 4.7.2 Free surface runoff of rain-water is ensured;
  - 4.7.3 Contamination of stormwater is prevented;
  - 4.7.4 No objects or material which may hamper the rehabilitation of the Site are present; and
  - 4.7.5 Little or no erosion occurs.

- 4.8 Any development which occurs within the 1:100 year flood line and/or within 500m from the boundary of a wetland would require a Water Use Licence in terms of Section 21 of the National Water Act, 1998 (Act No. 36 of 1998).

## **5. IMPACT MANAGEMENT**

### **Facility Security and Access Control**

- 5.1 The Licence Holder must prevent unauthorised access to the Facility, by having the Facility enclosed with a fence of 1.8m and a gate with the same height.
- 5.2 Weatherproof, durable and legible notices must be displayed at each entrance to the Facility in at least 3 (three) official languages applicable to the area. These notices must prohibit unauthorised entry and must contain the name, address and telephone number of the Licence Holder and the person responsible for the operation of the Facility.
- 5.3 The Licence Holder must ensure that there is no illegal access to the closed and rehabilitated Facility and that no illegal dumping occurs on the Facility.

## **6. FACILITY MANAGEMENT AND OPERATIONS**

- 6.1 The Licence Holder shall retain the responsibility for the Facility, and its monitoring after decommissioning of the Facility is according to the Minimum Requirements and any relevant Norms and Standards that may replace the Minimum Requirements and ensure that:
- 6.1.1 The presence of any nuisances such as flies, exposed waste, and bad odours must be monitored regularly and monitoring results must be kept in terms of Condition 13.
- 6.1.2 Any complaints from the public must be attended to by the Licence Holder, who must take all reasonable and practical steps to alleviate the cause of the complaint within a reasonable timeframe to the satisfaction of the Department and record it in terms of Conditions 13 and 14

## **7. ENVIRONMENTAL POLLUTION INVESTIGATIONS**

- 7.1 If, in the opinion of the Director, any environmental pollution, nuisances or health risks may be caused by the Facility, the Licence Holder must investigate the cause of the problem and take reasonable steps to alleviate the problem in consultation with the Director.
- 7.2 Should the investigation carried out, as per Condition 7.1 above, reveal any unacceptable levels of pollution, the Licence Holder must submit a report with mitigation measures to the satisfaction of the Director.

## **8. WATER QUALITY MANAGEMENT**

### **8.1 Runoff Management**

- 8.1.1 Works constructed in compliance with Condition 4 must be of such a capacity as to maintain a freeboard of half a meter and to accommodate:
- (a) All stormwater runoff, which could be expected as a result of the estimated maximum precipitation during a period of 24 (twenty four) hours with an average frequency of once in the fifty years; and
- (b) All expected leachate.

- 8.1.2 Works constructed in compliance with Condition 8.1 must, on a continuous basis, be properly maintained.
- 8.1.3 All runoff water (stormwater) arising as a result of precipitation on land adjacent to the Facility must be prevented from entering the Facility and must be diverted and drained from the Facility, by means of works constructed by the Licence Holder in accordance with Condition 4.
- 8.1.4 Uncontaminated runoff water must under no circumstances be used to dilute leachate emanating from the Facility but must be diverted to and discharged into the nearest stormwater channel.

## 8.2 **Leachate Management**

- 8.2.1 Existing leachate from the Site shall, by means of works which shall be constructed and maintained on a continuous basis by the Licence Holder and be lined as approved by the Responsible Authority, to prevent pollution to groundwater:
  - (a) With the written approval of the Responsible Authority be evaporated in lined dams as approved by the Responsible Authority; and/or
  - (b) Be discharged into any convenient sewer if accepted by the authority in control of that sewer.

## 9. **MONITORING**

### 9.1 **Water Quality Monitoring**

- 9.1.1 The Licence Holder must establish and maintain a ground water monitoring plan with at least one upstream borehole and one downstream borehole, and submit the plan to the Director and the Director: RPW for approval, so that unobstructed sampling, as required in terms of this Licence, can be undertaken.
- 9.1.2 Monitoring boreholes must be equipped with lockable caps. The Department and the Department of Water and Sanitation reserve the right to take water samples at any reasonable time and to analyse these samples or have them analysed.
- 9.1.3 Surface water monitoring must be performed in all stormwater drain outlets that discharges to the natural environment and adjacent to the Facility at locations selected in conjunction with the Director and the Director: RPW and at such a frequency as determined by the Director and/or Director: RPW.

### 9.2 **Detection monitoring**

- 9.2.1 Monitoring for groundwater and surface water shall be conducted:
  - (a) Bi-annually (twice per year) for the water quality variables listed in Annexure II;
  - (b) Annually for the quality variables listed in Annexure III; or
  - (c) Such frequency as may be determined by the Licencing Authority.

### 9.3 **Investigative monitoring**

- 9.3.1 If, in the opinion of the Director and/or Director: RPW, a water quality variable listed under the detection monitoring programme, as referred to in Condition 9.2, shows an increasing trend, the Licence Holder shall initiate a monthly monitoring programme.



#### 9.4 **Further investigation**

- 9.4.1 If, in the opinion of the Director and/or the Director: RPW, groundwater and/or surface water pollution have occurred or may possibly occur, the Licence Holder must conduct and/or appoint specialists to conduct the necessary investigations and implement monitoring and rehabilitation measures to the satisfaction of the Director and/or the Director: RPW.

### 10. **ANALYSIS OF SAMPLES**

#### **Monitoring Methods and Parameters**

- 10.1 The Licence Holder must carry out all tests required in terms of Condition 9.2 in accordance with methods prescribed by and obtainable from the South African Bureau of Standards (SABS), referred to in the Standards Act, 2008 (Act No. 8 of 2008).
- 10.2 The Licence Holder may only use another method of analysis if written proof is submitted to and accepted by the Licensing Authority, specifying that the method to be used is at least equivalent to the SABS method.

### 11. **AUDITING**

#### 11.1 **Internal audits**

- 11.1.1 Internal audits must be conducted quarterly by the Licence Holder and on each audit occasion an official report must be compiled by the relevant auditor to report the findings of the audits, which must be made available to the external auditor specified in Condition 11.2 and the internal audit report must be submitted to the Director.

#### 11.2 **External audits**

- 11.2.1 The Licence Holder must appoint an independent external auditor to conduct annual audits before the decommissioning of the Facility commences and after the decommissioning phase has been concluded, to audit the site annually and this auditor must compile an audit report documenting the findings of the audit, which must be submitted by the Licence Holder to the Director.

- 11.2.2 The audit report must:

- (a) Specifically state whether the conditions of this licence are being adhered to;
- (b) Include an interpretation of all available data and test results regarding the operation of the site and all its impacts on the environment;
- (c) Specify target dates for the implementation of the recommendations to achieve compliance; and
- (d) Specify whether the corrective action taken after the previous audits was adequate.

### 12. **DEPARTMENTAL AUDITS AND INSPECTIONS**

- 12.1 The Department reserves the right to audit or inspect the Facility without prior notification at any time and any frequency as may be determined by the Director.

- 12.2 The Licence Holder must make any records or documentation available to the Director upon request, as well as any other information the Director may require.
- 12.3 The findings of these audits or inspections must be made available to the Licence Holder within 60 (sixty) days of the end of the audit or inspection. Information from the audits must be treated in accordance with the Promotion of Access to Information Act, 2000 (Act No. 2 of 2000).

### **13. RECORD KEEPING**

- 13.1 All records required or resulting from activities relating to this Licence must:
  - 13.1.1 Be legible;
  - 13.1.2 Be made available and should form part of the external audit report;
  - 13.1.3 If amended, be amended in such a way that the original and any subsequent amendments remain legible and are easily retrievable;
  - 13.1.4 Be retained in accordance with documented procedures which are approved by the Department; and
  - 13.1.5 Be made available to the Department upon the request of the Director.

### **14. REPORTING**

- 14.1 The Licence Holder must, within 24 (twenty four) hours, notify the Director of the occurrence or detection of any incident on the Facility which has the potential to cause, or has caused any pollution.
- 14.2 The Licence Holder must, within 14 (fourteen) days, or as specified by the Director from the occurrence or detection of any incident referred to in Condition 14.1, submit an action plan, which must include a detailed time schedule, and resource allocation signed off by management, to the satisfaction of the Director of measures taken to:
  - 14.2.1 Correct the impact resulting from the incident;
  - 14.2.2 Prevent the incident from causing any further impact; and
  - 14.2.3 Prevent a recurrence of a similar incident.
- 14.3 In the event that measures have not been implemented within 21 (twenty one) days of the incident to address impacts caused by the incident referred to in Condition 14.1, or measures which have been implemented are inadequate, the Director may implement the necessary measures at the cost and responsibility of the Licence Holder.
- 14.4 The Licence Holder must keep and maintain an incident and complaints register, which must be available at the request of the Director.
- 14.5 The Department must be notified within 7 (seven) days of any changes to the management of the Facility, including the name of the incoming person together with evidence that such person has the required technical competence.
- 14.6 The Department must be notified within 14 (fourteen) days of the following changes:
  - 14.6.1 Licence Holder's trading name, registered name or registered office address;
  - 14.6.2 Particulars of the Licence Holder's ultimate holding company (including details of an ultimate holding where a Licence Holder has become a subsidiary); and

- 14.6.3 Steps taken with a view to the Licence Holder going into bankruptcy, entering into composition or arrangement with creditors.
- 14.7 All audit reports (internal and external) must be submitted to the Director within 30 (thirty) days from the date on which the auditor finalised the audit.
- 14.8 The Licence Holder must register and report to the Departmental Integrated Pollutant and Waste Information System (IPWIS), which can be accessed on the URL: <http://ipwis.pgwc.gov.za/ipwis3/public>.

## **15. LEASING AND ALIENATION OF THE FACILITY**

- 15.1 Should the Licence Holder want to alienate or lease the Facility, he/she must notify the Director in writing of such an intention at least 120 (one hundred and twenty) days prior to the said transaction. Should the approval be granted, the subsequent Licence Holder shall remain liable to compliance with all Licence conditions.

## **16. TRANSFER OF WASTE MANAGEMENT LICENCE**

- 16.1 Should the Licence Holder want to transfer ownership of this Licence, he/she must apply in terms of Section 52 of the NEM: WA, 2008.
- 16.2 Any subsequent Licence Holder shall be bound by the conditions of this Licence.
- 16.3 The rights granted by this Licence are personal rights (i.e. not attached to a property, but granted to a natural or juristic person). As such, only the Licence Holder may undertake the activities authorised by the Licensing Authority. Permission to transfer the rights and obligations contained herein must be applied for in the following manner:
- 16.3.1 The applicant must submit an original signed and dated application for an amendment of the Licence to the Licensing Authority stating that he/she wishes the rights and obligations contained herein to be transferred, and including:
- (a) Confirmation that the Licence is still in force (i.e. that the validity period has not yet expired or the listed activities were lawfully commenced with);
  - (b) The contact details of the person who will be the new Licence Holder;
  - (c) The reasons for the transfer; and
  - (d) An original signed letter from the proposed new Licence Holder acknowledging the rights and obligations contained in the Licence and indicating that he/she has the ability to implement the mitigation and management measures and comply with the stipulated conditions.
- 16.3.2 The Licensing Authority will issue an amendment to the new Licence Holder either by way of a new Licence or an addendum to the existing Licence if the transfer is found to be appropriate.

## **17. COMMENCEMENT**

- 17.1 The construction and rehabilitation activities of the licensed activity may not commence within 20 (twenty) days of the date of signature of the Licence.
- 17.2 Should the Licence Holder be notified by the Licensing Authority of a suspension of the Licence pending any appeals decision on the authorized activity, he/she may not commence with the activity until authorised by the Director in writing.

- 17.3 After the 20 (twenty) day appeal period has expired and no good cause to extend the appeal period has been submitted, a written notice must be given to the Department that the activity will commence.
- 17.4 The decommissioning phase must commence before 7 November 2024. If commencement of the activity does not occur within that period, the validity of this Licence lapses and a new application for a Licence must be made in order for the activity to be undertaken.
- 17.5 If the proponent anticipates that commencement of the activity will not occur by 7 November 2024, he/ she must apply and show good cause for an extension of the period during which the commencement must take place, 6 (six) months prior to the expiry date of this Licence.

## **18. GENERAL**

- 18.1 This Licence shall not be transferable unless such transfer is subject to Condition 16 above.
- 18.2 This Licence shall not be construed as exempting the Licence Holder from compliance with the provisions of any National and Provincial Legislation and relevant Ordinance, Regulation, By-laws and relevant National Norms and Standards.
- 18.3 Transgression of any condition of this Licence could result in the suspension of the Licence by this Department.
- 18.4 This Licence is valid until 7 November 2029. The licence may be reviewed any time after commencement. Based on the results of the review, especially compliance with the Licence conditions or recommendations from the audit reports and or changing legislation, the Licence can be amended or withdrawn or the validity thereof extended.
- 18.5 Should the Licence Holder want to conduct the waste management activity beyond 7 November 2029, the Licence Holder must apply for a review 1 (one) year before the expiry date.
- 18.6 Transgression of any condition of this Licence could result in the suspension of the Licence by the Licensing Authority and may render the Licence Holder liable for criminal prosecution or other actions provided for in Section 67(1) of the NEM: WA, 2008.
- 18.7 In terms of sections 28 and 30 of the NEMA, and sections 19 and 20 of the National Water Act (Act No. 36 of 1998), any costs incurred to remedy environmental damage must be borne by the person responsible for the damage. It is therefore imperative that the Licence Holder reads through and understands the legislative requirements pertaining to the project. It is the Licence Holder's responsibility to take reasonable measures which include informing and educating contractors and employees about the environmental risks of their work and training them to operate in an environmentally acceptable manner.

**D. APPEAL OF LICENCE**

1. Appeals must comply with the provisions contained in the National Appeal Regulations, 2014 (GN No. 993 of 2014), as amended.
2. An appellant (if the holder of the decision) must, within 20 (twenty) calendar days from the date that the notification of the decision was sent to the holder by the Competent Authority:
  - 2.1 submit an appeal in accordance with Regulation 4 of the National Appeal Regulations, 2014 (as amended) to the Appeal Administrator; and
  - 2.2 submit a copy of the appeal to any registered I&APs, any Organ of State with interest in the matter and the decision-maker i.e. the Competent Authority that issued the decision.
3. An appellant (if NOT the holder of the decision) must, within 20 (twenty) calendar days from the date that the notification of the decision was sent to the registered I&APs by the holder:
  - 3.1 submit an appeal in accordance with Regulation 4 of the National Appeal Regulations, 2014, as amended to the Appeal Administrator; and
  - 3.2 submit a copy of the appeal to the holder of the decision, any registered I&AP, any Organ of State with interest in the matter and the decision-maker i.e. the Competent Authority that issued the decision.
4. The holder of the decision (if not the appellant), the decision-maker that issued the decision, the registered I&AP and the Organ of State must submit their responding statements, if any, to the appeal authority and the appellant within 20 (twenty) calendar days from the date of receipt of the appeal submission.
5. The appeal and the responding statement must be submitted to the address listed below:

By post: Western Cape Ministry of Local Government, Environmental Affairs and Development  
Planning

Private Bag X9186

**CAPE TOWN**

8000

By facsimile: (021) 483 4174

By hand: Attention: Mr Marius Venter (Tel: 021 483 3721)

Room 809

8th Floor Utilitas Building, 1 Dorp Street, Cape Town, 8001

By email: [DEADP.Appeals@westerncape.gov.za](mailto:DEADP.Appeals@westerncape.gov.za)

**Note:** For purposes of electronic database management, you are also requested to submit electronic copies (Microsoft Word format) of the appeal, responding statement and any supporting documents to the Appeal Authority to the address listed above and/ or via e-mail to [Marius.Venter@westerncape.gov.za](mailto:Marius.Venter@westerncape.gov.za).


6. A prescribed appeal form as well as assistance regarding the appeal processes is obtainable from the office of the Minister at: Tel. (021) 483 3721, E-mail [Marius.Venter@westerncape.gov.za](mailto:Marius.Venter@westerncape.gov.za) or URL <http://www.westerncape.gov.za/eadb>.

**E. DISCLAIMER**

The Western Cape Government, the Local Authority, committees or any other public authority or organisation appointed in terms of the conditions of the Licence shall not be responsible for any damages or losses suffered by the holder, developer or his/her successor in any instance where construction or operation subsequent to construction is temporarily or permanently stopped for reasons of non-compliance with the conditions as set out herein or any other subsequent document or legal action emanating from this decision.

Your interest in the future of our environment is greatly appreciated.

Yours faithfully,



**EDDIE HANEKOM**

**DIRECTOR: WASTE MANAGEMENT**

**DATE OF DECISION:** 26-11-2011

CC: (1) Mr Malise Noe: (DWS: Resource Protection and Waste)

Fax to E-mail: (086) 634 5998 / E-mail: [NoeM@dws.gov.za](mailto:NoeM@dws.gov.za)

## **ANNEXURE I**

### **REASONS FOR VARIATION OF THE DECISION (APPEALABLE)**

The reasons for the variation of the decision, as well as factors affecting the broader development that were considered to ensure the effective implementation of this Licence, are explained below.

The Department received a non-substantive variation application on 31 October 2019 to apply for a postponement of the commencement date to a maximum of 10 years, citing that due to other waste management activities and the current activities requiring funding, the rehabilitation of the Dal Josafat Landfill cannot commence before the required commencement date. Budget allocations is to be spread over the upcoming financial years in order to rehabilitate the Dal Josafat Facility. The remaining months before the original commencement period (i.e. 10 September 2019) was therefore insufficient for the activity to commence on time. The Department has extended the date for decommissioning to commence to 10 September 2024 (5 year extension).

In accordance with the Licence condition 19.4, the Department has also reviewed and updated the Licence.

### **REASONS FOR THE DECISION**

The reasons for the Licence decision as well as factors affecting the broader development that were considered to ensure the effective implementation of this Licence are explained below.

- (a) The information contained in the Application Form for a Waste Management Licence dated 15 January 2014;
- (b) The Basic Assessment Report (BAR) dated 15 May 2014, compiled by SRK Consulting (Pty) Ltd., including the Waste Management Licence Application Additional Information Annexure;
- (c) Comments raised by I&AP's throughout the Public Participation Process, the Applicant and the Environmental Assessment Practitioner's responses thereto;
- (d) Relevant information contained in the Departmental information base; and
- (e) The objectives and requirements of relevant legislation, policies and guidelines, including Section 2 of the NEMA, 1998 (Act No. 107 of 1998).

A summary of the issues, which in the Department's view were of the most significance, are set out below.

#### **Environment**

The Facility is not operating and has been re-vegetated. The Facility is partially fenced but access control is not implemented. The surrounding land-use in the area is predominantly industrial and the Facility is adjacent to the Berg River.



## **Deviation**

The applicant requested deviation from Regulation 54(2) (b) (iii) of GN No. R. 543 of 18 June 2010 and is granted permission for such deviation from the give written notices to owners and occupiers of land adjacent to the site.

## **ALTERNATIVES**

The following alternatives were considered:

### **Site Alternatives**

No site alternatives have been assessed as the activity focuses on the closure of the existing Facility

### **Activity Alternatives**

This activity alternative will entails the rehabilitation of an existing waste disposal facility, which will entail:

- (a) Gathering all the waste to form a dome shape. Create a dome shape with the waste with a flat surface, and 1:3 slopes;
- (b) Compact and cover the waste body with soil; and /or
- (c) Removal of all waste from the Facility and disposal at a permitted waste disposal facility. The excavated area will require rehabilitation.

Further assessment needs to be done to determine which alternative is best suited for the current Facility

### **Design Alternatives**

There are no direct design alternatives as the process will involve the closure of the current Facility.

## **PUBLIC PARTICIPATION PROCESS (PPP)**

The PPP comprised of the following:

- (a) 40-day I&AP Registration and public review and comment period on draft BAR (28 March 2014 to 12 May 2014);
- (b) Engagements were held with several stakeholders between 28 March 2014 and 12 May 2014
- (c) Advertisements were placed in the Die Burger and the Paarl Post on 27 March 2014;
- (d) Fixing of notice board at the Dal Josafat Waste Disposal Facility on 28 March 2014;
- (e) Notification sent to registered I&AP's via letter on 25 March 2014 and copy made available at the Paarl Public Library of the draft BAR from 26 March 2014 for review for 40 days; and
- (f) Submission of the final BAR to the Department on 15 May 2014.

**Authorities consulted:**

- (a) Cape Nature; and
- (b) Department of Water and Sanitation (DWS): Western Cape Provincial Operations.

Comments and recommendations provided by the other relevant authorities have been considered in the evaluation of this application. No authorities objected to the commencement of the activity. Where possible and relevant, the conditions imposed by Cape Nature and DWA have been included in the Waste Management Licence.

\_\_\_\_\_  
END

**ANNEXURE II**

**WATER QUALITY VARIABLES REQUIRED FOR DETECTION MONITORING:**

**Monitor at bi-annual intervals for:**

Alkalinity (P.Alk)

Ammonia (NH<sub>3</sub>-N)

Chemical Oxygen Demand (COD)

Chlorides (Cl)

Electrical Conductivity (EC)

Nitrate (NO<sub>3</sub>-N)

pH

Potassium (K)

Total Dissolved Solids (TDS)

—————  
END  
—————

**ANNEXURE III**

**WATER QUALITY VARIABLES REQUIRED FOR DETECTION MONITORING:**

**Monitor at annual intervals for:**

Calcium (Ca)

Fluoride (F)

Magnesium (Mg)

Sodium (Na)

Sulphate (SO<sub>4</sub>)

---

END